

Name: _____


Date: _____

Trig Final (SLTN v614)

- You can use a calculator (like [Desmos](#))
- You should have a unit-circle with special angles and coordinates marked.

Question 1

In the figure below, we see a circle and a central angle that subtends an arc. The angle measure is 2.5 radians. The radius is 4.2 meters. How long is the arc in meters?




$$\theta = \frac{L}{r} \quad r = \frac{L}{\theta} \quad L = r\theta$$

$L = 10.5$ meters.


Question 2

Consider angles $\frac{11\pi}{4}$ and $\frac{-23\pi}{6}$. For each angle, use a spiral with an arrow head to **mark** the angle on a circle below in standard position. Then, find **exact** expressions for $\cos\left(\frac{11\pi}{4}\right)$ and $\sin\left(\frac{-23\pi}{6}\right)$ by using a unit circle (provided separately).



Find $\cos(11\pi/4)$

$$\cos(11\pi/4) = \frac{-\sqrt{2}}{2}$$




Find $\sin(-23\pi/6)$

$$\sin(-23\pi/6) = \frac{1}{2}$$

Question 3

If $\sin(\theta) = \frac{-12}{13}$, and θ is in quadrant IV, determine an exact value for $\cos(\theta)$.


Ignore any negatives and the quadrant, and draw a right triangle (based on SOHCAHTOA) in standard (quadrant I) orientation.



Solve the Pythagorean Equation

$$\begin{aligned}A^2 + 12^2 &= 13^2 \\A &= \sqrt{13^2 - 12^2} \\A &= 5\end{aligned}$$

Rescale the triangle so the hypotenuse is 1. Reflect the triangle into Quadrant IV in a unit circle.



$$\cos(\theta) = \frac{5}{13}$$

Question 4

A mass-spring system oscillates vertically with a midline at $y = -4.48$ meters, a frequency of 6.55 Hz, and an amplitude of 7.84 meters. At $t = 0$, the mass is at the minimum height. Write an equation to model the height (y in meters) as a function of time (t in seconds).

Any of these equations would get full credit.

$$y = -7.84 \cos(2\pi 6.55t) - 4.48$$

or

$$y = -7.84 \cos(13.1\pi t) - 4.48$$

or

$$y = -7.84 \cos(41.15t) - 4.48$$