

Name: _____


Date: _____

Trig Final (Practice v1)

- You can use a calculator (like Desmos)
- You should have a unit-circle with special angles and coordinates marked.

Question 1

In the figure below, we see a circle and a central angle that subtends an arc. The angle measure is 3.1 radians. The arc length is 110 meters. How long is the radius in meters?




$$\theta = \frac{L}{r} \quad r = \frac{L}{\theta} \quad L = r\theta$$

$r = 35.48$ meters.


Question 2

Consider angles $\frac{9\pi}{4}$ and $-\frac{10\pi}{3}$. For each angle, use a spiral with an arrow head to **mark** the angle on a circle below in standard position. Then, find **exact** expressions for $\sin\left(\frac{9\pi}{4}\right)$ and $\cos\left(-\frac{10\pi}{3}\right)$ by using a unit circle (provided separately).



Find $\sin(9\pi/4)$

$$\sin(9\pi/4) = \frac{\sqrt{2}}{2}$$




Find $\cos(-10\pi/3)$

$$\cos(-10\pi/3) = -\frac{1}{2}$$

Question 3

If $\sin(\theta) = \frac{-60}{61}$, and θ is in quadrant III, determine an exact value for $\cos(\theta)$.


Ignore any negatives and the quadrant, and draw a right triangle (based on SOHCAHTOA) in standard (quadrant I) orientation.



Solve the Pythagorean Equation

$$\begin{aligned}A^2 + 60^2 &= 61^2 \\A &= \sqrt{61^2 - 60^2} \\A &= 11\end{aligned}$$

Rescale the triangle so the hypotenuse is 1. Reflect the triangle into Quadrant III in a unit circle.



$$\cos(\theta) = \frac{-11}{61}$$

Question 4

A mass-spring system oscillates vertically with an amplitude of 8.86 meters, a frequency of 2.35 Hz, and a midline at $y = 6$ meters. At $t = 0$, the mass is at the midline and moving up. Write an equation to model the height (y in meters) as a function of time (t in seconds).

Any of these equations would get full credit.

$$y = 8.86 \sin(2\pi 2.35t) + 6$$

or

$$y = 8.86 \sin(4.7\pi t) + 6$$

or

$$y = 8.86 \sin(14.77t) + 6$$