

Name: _____


Date: _____

Trig Final (SLTN v662)

- You should have a calculator (like [Desmos](#)) and a [unit-circle](#) reference sheet.

Question 1

In the figure below, we see a circle and a central angle that subtends an arc. The angle measure is 1.3 radians. The arc length is 8.2 meters. How long is the radius in meters?




$$\theta = \frac{L}{r} \quad r = \frac{L}{\theta} \quad L = r\theta$$

$r = 6.308$ meters.


Question 2

Consider angles $-\frac{11\pi}{3}$ and $\frac{9\pi}{4}$. For each angle, use a spiral with an arrow head to **mark** the angle on a circle below in standard position. Then, find **exact** expressions for $\sin\left(-\frac{11\pi}{3}\right)$ and $\cos\left(\frac{9\pi}{4}\right)$ by using a unit circle (provided separately).



Find $\sin(-11\pi/3)$

$$\sin(-11\pi/3) = \frac{\sqrt{3}}{2}$$




Find $\cos(9\pi/4)$

$$\cos(9\pi/4) = \frac{\sqrt{2}}{2}$$

Question 3

If $\sin(\theta) = \frac{-63}{65}$, and θ is in quadrant IV, determine an exact value for $\cos(\theta)$.


Ignore any negatives and the quadrant, and draw a right triangle (based on SOHCAHTOA) in standard (quadrant I) orientation.



Solve the Pythagorean Equation

$$\begin{aligned}A^2 + 63^2 &= 65^2 \\A &= \sqrt{65^2 - 63^2} \\A &= 16\end{aligned}$$

Rescale the triangle so the hypotenuse is 1. Reflect the triangle into Quadrant IV in a unit circle.



$$\cos(\theta) = \frac{16}{65}$$

Question 4

A mass-spring system oscillates vertically with a frequency of 6.42 Hz, an amplitude of 8.49 meters, and a midline at $y = -2.42$ meters. At $t = 0$, the mass is at the midline and moving up. Write an equation to model the height (y in meters) as a function of time (t in seconds).

Any of these equations would get full credit.

$$y = 8.49 \sin(2\pi 6.42t) - 2.42$$

or

$$y = 8.49 \sin(12.84\pi t) - 2.42$$

or

$$y = 8.49 \sin(40.34t) - 2.42$$