
# Trig Final (Solution v36)

• You should have a calculator (like Desmos) and a unit-circle reference sheet.

#### Question 1

In the figure below, we see a circle and a central angle that subtends an arc. The angle measure is 1.2 radians. The arc length is 49 meters. How long is the radius in meters?




$$\theta = \frac{L}{r}$$
  $r = \frac{L}{\theta}$   $L = r\theta$ 


r = 40.83 meters.

### Question 2

Consider angles  $\frac{7\pi}{3}$  and  $\frac{-11\pi}{4}$ . For each angle, use a spiral with an arrow head to **mark** the angle on a circle below in standard position. Then, find **exact** expressions for  $\sin\left(\frac{7\pi}{3}\right)$  and  $\cos\left(\frac{-11\pi}{4}\right)$  by using a unit circle (provided separately).



$$\sin(7\pi/3) = \frac{\sqrt{3}}{2}$$




Find  $cos(-11\pi/4)$ 

$$\cos(-11\pi/4) = \frac{-\sqrt{2}}{2}$$

## Question 3

If  $\tan(\theta) = \frac{21}{20}$ , and  $\theta$  is in quadrant III, determine an exact value for  $\cos(\theta)$ .

Ignore any negatives and the quadrant, and draw a right triangle (based on SOHCAHTOA) in standard (quadrant I) orientation.




Solve the Pythagorean Equation

$$20^{2} + 21^{2} = C^{2}$$

$$C = \sqrt{20^{2} + 21^{2}}$$

$$C = 29$$

Rescale the triangle so the hypotenuse is 1. Reflect the triangle into Quadrant III in a unit circle.



$$\cos(\theta) = \frac{-20}{29}$$

### Question 4

A mass-spring system oscillates vertically with a frequency of 3.38 Hz, an amplitude of 8.44 meters, and a midline at y = 5.06 meters. At t = 0, the mass is at the midline and moving up. Write an equation to model the height (y in meters) as a function of time (t in seconds).

Any of these equations would get full credit.

$$y = 8.44\sin(2\pi 3.38t) + 5.06$$

or

$$y = 8.44\sin(6.76\pi t) + 5.06$$

or

$$y = 8.44\sin(21.24t) + 5.06$$