

Name: _____


Date: _____

Trig Final (SLTN v613)

- You should have a calculator (like [Desmos](#)) and a [unit-circle](#) reference sheet.

Question 1

In the figure below, we see a circle and a central angle that subtends an arc. The arc length is 82 meters. The radius is 22 meters. What is the angle measure in radians?




$$\theta = \frac{L}{r} \quad r = \frac{L}{\theta} \quad L = r\theta$$

$\theta = 3.727$ radians.


Question 2

Consider angles $\frac{11\pi}{3}$ and $-\frac{13\pi}{4}$. For each angle, use a spiral with an arrow head to **mark** the angle on a circle below in standard position. Then, find **exact** expressions for $\cos\left(\frac{11\pi}{3}\right)$ and $\sin\left(-\frac{13\pi}{4}\right)$ by using a unit circle (provided separately).



Find $\cos(11\pi/3)$

$$\cos(11\pi/3) = \frac{1}{2}$$




Find $\sin(-13\pi/4)$

$$\sin(-13\pi/4) = \frac{\sqrt{2}}{2}$$

Question 3

If $\tan(\theta) = \frac{-35}{12}$, and θ is in quadrant II, determine an exact value for $\cos(\theta)$.


Ignore any negatives and the quadrant, and draw a right triangle (based on SOHCAHTOA) in standard (quadrant I) orientation.



Solve the Pythagorean Equation

$$\begin{aligned}12^2 + 35^2 &= C^2 \\ C &= \sqrt{12^2 + 35^2} \\ C &= 37\end{aligned}$$

Rescale the triangle so the hypotenuse is 1. Reflect the triangle into Quadrant II in a unit circle.



$$\cos(\theta) = \frac{-12}{37}$$

Question 4

A mass-spring system oscillates vertically with an amplitude of 2.49 meters, a frequency of 7.04 Hz, and a midline at $y = 6.03$ meters. At $t = 0$, the mass is at the midline and moving down. Write an equation to model the height (y in meters) as a function of time (t in seconds).

Any of these equations would get full credit.

$$y = -2.49 \sin(2\pi 7.04t) + 6.03$$

or

$$y = -2.49 \sin(14.08\pi t) + 6.03$$

or

$$y = -2.49 \sin(44.23t) + 6.03$$