
Trig Final (SLTN v665)

- You can use a calculator (like Desmos)
- You should have a unit-circle with special angles and coordinates marked.

Question 1

In the figure below, we see a circle and a central angle that subtends an arc. The angle measure is 4.4 radians. The arc length is 210 meters. How long is the radius in meters?




$$\theta = rac{L}{r} \qquad r = rac{L}{ heta} \qquad L = r heta$$

r = 47.73 meters.


Question 2

Consider angles $\frac{11\pi}{4}$ and $\frac{-17\pi}{6}$. For each angle, use a spiral with an arrow head to **mark** the angle on a circle below in standard position. Then, find **exact** expressions for $\sin\left(\frac{11\pi}{4}\right)$ and $\cos\left(\frac{-17\pi}{6}\right)$ by using a unit circle (provided separately).



Find $sin(11\pi/4)$

$$\sin(11\pi/4) = \frac{\sqrt{2}}{2}$$



Find $\cos(-17\pi/6)$

$$\cos(-17\pi/6) = \frac{-\sqrt{3}}{2}$$

Question 3

If $\cos(\theta) = \frac{-12}{37}$, and θ is in quadrant III, determine an exact value for $\sin(\theta)$.

Ignore any negatives and the quadrant, and draw a right triangle (based on SOHCAHTOA) in standard (quadrant I) orientation.




Solve the Pythagorean Equation

$$12^{2} + B^{2} = 37^{2}$$

$$B = \sqrt{37^{2} - 12^{2}}$$

$$B = 35$$

Rescale the triangle so the hypotenuse is 1. Reflect the triangle into Quadrant III in a unit circle.



$$\sin(\theta) = \frac{-35}{37}$$

Question 4

A mass-spring system oscillates vertically with a midline at y = 3.56 meters, a frequency of 2.42 Hz, and an amplitude of 6.95 meters. At t = 0, the mass is at the minimum height. Write an equation to model the height (y in meters) as a function of time (t in seconds).

Any of these equations would get full credit.

$$y = -6.95\cos(2\pi 2.42t) + 3.56$$

or

$$y = -6.95\cos(4.84\pi t) + 3.56$$

or

$$y = -6.95\cos(15.21t) + 3.56$$