
Trig Final (SLTN v670)

• You should have a calculator (like Desmos) and a unit-circle reference sheet.

Question 1

In the figure below, we see a circle and a central angle that subtends an arc. The angle measure is 2.9 radians. The arc length is 11 meters. How long is the radius in meters?




$$\theta = \frac{L}{r}$$
 $r = \frac{L}{\theta}$ $L = r\theta$

r = 3.793 meters.


Question 2

Consider angles $\frac{-10\pi}{3}$ and $\frac{13\pi}{4}$. For each angle, use a spiral with an arrow head to **mark** the angle on a circle below in standard position. Then, find **exact** expressions for $\sin\left(\frac{-10\pi}{3}\right)$ and $\cos\left(\frac{13\pi}{4}\right)$ by using a unit circle (provided separately).



Find $sin(-10\pi/3)$

$$\sin(-10\pi/3) = \frac{\sqrt{3}}{2}$$



Find $cos(13\pi/4)$

$$\cos(13\pi/4) = \frac{-\sqrt{2}}{2}$$

Question 3

If $\sin(\theta) = \frac{-60}{61}$, and θ is in quadrant IV, determine an exact value for $\tan(\theta)$.

Ignore any negatives and the quadrant, and draw a right triangle (based on SOHCAHTOA) in standard (quadrant I) orientation.




Solve the Pythagorean Equation

$$A^{2} + 60^{2} = 61^{2}$$

$$A = \sqrt{61^{2} - 60^{2}}$$

$$A = 11$$

Rescale the triangle so the hypotenuse is 1. Reflect the triangle into Quadrant IV in a unit circle.



$$\tan(\theta) = \frac{\frac{-60}{61}}{\frac{11}{61}} = \frac{-60}{11}$$

Question 4

A mass-spring system oscillates vertically with an amplitude of 6.29 meters, a midline at y = -4.89 meters, and a frequency of 8.29 Hz. At t = 0, the mass is at the maximum height. Write an equation to model the height (y in meters) as a function of time (t in seconds).

Any of these equations would get full credit.

$$y = 6.29\cos(2\pi 8.29t) - 4.89$$

or

$$y = 6.29\cos(16.58\pi t) - 4.89$$

or

$$y = 6.29\cos(52.09t) - 4.89$$