Name: Date:

Trig Final (SLTN v642)

- You can use a calculator (like Desmos)
- You should have a unit-circle with special angles and coordinates marked.

Question 1

In the figure below, we see a circle and a central angle that subtends an arc. The angle measure is 2.2 radians. The arc length is 5.2 meters. How long is the radius in meters?



$$\theta = \frac{L}{r} \qquad r = \frac{L}{\theta} \qquad L = r\theta$$

$r = 2.364$ meters.

Question 2

Consider angles $\frac{-13\pi}{4}$ and $\frac{11\pi}{3}$. For each angle, use a spiral with an arrow head to **mark** the angle on a circle below in standard position. Then, find **exact** expressions for $\cos\left(\frac{-13\pi}{4}\right)$ and $\sin\left(\frac{11\pi}{3}\right)$ by using a unit circle (provided separately).



Find $\cos(-13\pi/4)$



Find $\sin(11\pi/3)$

$\cos(-13\pi/4) = \frac{-\sqrt{2}}{2}$

$\sin(11\pi/3) = \frac{-\sqrt{3}}{2}$

Question 3

If $\sin(\theta) = \frac{-12}{13}$, and θ is in quadrant IV, determine an exact value for $\cos(\theta)$.

Ignore any negatives and the quadrant, and draw a right triangle (based on SOHCAHTOA) in standard (quadrant I) orientation.



Solve the Pythagorean Equation

$$A^2 + 12^2 = 13^2$$
$$A = \sqrt{13^2 - 12^2}$$
$$A = 5$$

Rescale the triangle so the hypotenuse is 1. Reflect the triangle into Quadrant IV in a unit circle.



$$\cos(\theta) = \frac{5}{13}$$

Question 4

A mass-spring system oscillates vertically with a midline at $y = 3.28$ meters, an amplitude of 8.47 meters, and a frequency of 6.29 Hz. At $t = 0$, the mass is at the minimum height. Write an equation to model the height (y in meters) as a function of time (t in seconds).

Any of these equations would get full credit.

$$y = -8.47\cos(2\pi 6.29t) + 3.28$$

or

$$y = -8.47\cos(12.58\pi t) + 3.28$$

or

$$y = -8.47\cos(39.52t) + 3.28$$