Polynomial Operations PRACTICE (version 19)

1. Let polynomials p(x) and q(x) be defined below.

$$p(x) = -6x^5 - 5x^3 - 2x^2 - x + 9$$

$$q(x) = -4x^5 - 10x^4 - 7x^2 - 5x + 9$$

Express the difference q(x) - p(x) in standard form.

2. Let polynomials a(x) and b(x) be defined below.

$$a(x) = -6x^2 - 5x + 8$$

$$b(x) = 3x + 7$$

Express the product $a(x) \cdot b(x)$ in standard form.

3. Express $(x+1)^6$ in standard (expanded) form.

Polynomial Operations PRACTICE (version 19)

4. Let polynomials f(x) and g(x) be defined below.

$$f(x) = x^3 - 10x^2 + 26x - 4$$

$$g(x) = x - 6$$

The quotient of $\frac{f(x)}{g(x)}$ can be expressed as a polynomial, h(x), and a remainder, R (a real number).

$$\frac{f(x)}{g(x)} = h(x) + \frac{R}{x - 6}$$

By using synthetic division or long division, express h(x) in standard form, and find the remainder R.

5. Let polynomial f(x) still be defined as $f(x) = x^3 - 10x^2 + 26x - 4$. Evaluate f(6).