

Name: \_\_\_\_\_

### at1204p\_vertex\_and\_roots... from standard-form quadratic functions (v104)

For each quadratic function, find:

1. The equation of the axis of symmetry
2. The distance of each root to the axis of symmetry ( $w$ )
3. Both  $x$ -intercepts (also called the roots or the zeros), each shown as cartesian coordinates
4. The location of the vertex ( $h, k$ ) shown as cartesian coordinates

Your answers should be in simplified exact form, no decimal approximations. Improper fractions are preferred to mixed numbers.

#### Example

$$f(x) = 6x^2 + 4x - 5$$

#### Example solution

1. Find the axis of symmetry. Use the formula  $h = \frac{-b}{2a}$ , where  $h$  is the horizontal coordinate of the vertex. Remember that the vertical axis of symmetry intersects the vertex.

$$h = \frac{-(4)}{2(6)} = \frac{-1}{3}$$

$$\text{axis of symmetry: } x = \frac{-1}{3}$$

2. Find the distance of each root from the axis of symmetry. Use the formula  $w = \frac{\sqrt{b^2 - 4ac}}{2a}$ .

$$w = \frac{\sqrt{(4)^2 - 4(6)(-5)}}{2(6)}$$

$$w = \frac{\sqrt{136}}{12} = \frac{\sqrt{2 \cdot 2 \cdot 2 \cdot 17}}{12} = \frac{2\sqrt{34}}{12}$$

$$w = \frac{\sqrt{34}}{6}$$

3. The  $x$ -intercepts can be found by adding  $w$  to or subtracting  $w$  from  $h$ .

$$\left(\frac{-1}{3} - \frac{\sqrt{34}}{6}, 0\right) \quad \text{and} \quad \left(\frac{-1}{3} + \frac{\sqrt{34}}{6}, 0\right)$$

4. Find the vertex. We already know  $h = \frac{-1}{3}$ , so we just need  $k$ . Use the formula  $k = \frac{4ac - b^2}{4a}$ .

$$k = \frac{4(6)(-5) - (4)^2}{4(6)}$$

$$k = \frac{-136}{24} = \frac{-17}{3}$$

$$\text{vertex: } \left(\frac{-1}{3}, \frac{-17}{3}\right)$$

## Question 1

For the quadratic function listed below, find:

1. The equation of the axis of symmetry
2. The distance of each root to the axis of symmetry ( $w$ )
3. Both  $x$ -intercepts (also called the roots or the zeros), each shown as cartesian coordinates
4. The location of the vertex ( $h, k$ ) shown as cartesian coordinates

Box your answers.

$$f(x) = 4x^2 - 8x - 1$$

1. Axis of symmetry

$$h = \frac{-(-8)}{2(4)} = 1$$

axis of symmetry:  $x = 1$

2. Distance from axis of symmetry to root

$$w = \frac{\sqrt{(-8)^2 - 4(4)(-1)}}{2(4)}$$

$$w = \frac{\sqrt{80}}{8} = \frac{\sqrt{2 \cdot 2 \cdot 2 \cdot 2 \cdot 5}}{8} = \frac{4\sqrt{5}}{8}$$

$$w = \frac{\sqrt{5}}{2}$$

3. Roots

$$\left(1 - \frac{\sqrt{5}}{2}, 0\right) \quad \text{and} \quad \left(1 + \frac{\sqrt{5}}{2}, 0\right)$$

4. Vertex

$$k = \frac{4(4)(-1) - (-8)^2}{4(4)}$$

$$k = \frac{-80}{16} = -5$$

vertex:  $(1, -5)$

## Question 2

For the quadratic function listed below, find:

1. The equation of the axis of symmetry
2. The distance of each root to the axis of symmetry ( $w$ )
3. Both  $x$ -intercepts (also called the roots or the zeros), each shown as cartesian coordinates
4. The location of the vertex ( $h, k$ ) shown as cartesian coordinates

Box your answers.

$$f(x) = 7x^2 + 8x - 10$$

1. Axis of symmetry

$$h = \frac{-(8)}{2(7)} = \frac{-4}{7}$$

$$\text{axis of symmetry: } x = \frac{-4}{7}$$

2. Distance from axis of symmetry to root

$$w = \frac{\sqrt{(8)^2 - 4(7)(-10)}}{2(7)}$$

$$w = \frac{\sqrt{344}}{14} = \frac{\sqrt{2 \cdot 2 \cdot 2 \cdot 43}}{14} = \frac{2\sqrt{86}}{14}$$

$$w = \frac{\sqrt{86}}{7}$$

3. Roots

$$\left(\frac{-4}{7} - \frac{\sqrt{86}}{7}, 0\right) \quad \text{and} \quad \left(\frac{-4}{7} + \frac{\sqrt{86}}{7}, 0\right)$$

4. Vertex

$$k = \frac{4(7)(-10) - (8)^2}{4(7)}$$

$$k = \frac{-344}{28} = \frac{-86}{7}$$

$$\text{vertex: } \left(\frac{-4}{7}, \frac{-86}{7}\right)$$

### Question 3

For the quadratic function listed below, find:

1. The equation of the axis of symmetry
2. The distance of each root to the axis of symmetry ( $w$ )
3. Both  $x$ -intercepts (also called the roots or the zeros), each shown as cartesian coordinates
4. The location of the vertex ( $h, k$ ) shown as cartesian coordinates

Box your answers.

$$f(x) = 7x^2 + 2x - 3$$

1. Axis of symmetry

$$h = \frac{-(2)}{2(7)} = \frac{-1}{7}$$

$$\text{axis of symmetry: } x = \frac{-1}{7}$$

2. Distance from axis of symmetry to root

$$w = \frac{\sqrt{(2)^2 - 4(7)(-3)}}{2(7)}$$

$$w = \frac{\sqrt{88}}{14} = \frac{\sqrt{2 \cdot 2 \cdot 2 \cdot 11}}{14} = \frac{2\sqrt{22}}{14}$$

$$w = \frac{\sqrt{22}}{7}$$

3. Roots

$$\left(\frac{-1}{7} - \frac{\sqrt{22}}{7}, 0\right) \quad \text{and} \quad \left(\frac{-1}{7} + \frac{\sqrt{22}}{7}, 0\right)$$

4. Vertex

$$k = \frac{4(7)(-3) - (2)^2}{4(7)}$$

$$k = \frac{-88}{28} = \frac{-22}{7}$$

$$\text{vertex: } \left(\frac{-1}{7}, \frac{-22}{7}\right)$$