
Trig Final (Solution v3)

- You can use a calculator (like Desmos)
- You should have a unit-circle with special angles and coordinates marked.

Question 1

In the figure below, we see a circle and a central angle that subtends an arc. The radius is 4.3 meters. The angle measure is 4.3 radians. How long is the arc in meters?




$$\theta = \frac{L}{r} \qquad r = \frac{L}{\theta} \qquad L = r\theta$$

L = 18.49 meters.


Question 2

Consider angles $\frac{-11\pi}{3}$ and $\frac{9\pi}{4}$. For each angle, use a spiral with an arrow head to **mark** the angle on a circle below in standard position. Then, find **exact** expressions for $\cos\left(\frac{-11\pi}{3}\right)$ and $\sin\left(\frac{9\pi}{4}\right)$ by using a unit circle (provided separately).



Find $cos(-11\pi/3)$

$$\cos(-11\pi/3) = \frac{1}{2}$$



Find $sin(9\pi/4)$

$$\sin(9\pi/4) = \frac{\sqrt{2}}{2}$$

Question 3

If $tan(\theta) = \frac{24}{7}$, and θ is in quadrant III, determine an exact value for $sin(\theta)$.

Ignore any negatives and the quadrant, and draw a right triangle (based on SOHCAHTOA) in standard (quadrant I) orientation.




Solve the Pythagorean Equation

$$7^{2} + 24^{2} = C^{2}$$

$$C = \sqrt{7^{2} + 24^{2}}$$

$$C = 25$$

Rescale the triangle so the hypotenuse is 1. Reflect the triangle into Quadrant III in a unit circle.



$$\sin(\theta) = \frac{-24}{25}$$

Question 4

A mass-spring system oscillates vertically with an amplitude of 5.05 meters, a midline at y = -6.62 meters, and a frequency of 3.63 Hz. At t = 0, the mass is at the maximum height. Write an equation to model the height (y in meters) as a function of time (t in seconds).

Any of these equations would get full credit.

$$y = 5.05\cos(2\pi 3.63t) - 6.62$$

or

$$y = 5.05\cos(7.26\pi t) - 6.62$$

or

$$y = 5.05\cos(22.81t) - 6.62$$