

Name: _____


Date: _____

Trig Final (Solution v50)

- You should have a calculator (like [Desmos](#)) and a [unit-circle](#) reference sheet.

Question 1

In the figure below, we see a circle and a central angle that subtends an arc. The arc length is 21 meters. The radius is 4.1 meters. What is the angle measure in radians?




$$\theta = \frac{L}{r} \quad r = \frac{L}{\theta} \quad L = r\theta$$

$\theta = 5.122$ radians.


Question 2

Consider angles $-\frac{15\pi}{4}$ and $\frac{17\pi}{6}$. For each angle, use a spiral with an arrow head to **mark** the angle on a circle below in standard position. Then, find **exact** expressions for $\cos\left(-\frac{15\pi}{4}\right)$ and $\sin\left(\frac{17\pi}{6}\right)$ by using a unit circle (provided separately).



Find $\cos(-15\pi/4)$

$$\cos(-15\pi/4) = \frac{\sqrt{2}}{2}$$




Find $\sin(17\pi/6)$

$$\sin(17\pi/6) = \frac{1}{2}$$

Question 3

If $\cos(\theta) = \frac{48}{73}$, and θ is in quadrant IV, determine an exact value for $\tan(\theta)$.


Ignore any negatives and the quadrant, and draw a right triangle (based on SOHCAHTOA) in standard (quadrant I) orientation.



Solve the Pythagorean Equation

$$\begin{aligned}48^2 + B^2 &= 73^2 \\ B &= \sqrt{73^2 - 48^2} \\ B &= 55\end{aligned}$$

Rescale the triangle so the hypotenuse is 1. Reflect the triangle into Quadrant IV in a unit circle.



$$\tan(\theta) = \frac{\frac{-55}{73}}{\frac{48}{73}} = \frac{-55}{48}$$

Question 4

A mass-spring system oscillates vertically with a frequency of 8.57 Hz, a midline at $y = 5.45$ meters, and an amplitude of 3.15 meters. At $t = 0$, the mass is at the midline and moving up. Write an equation to model the height (y in meters) as a function of time (t in seconds).

Any of these equations would get full credit.

$$y = 3.15 \sin(2\pi 8.57t) + 5.45$$

or

$$y = 3.15 \sin(17.14\pi t) + 5.45$$

or

$$y = 3.15 \sin(53.85t) + 5.45$$