
Trig Final (SLTN v668)

• You should have a calculator (like Desmos) and a unit-circle reference sheet.

Question 1

In the figure below, we see a circle and a central angle that subtends an arc. The radius is 25 meters. The angle measure is 1.2 radians. How long is the arc in meters?




$$\theta = \frac{L}{r}$$
 $r = \frac{L}{\theta}$ $L = r\theta$


L = 30 meters.

Question 2

Consider angles $\frac{8\pi}{3}$ and $\frac{-9\pi}{4}$. For each angle, use a spiral with an arrow head to **mark** the angle on a circle below in standard position. Then, find **exact** expressions for $\cos\left(\frac{8\pi}{3}\right)$ and $\sin\left(\frac{-9\pi}{4}\right)$ by using a unit circle (provided separately).



$$\cos(8\pi/3) = \frac{-1}{2}$$




Find $sin(-9\pi/4)$

$$\sin(-9\pi/4) = \frac{-\sqrt{2}}{2}$$

Question 3

If $\tan(\theta) = \frac{-45}{28}$, and θ is in quadrant II, determine an exact value for $\cos(\theta)$.

Ignore any negatives and the quadrant, and draw a right triangle (based on SOHCAHTOA) in standard (quadrant I) orientation.




Solve the Pythagorean Equation

$$28^{2} + 45^{2} = C^{2}$$

$$C = \sqrt{28^{2} + 45^{2}}$$

$$C = 53$$

Rescale the triangle so the hypotenuse is 1. Reflect the triangle into Quadrant II in a unit circle.



$$\cos(\theta) = \frac{-28}{53}$$

Question 4

A mass-spring system oscillates vertically with an amplitude of 5.34 meters, a midline at y = 2.54 meters, and a frequency of 8.82 Hz. At t = 0, the mass is at the midline and moving up. Write an equation to model the height (y in meters) as a function of time (t in seconds).

Any of these equations would get full credit.

$$y = 5.34\sin(2\pi 8.82t) + 2.54$$

or

$$y = 5.34\sin(17.64\pi t) + 2.54$$

or

$$y = 5.34\sin(55.42t) + 2.54$$