

Name: _____


Date: _____

Trig Final (SLTN v636)

- You should have a calculator (like [Desmos](#)) and a [unit-circle](#) reference sheet.

Question 1

In the figure below, we see a circle and a central angle that subtends an arc. The angle measure is 1.1 radians. The radius is 120 meters. How long is the arc in meters?




$$\theta = \frac{L}{r} \quad r = \frac{L}{\theta} \quad L = r\theta$$

$L = 132$ meters.


Question 2

Consider angles $\frac{11\pi}{4}$ and $-\frac{17\pi}{6}$. For each angle, use a spiral with an arrow head to **mark** the angle on a circle below in standard position. Then, find **exact** expressions for $\cos\left(\frac{11\pi}{4}\right)$ and $\sin\left(-\frac{17\pi}{6}\right)$ by using a unit circle (provided separately).



Find $\cos(11\pi/4)$

$$\cos(11\pi/4) = \frac{-\sqrt{2}}{2}$$




Find $\sin(-17\pi/6)$

$$\sin(-17\pi/6) = \frac{-1}{2}$$

Question 3

If $\tan(\theta) = \frac{-15}{8}$, and θ is in quadrant IV, determine an exact value for $\cos(\theta)$.

Ignore any negatives and the quadrant, and draw a right triangle (based on SOHCAHTOA) in standard (quadrant I) orientation.




Solve the Pythagorean Equation

$$8^2 + 15^2 = C^2$$

$$C = \sqrt{8^2 + 15^2}$$

$$C = 17$$

Rescale the triangle so the hypotenuse is 1. Reflect the triangle into Quadrant IV in a unit circle.



$$\cos(\theta) = \frac{8}{17}$$

Question 4

A mass-spring system oscillates vertically with a midline at $y = 7.35$ meters, a frequency of 5.55 Hz, and an amplitude of 3.88 meters. At $t = 0$, the mass is at the midline and moving down. Write an equation to model the height (y in meters) as a function of time (t in seconds).

Any of these equations would get full credit.

$$y = -3.88 \sin(2\pi 5.55t) + 7.35$$

or

$$y = -3.88 \sin(11.1\pi t) + 7.35$$

or

$$y = -3.88 \sin(34.87t) + 7.35$$