



CONFIDENTIAL

VLADIMIR SHCHEDRIN
MANYCHAT
CI. PAU CLARIS 194 3
08037 - BARCELONA (BARCELONA)

HEALTH EXAM REPORT

OCCUPATIONAL MEDICINE



GENERAL INFORMATION

Details of the worker

Worker: SHCHEDRIN, VLADIMIR

NIF/NIE/IDENTIF: Z3128629J

Age: 29

Sex: MAN

E-mail: CHAFILIN@ICLOUD.COM

Date of examination: 05/02/2026 11:14

Health Exam Type: INITIAL HEALTH EXAM

Company details

Company name: MANYCHAT

CIF: B10771665

Contract: 714591

Current position

INGENIERO/A INFORMATICO/A

Protocols applied

DATA VISUALISATION SCREENS

MANUAL HANDLING OF LOADS

UNNATURAL POSTURES

COMPANY VEHICLE DRIVER

PSYCHOSOCIAL

Examination details

Centre: BARCELONA (Provença)

Doctor who carried out the examination: SERRANO MARTINEZ, NATIVIDAD

Nurse: ALBERTI BUENDIA, ALBA

WORK HISTORY

Jobs recorded in Quirónprevención

Type	Position	Company name	Observations	Workday (h/day)	Duration
CURRENT	INGENIERO/A INFORMATICO/A	MANYCHAT		0	18 MONTHS



GENERAL RECORDS

Personal habits

Physiological habits

Habit	Behaviour observed
DIET	VARIED DIET
EXERCISE	SEDENTARY LIFESTYLE
SLEEP	OTHER ALTERATIONS OF SLEEP
ORAL HYGIENE	TWICE A DAY
BOWEL MOVEMENT	NORMAL BOWEL MOVEMENT
URINE RHYTHM	NORMAL URINE RHYTHM

Toxic habits

Habit	Behaviour observed
COFFEE	DAILY (1-2 CUPS/DAY)
ENERGY DRINKS	NEVER
TOBACCO	DAILY SMOKER < 10 PACKS/YEAR
ALCOHOL	OCCASIONAL DRINKER (LESS THAN ONCE A WEEK)
DRUGS	DOES NOT CONSUME

History of personal and family illnesses

Description	Type	Relationship	Observations	End Date
ASTHMA	COMMON	PERSONAL	precisa salbutamol ocasionalmente	

Other medical information of interest

Vaccines indicated by the worker

Name	Number of doses	Day	Month	Year
TYPICAL OF CHILDHOOD				



CLINICAL EXAMINATION

Anthropometric data / somatometry

Weight (Kg)	86
Height (Cm)	174
Body mass index	28,4
Abdominal perimeter (Cm)	95
Heart rate (beat/min)	59
Blood pressure (mmHg)	135 / 89

Physical examination

ANAMNESIS

GENERAL ANAMNESIS

- Other relevant information

OBSERVATIONS: PVD. No conducción. asma, salbutamol ocasionalmente,

FACE

OTOSCOPY

- Without significant findings in the otoscopy

SENSE OF BALANCE

- Without alterations in the examination of balance

NECK

NECK EXAMINATION

- No alteration of mobility or painful points are detected

LUMBAR-ABDOMEN

GENERAL EX. ABDOMEN

- Without significant findings in the general examination of the abdomen

EYES

ANAMNESIS OF EYES AND APPENDAGES

- Without significant alterations in the anamnesis of eye and appendages

ANAMNESIS VISUAL FATIGUE

- Without evidence in the anamnesis of visual fatigue

EXAMINATION OF EYES AND APPENDAGES

- Without significant alterations in the examination of eye and appendages

EXTRINSIC OCULAR MOTILITY

- Without alterations of extrinsic ocular motility

INTRINSIC OCULAR MOTILITY

- Without alterations of intrinsic ocular motility

THORAX-BACK**PULMONARY AUSCULTATION**

- Normal vesicular breath sounds. no crepitants or rhonchus or sibilants

CARDIAC AUSCULTATION

- Normal heart rhythms and sounds.No murmurs or rubs

SKIN**SKIN/ SKIN APPENDAGES / MUCOUS MEMBRANES**

- No assessable skin lesions are detected

PSYCHOLOGICAL EX.**PSYCHOLOGICAL EX.**

- Without evidence of significant alterations in the psychological examination

ASSESSMENT OF CONDUCT

- Without evidence of alterations in the assessment of conduct

CIRCULATORY SYST.**GENERAL EXAMINATION CIRCULATORY SYSTEM**

- Without significant findings in the circulatory system examination

LOCOMOTOR SYST.**ANAMNESIS LOCOMOTOR SYSTEM**

- Without significant alterations of the anamnesis of the locomotor system

EXAMINATION AND PALPATION LOCOMOTOR SYSTEM

- Without significant findings in examination and palpation

EXAMINATION OF VERTEBRAL AXIS

- No apparent deviations of the vertebral column are detected

EXAM. JOINT MOVEMENT

- No limitations to joint movement are detected

NERVOUS SYST.**EXAM. NERVOUS SYSTEM**

- Without significant findings in the examination of the nervous system

EX. MOTOR SYST.

- Without significant findings in the examination of the motor system

EX. CRANIAL NERVES

- Without evidence of alteration of cranial nerves

EX. OSTEOTENDINOUS REFLEXES

- Osteotendinous reflexes without alterations

EX. SENSORY SYST.

- Without significant findings in the examination of the sensory system

MOTOR AND WALK COORDINATION

- Without apparent alterations in coordination or walk

MANOEUVRES

PHALEN'S TEST

- Negative Phalen sign

ROMBERG

- Negative Romberg sign

FINKELSTEIN SIGN

- Negative Finkelstein sign

LASSEGUE SIGN

- Negative Lasegue sign

Complementary tests

VISION CONTROL

Regular use of optical correction: WITHOUT CORRECTION


VISION ACUITY	RIGHT	LEFT	BINOCULAR
Close vision	10	12	12
Distant vision	10	4	10

ASSESSMENT

- Close vision acuity normal
- Colour vision normal
- FAR VISION ACUITY DIMINISHED
LOCALISATION: Eye (Left)
- FAR VISION ACUITY NORMAL
LOCALISATION: Eye (Right)
- Normal binocular distant visual acuity

AUDIOMETRY

Type of audiometry: Air conduction



	500	1000	2000	3000	4000	6000	8000
Right inner ear	15	15	15	15	15	15	15
Left inner ear	15	15	15	15	15	15	15

ASSESSMENT

- La pérdida auditiva global biaural es del 0,00%: Normal conversational frequency hearing

■ ELECTROCARDIOGRAPHY (E.C.G.)

ASSESSMENT

- Within normal limits

■ ABDOMINAL PERIMETER

ASSESSMENT

- Normal


■ BLOOD PRESSURE

ASSESSMENT

- Normotension

■ SCORE

For individuals under 40 years of age, the calculated Risk is the relative risk of cardiovascular disease.



Insulin resistance is an alteration associated with different cardiac and metabolic pathologies that occurs when muscle, fat and liver cells do not respond well to insulin and cannot absorb glucose easily. The consequence of this is that 1 in 3 insulin resistant people will develop Type 2 Diabetes Mellitus.



Fatty liver is also known as "hepatic steatosis" or the presence of excess fat in the liver.

Nonalcoholic fatty liver disease (NAFLD) affects 1 in 4 people, being a risk factor for generating possible liver fibrosis.

The FLI index helps to detect, early, the early onset of this disease.

Certain situations such as obesity, metabolic syndrome or type 2 diabetes increase the probability of developing this process, with the health risk that this entails.

Early detection and prompt treatment of hepatic steatosis can prevent progression to more serious liver disease.



Analytics

ASSESSMENT

- Analytical alterations without clinical significance

Questionnaires

SEMI-STRUCTURED INTERVIEW ABOUT EVENTS

- Completed questionnaire (Block I)
- Completed questionnaire (Block II)

EPWORTH SLEEPINESS SCALE

- It is likely that there is no excessive daytime sleepiness disorder. In case of doubt, consult a physician

GENERAL HEALTH QUESTIONNAIRE (GHQ-12)

- Does not describe results suggestive of psychopathology

Q10-FRP

- Good self-perception of current and comparative health status



RECOMMENDATIONS

GENERAL RECOMMENDATIONS FOR USERS OF DDSs
REDUCE OR GIVE UP TOBACCO CONSUMPTION

**ABILITY TO WORK**

Ability: FIT FOR THE POSITION

Frequency: ANNUALLY.



Signed:



Dr SERRANO MARTINEZ, NATIVIDAD

Medical association registration no.: 80821012
Specialist doctor

Date: 13/02/2026

PROVINCIAL ADDRESS OF BARCELONA

DELEGATION OF BARCELONA

Cl. PROVENÇA 319 BAJO


08037 – BARCELONA (BARCELONA)

NUTRITIONAL ASSESSMENT OF VLADIMIR SHCHEDRIN

The Waist - Height Index(WTI) is a measure of the distribution of body fat, which gives the possibility of detecting Abdominal Obesity(OA), Risk Cardiovascular(CVR) and Metabolic Syndrome(RMe). The distribution of body fat is very important and varies depending on whether it is diffuse or localized in the abdomen. Increased caloric intake, along with little practice of physical exercise, create conditions for the development of obesity and its consequences, such as metabolic disorders of carbohydrates, lipids and proteins. The WTI calculation allows identifying people with a BMI (body mass index) within the normal range, but who may have a high metabolic risk associated with central obesity.

THE ASSESSMENT OF YOUR WAIST-TO-HEIGHT INDEX SHOWS A RESULT OF:

0,55 Which corresponds to a situation of Slightly high index



*If the result of your analysis shows any altered parameter, consult your doctor first.



Slightly high index

Being overweight is one of the most common weight disorders. It is usually accompanied by other parameters such as low muscle mass. It is important to maintain daily physical activity and ensure a healthy diet based on natural foods that include vegetables, fruits, legumes, whole grains and nuts. In addition, we can complement our diet with foods of animal origin such as white meat, white and blue fish, eggs and dairy products.



Maintain a diet rich in vegetables, fruit, whole grains such as rice, wheat, quinoa, oats,... a high consumption of legumes and reduce the consumption of processed foods. The more natural your diet, the more balanced your diet will be.



It is important to increase physical activity, performing not only aerobic exercises such as running, cycling or elliptical, but also some exercise that improves your muscle mass, either through functional exercises, exercises with weight or simply exercises that mix aerobic activity and muscular work, such as swimming.



At breakfast avoid processed juices, industrial pastries, cookies, sugary breakfast cereals and opt for breads whole grains, natural whole grains or yogurt with fruit.



Consume enough water but never do it all at once. Water consumption should be distributed throughout the day in small shots, about 200ml (a small glass). This will regulate your intestinal transit, improve your digestion and help you balance your lipid profile.



Consume green tea infusion daily and foods such as oatmeal, chickpeas, nuts, avocado and oily fish as they help improve the lipid profile and achieve a healthy weight.



Bread: whenever you can, choose whole-grain loaf or loaf bread and avoid sliced bread, due to its content of added sugars and fats. Loaf bread is much healthier and can be frozen. Buy a large loaf and freeze half of it to ensure it doesn't get hard. Frozen bread recovers its state after going through the toaster. It will be exactly the same as if you had not frozen it.



Chew well: sometimes we don't feel full because we don't chew well. This means that our body does not start digestion properly and this process is delayed, giving that feeling of not having eaten.



Vegetables: grilled cruciferous vegetables such as broccoli, cauliflower, cabbage, red cabbage,... but also aubergine, courgette, green and white asparagus, mushrooms, green beans, onion, garlic, ... Fresh salads with lettuce, tomato, avocado, cucumber,... or cold vegetable creams, always without adding cheese, cream or fat unhealthy. Vegetable soups such as gazpacho, cucumber soup, beetroot, pumpkin cream, zucchini, vegetables, carrot,... You can choose the ones you like the most and use a good portion as a garnish. Remember that grilled vegetables do not need to use a lot of oil. Just use a light trickle of oil on them. Cover the pan you use to speed up cooking.



Fruits: at least 3 daily servings. A serving translates into: a medium piece of fruit (pear, apple, orange, banana, quince, grapefruit, etc.); two to three medium pieces of apricots, plums, dates, tangerines, figs or other fruits of similar size, eight medium strawberries; a dessert plate with cherries, grapes, blackberries, currants or other fruits of similar size; a breakfast bowl with pineapple, watermelon, melon, mango or papaya.



The dishes of legumes or brown rice with vegetables are always a good option. If you choose legumes you have several advantages: they can be frozen so you can make many servings to store, they provide protein and carbohydrates so they do not you will need to add extra meat, they will help you control your weight, sugar, cholesterol levels,... Consume 3-4 servings of vegetables a week. You can use the already cooked ones, but you should wash them before using them, not because they have additives (make sure that in the ingredients it only indicates: vegetables, water and salt) but to eliminate excess salt.



Meat or fish stews should be accompanied by vegetables such as: carrot, broccoli, zucchini, aubergine, peas, leek, onion, garlic, asparagus, artichokes, mushrooms, peppers, cauliflower, cabbage, green beans, pumpkin,... It is not necessary to use a lot of oil. The key is to cook the vegetables over low heat with the pan covered so that they are poached and then add the fish or meat, taking advantage of the juice of the vegetables so that they are poached.



Eat eggs 2 or 3 times a week (3-6 eggs), always boiled, scrambled, in an omelette or poached.



Maintain a varied diet, based on natural foods, balanced in nutrients and eliminate processed foods, responsible for the main nutritional imbalances today.

PSYCHOEMOTIONAL ASSESSMENT OF VLADIMIR SHCHEDRIN

The PHQ-4 psycho-emotional* questionnaire is an informative self-assessment tool that is not intended to be a substitute for specialized medical advice, diagnosis, or treatment. It combines an ultra-brief filter for depression and another for generalized anxiety.


■ Questionnaire:

In the past 14 days, how often did the following problems bother you?

The results obtained from its evaluation show:

Feeling nervous, distressed, or very tense		X		
Being unable to control worries		X		
Have little interest or joy in doing things		X		
Feeling down, depressed, or hopeless		X		

Possible Mild Affection of the Psychoemotional State. There are signs of affection of your mood. It would be advisable to prevent them by consulting with your doctor.



* This assessment is aimed at personal health unrelated to the workplace

Tips to avoid falling into anxiety and depression:



Do exercise. Find a physical activity that you like and incorporate it into your schedule 2 or 3 times a week.



Rest and sleep at least 7 hours a day.



Just relax. Breathe slowly and consciously. Or even practice yoga, Pilates, or relaxation techniques. Practice meditation.



Eat in a balanced and varied way, enjoy food and incorporate foods that contain serotonin (or tryptophan) such as eggs, pasta, rice, dairy products, cereals, bananas, legumes, red pepper, dark chocolate...



Transform your thoughts by choosing a positive approach, and learn to face and accept reality.



Communicate your emotions and your thoughts to the people around you or write them down.



Cultivate a sense of humor.

GENERAL RECOMMENDATIONS FOR VDU USERS

- The screen should be positioned for viewing with your **eyes looking slightly downward as you type**.
- The room you are working in should have adequate lighting, allowing you to read and write without forcing your vision.
- If the room has natural light and artificial light is not necessary, we must leave the window on the opposite side of our dominant hand. In other words, if we are right-handed we leave the window to the left of the position of our table and if we are left-handed we leave it to the right, thus avoiding the creation of shadows. If focal light is required, it must be directed on the keyboard, not on the screen.
- It is advisable to take short breaks lasting one to two minutes every hour, alternating between looking far and near, in order to mobilise the **eye muscles**, blinking to avoid eye dryness.
- If this is not enough, it is advisable to use moisturising eye drops periodically while working with the screen.
- If you wear contact lenses, use moisturising eye drops more often.
- Consult the ophthalmologist preventively:
 - To guarantee good eye health and early diagnosis.
 - Due to possible need for optical correction for intermediate distances.
 - For controls and studies that avoid the onset of dry eyes.
 - From the age of 40, it is generally advisable to have a check-up by an ophthalmologist, including taking intraocular pressure (tonometry), this being more strictly indicated when there is a family history of glaucoma.
 - To control your ophthalmological pathologies.
 - Faced with discomfort or a sensation of visual acuity deficit.



MAIN REASONS FOR QUITTING SMOKING

■ Why is it so difficult to quit smoking?

A cigarette contains chemicals, many of which are carcinogenic. The best known of these substances are:

Nicotine, tar and carbon monoxide.

It is very difficult to quit smoking because **nicotine** is an addictive drug. It causes a compulsive need to smoke, making us dependent on tobacco. Nicotine suppression causes **withdrawal syndrome**.



■ Reasons to stop smoking:

- Increase quality of life. Live longer and better.
- Improve blood circulation and therefore decrease the risk of suffering a heart attack.
- People who live with you, especially children, will be healthier.
- Reduce the risk of diseases such as lung cancer, tongue cancer, stomach cancer, kidney cancer, chronic bronchitis, emphysema, etc.
- Toxins inhaled by a pregnant woman pass into the fetus through the placenta, causing an oxygen deficit in the fetus.
- Early menopause, leading to increased risk of osteoporosis.
- Stains on teeth and loss of taste and smell.

TALK TO A HEALTH CARE PROFESSIONAL IF YOU WANT TO QUIT SMOKING

Z3128629J SHCHEDRIN , VLADIMIR
FdN: 07-feb.-1996 29 Años Varón

05-feb.-2026 11:37:14

Quirón Prevención (1)


Remote sites (1)

Remote sites (1)

QTc:

N.º solíc: 26208784

12 deriv.; Coloc. estándar



Disp.: Veloc: 25 mm/sec Mmbr: 10 mm/mV Precord: 10 mm/mV F 50~ 0,05-40 Hz CL P?