



## Assignment – 01

**Student Name:** Chahal Goyal

**Branch:** CSE

**Semester:** 6th

**Subject Name:** System Design

**UID:** 23BCS11983

**Section/Group:** KRG 1-B

**Date of Performance:** 03/02/2026

**Subject Code:** 23CSH-314

**Q1. Explain the role of Interfaces and Enums in software design with proper examples?**

Ans:

### **1. Interfaces in Software Design:**

An interface defines a contract that a class must follow. It specifies what a class should do, but not how it should do it. Interfaces help in achieving abstraction, loose coupling, and multiple inheritance.

### **Role of Interfaces:**

- Provide **standard behavior** across different classes
- Support **abstraction** by hiding implementation details
- Enable **loose coupling** between components
- Allow **multiple inheritance**
- Improve **maintainability and scalability**

### **Example of Interface:**

```
interface Payment {  
    void pay(double amount);  
}  
class CreditCardPayment implements Payment {  
    public void pay(double amount) {  
        System.out.println("Paid " + amount + " using Credit Card");  
    }  
}  
class UpiPayment implements Payment {  
    public void pay(double amount) {  
        System.out.println("Paid " + amount + " using UPI");  
    }  
}
```



## 2. Enums in Software Design:

An **enum (enumeration)** is a special data type used to define a **fixed set of constant values**. Enums make the code **more readable, safer, and error-free**.

### Role of Enums:

- Represent **fixed choices or states**
- Improve **type safety**
- Avoid use of hard-coded constants
- Make code **more readable and maintainable**
- Reduce logical errors

### Example of Enum:

```
enum OrderStatus {  
    PLACED,  
    SHIPPED,  
    DELIVERED,  
    CANCELLED  
}
```

```
class Order {  
    OrderStatus status;  
}
```

## Q2. Discuss how interfaces enable loose coupling with example?

Ans:

**Loose coupling** means that different components of a software system have **minimal dependency** on each other.

A loosely coupled system allows changes in one component **without affecting** other components.



# DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING

Discover. Learn. Empower.

Interfaces play a crucial role in achieving loose coupling by separating **what a class does** from **how it does it**.

## **Role of Interfaces in Loose Coupling:**

Interfaces enable loose coupling in the following ways:

- Classes depend on interfaces, not concrete implementations
- Implementation details can be changed without modifying dependent classes
- Promotes flexibility, reusability, and scalability
- Makes the system easier to test and maintain

## **Example: Loose Coupling Using Interface**

### **Step 1: Define an Interface:**

```
interface MessageService {  
  
    void sendMessage(String message);  
  
}
```

### **Step 2: Implement the Interface:**

```
class EmailService implements MessageService {  
  
    public void sendMessage(String message) {  
  
        System.out.println("Email sent: " + message);  
  
    }  
  
}  
  
class SMSService implements MessageService {  
  
    public void sendMessage(String message) {  
  
        System.out.println("SMS sent: " + message);  
  
    }  
  
}
```

### **Step 3: Use Interface in Client Class**

```
class Notification {  
  
    MessageService service;  
  
    Notification(MessageService service) {  
  
        this.service = service;  
  
    }  
  
    void notifyUser(String message) {  
  
        service.sendMessage(message);  
  
    }  
  
}
```