TS_SLIK_Gateway_Customer

Execution Environment

Host name chaidir.pratama01 - localhost

OS Mac OS X 64bit Katalon version 7.7.1.205

Browser

Summary

ID Test Suites/SLIK/TS_SLIK_Gateway_Customer

Description

Total 7

Passed 0 Failed 7
Error 0 Incomplete 0

Start 2020-09-24 00:15:25 End 2020-09-24 00:15:35

Elapsed 10.945s

#	ID	Description	Status
1	Test Cases/IST_Real/SLIK/SLIK_Gateway_Customer/Open Menu SLIK Gateway Customer		FAILED
2	Test Cases/IST_Real/SLIK/SLIK_Gateway_Customer/SLIK Gateway Customer Checking		FAILED
3	Test Cases/IST_Real/SLIK/SLIK_Gateway_Customer/SELECT KTP NUMBER CUSTOMER from DB		FAILED
4	Test Cases/IST_Real/SLIK/SLIK_Gateway_Customer/SLIK Gateaway Customer Search By KTP		FAILED
5	Test Cases/IST_Real/SLIK/SLIK_Gateway_Customer/SLIK Gateway Customer Search By Status SUCCESS		FAILED
6	Test Cases/IST_Real/SLIK/SLIK_Gateway_Customer/SLIK Gateway Customer View Detail		FAILED
7	Test Cases/IST_Real/SLIK/SLIK_Gateway_Customer/Delete KTPNumber From DB		FAILED

Open Menu SLIK Gateway Customer

Information

ID Test Cases/IST_Real/SLIK/SLIK_Gateway_Customer/Open Menu SLIK Gateway Customer

Description

Tag

Start 2020-09-24 00:15:25 End 2020-09-24 00:15:28

Elapsed 3.063s Status FAILED

Details

Open Menu SLIK Gateway Customer

#	Description	Elapsed	Status
1	runFeatureFile("Include/features/IST_Real/SLIK/SLIK Gateway	2.872s	FAILED
'	Customer/Open_Menu_SLIK_Gateway_Customer.feature")	2.0723	TAILLD
	Keyword runFeatureFile was failed (Root cause: com.kms.katalon.core.exception. StepFailedException: Feature file 'Include/features/IST_Real/SLIK/SLIK Gateway		
	Customer/Open_Menu_SLIK_Gateway_Customer.feature' was failed at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed		
	(KeywordMain.groovy:50)		
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed (KeywordMain.groovy)		
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed		
	(KeywordMain.groovy:23) at com.kms.katalon.core.keyword.internal.KeywordMain\$stepFailed\$0.call		
	(Unknown Source)		
	at com.kms.katalon.core.cucumber.keyword.		
	CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall		
	(CucumberBuiltinKeywords.groovy:82) at com.kms.katalon.core.cucumber.keyword.		
	CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall		
	(CucumberBuiltinKeywords.groovy)		
	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
	(KeywordMain.groovy:68)		
	at com.kms.katalon.core.keyword.internal.KeywordMain\$runKeyword.call		
	(Unknown Source)		
	at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
	runFeatureFile(CucumberBuiltinKeywords.groovy:46)		
	at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords\$runFeatureFile\$0.callStatic(Unknown Source)		
	at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
	runFeatureFile(CucumberBuiltinKeywords.groovy:169)		
	at com.kms.katalon.core.cucumber.keyword.		
	CucumberBuiltinKeywords\$runFeatureFile.call(Unknown Source)		
	at Open Menu SLIK Gateway Customer.run(Open Menu SLIK Gateway		
	Customer:18)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText		
	(ScriptEngine.java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript		
	(TestCaseExecutor.java:339)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute		
	(TestCaseExecutor.java:330)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:309) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:301)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute		
	(TestCaseExecutor.java:235)		
	at com.kms.katalon.core.main.TestSuiteExecutor.		
	accessTestCaseMainPhase(TestSuiteExecutor.java:191)		
	at com.kms.katalon.core.main.TestSuiteExecutor.		
	accessTestSuiteMainPhase(TestSuiteExecutor.java:141)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute		
	(TestSuiteExecutor.java:90)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.		
	java:157)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call		
	(Unknown Source)		
	at TempTestSuite1600881315732.run(TempTestSuite1600881315732.		
	groovy:39)		

SLIK Gateway Customer Checking

Information

ID Test Cases/IST_Real/SLIK/SLIK_Gateway_Customer/SLIK Gateway Customer Checking

Description

Tag

Start 2020-09-24 00:15:28 End 2020-09-24 00:15:29

Elapsed 1.431s Status FAILED

Details

SLIK Gateway Customer Checking

#	Description	Elapsed	Status
1	runFeatureFile("Include/features/IST_Real/SLIK/SLIK Gateway Customer/SLIK Gateway Customer Checking.feature")	1.325s	FAILED
	Keyword runFeatureFile was failed (Root cause: com.kms.katalon.core.exception. StepFailedException: Feature file 'Include/features/IST_Real/SLIK/SLIK Gateway Customer/SLIK Gateway Customer Checking.feature' was failed		
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed (KeywordMain.groovy:50)		
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed (KeywordMain.groovy)		
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed		
	(KeywordMain.groovy:23) at com.kms.katalon.core.keyword.internal.KeywordMain\$stepFailed\$0.call		
	(Unknown Source) at com.kms.katalon.core.cucumber.keyword.		
	CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall (CucumberBuiltinKeywords.groovy:82)		
	at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall		
	(CucumberBuiltinKeywords.groovy)		
	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68)		
	at com.kms.katalon.core.keyword.internal.KeywordMain\$runKeyword.call (Unknown Source)		
	at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.runFeatureFile(CucumberBuiltinKeywords.groovy:46)		
	at com.kms.katalon.core.cucumber.keyword.		
	CucumberBuiltinKeywords\$runFeatureFile\$0.callStatic(Unknown Source) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
	runFeatureFile(CucumberBuiltinKeywords.groovy:169) at com.kms.katalon.core.cucumber.keyword.		
	CucumberBuiltinKeywords\$runFeatureFile.call(Unknown Source) at SLIK Gateway Customer Checking.run(SLIK Gateway Customer Checking:		
	18)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText		
	(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript		
	(TestCaseExecutor.java:339) at com.kms.katalon.core.main.TestCaseExecutor.doExecute		
	(TestCaseExecutor.java:330)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:309)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:301)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:235)		
	at com.kms.katalon.core.main.TestSuiteExecutor. accessTestCaseMainPhase(TestSuiteExecutor.java:191)		
	at com.kms.katalon.core.main.TestSuiteExecutor.		
	accessTestSuiteMainPhase(TestSuiteExecutor.java:141) at com.kms.katalon.core.main.TestSuiteExecutor.execute		
	(TestSuiteExecutor.java:90) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.		
	java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call		
	(Unknown Source)		
	at TempTestSuite1600881315732.run(TempTestSuite1600881315732.groovy:39)		

SELECT KTP NUMBER CUSTOMER from DB

Information

ID Test Cases/IST_Real/SLIK/SLIK_Gateway_Customer/SELECT KTP NUMBER CUSTOMER from DB

Description

Tag

Start 2020-09-24 00:15:29 End 2020-09-24 00:15:31

Elapsed 1.698s Status FAILED

Details

SELECT KTP NUMBER CUSTOMER from DB

#	Description	Elapsed	Status
1	runFeatureFile("Include/features/IST_Real/SLIK/SLIK Gateway Customer/SELECT_KTP_NUMBER_CUSTOMER_from_DB.feature")	1.573s	FAILED
	Keyword runFeatureFile was failed (Root cause: com.kms.katalon.core.exception. StepFailedException: Feature file 'Include/features/IST_Real/SLIK/SLIK Gateway		
	Customer/SELECT_KTP_NUMBER_CUSTOMER_from_DB.feature' was failed at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed		
	(KeywordMain.groovy:50)		
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed (KeywordMain.groovy)		
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed		
	(KeywordMain.groovy:23) at com.kms.katalon.core.keyword.internal.KeywordMain\$stepFailed\$0.call		
	(Unknown Source)		
	at com.kms.katalon.core.cucumber.keyword.		
	CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall (CucumberBuiltinKeywords.groovy:82)		
	at com.kms.katalon.core.cucumber.keyword.		
	CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall		
	(CucumberBuiltinKeywords.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
	(KeywordMain.groovy:68)		
	at com.kms.katalon.core.keyword.internal.KeywordMain\$runKeyword.call		
	(Unknown Source)		
	at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.runFeatureFile(CucumberBuiltinKeywords.groovy:46)		
	at com.kms.katalon.core.cucumber.keyword.		
	CucumberBuiltinKeywords\$runFeatureFile\$0.callStatic(Unknown Source)		
	at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
	runFeatureFile(CucumberBuiltinKeywords.groovy:169) at com.kms.katalon.core.cucumber.keyword.		
	CucumberBuiltinKeywords\$runFeatureFile.call(Unknown Source)		
	at SELECT KTP NUMBER CUSTOMER from DB.run(SELECT KTP NUMBER		
	CUSTOMER from DB:18)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText		
	(ScriptEngine.java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript		
	(TestCaseExecutor.java:339) at com.kms.katalon.core.main.TestCaseExecutor.doExecute		
	(TestCaseExecutor.java:330)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:309)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:301)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute		
	(TestCaseExecutor.java:235)		
	at com.kms.katalon.core.main.TestSuiteExecutor.		
	accessTestCaseMainPhase(TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.		
	accessTestSuiteMainPhase(TestSuiteExecutor.java:141)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute		
	(TestSuiteExecutor.java:90)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call		
	(Unknown Source)		
	at TempTestSuite1600881315732.run(TempTestSuite1600881315732.groovy:39)		
	groovy.co)		

SLIK Gateaway Customer Search By KTP

Information

ID Test Cases/IST_Real/SLIK/SLIK_Gateway_Customer/SLIK Gateaway Customer Search By KTP

Description

Tag

Start 2020-09-24 00:15:31 End 2020-09-24 00:15:32

Elapsed 1.378s Status FAILED

Details

SLIK Gateaway Customer Search By KTP

.,			0, ,
#	Description	Elapsed	Status
1	runFeatureFile("Include/features/IST_Real/SLIK/SLIK Gateway Customer/SLIK Gateaway Customer Search_By_KTP.feature")	1.293s	FAILED
	Keyword runFeatureFile was failed (Root cause: com.kms.katalon.core.exception. StepFailedException: Feature file 'Include/features/IST_Real/SLIK/SLIK Gateway		
	Customer/SLIK Gateaway Customer Search_By_KTP.feature' was failed at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed		
	(KeywordMain.groovy:50) at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed		
	(KeywordMain.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed		
	(KeywordMain.groovy:23) at com.kms.katalon.core.keyword.internal.KeywordMain\$stepFailed\$0.call		
	(Unknown Source)		
	at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall		
	(CucumberBuiltinKeywords.groovy:82) at com.kms.katalon.core.cucumber.keyword.		
	CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall		
	(CucumberBuiltinKeywords.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
	(KeywordMain.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordMain\$runKeyword.call		
	(Unknown Source) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
	runFeatureFile(CucumberBuiltinKeywords.groovy:46)		
	at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords\$runFeatureFile\$0.callStatic(Unknown Source)		
	at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.runFeatureFile(CucumberBuiltinKeywords.groovy:169)		
	at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords\$runFeatureFile.call(Unknown Source)		
	at SLIK Gateaway Customer Search By KTP.run(SLIK Gateaway Customer		
	Search By KTP:18) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:339)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute		
	(TestCaseExecutor.java:330) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:309) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:301) at com.kms.katalon.core.main.TestCaseExecutor.execute		
	(TestCaseExecutor.java:235)		
	at com.kms.katalon.core.main.TestSuiteExecutor. accessTestCaseMainPhase(TestSuiteExecutor.java:191)		
	at com.kms.katalon.core.main.TestSuiteExecutor. accessTestSuiteMainPhase(TestSuiteExecutor.java:141)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:90)		
	$at\ com. kms. katalon. core. main. Test Case Main. start Test Suite (Test Case Main.$		
	java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call		
	(Unknown Source) at TempTestSuite1600881315732.run(TempTestSuite1600881315732.		
	groovy:39)		

SLIK Gateway Customer Search By Status SUCCESS

Information

ID Test Cases/IST_Real/SLIK/SLIK_Gateway_Customer/SLIK Gateway Customer Search By Status SUCCESS

Description

Tag

Start 2020-09-24 00:15:32 End 2020-09-24 00:15:34

Elapsed 1.393s Status FAILED

Details

SLIK Gateway Customer Search By Status SUCCESS

#	Description	Elapsed	Status
1	runFeatureFile("Include/features/IST_Real/SLIK/SLIK Gateway Customer/SLIK_Gateway_Customer_Search_By_Status_SUCCESS.feature")	1.304s	FAILED
	Keyword runFeatureFile was failed (Root cause: com.kms.katalon.core.exception.		
	StepFailedException: Feature file 'Include/features/IST_Real/SLIK/SLIK Gateway Customer/SLIK_Gateway_Customer_Search_By_Status_SUCCESS.feature' was failed		
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed		
	(KeywordMain.groovy:50) at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed		
	(KeywordMain.groovy)		
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed (KeywordMain.groovy:23)		
	at com.kms.katalon.core.keyword.internal.KeywordMain\$stepFailed\$0.call (Unknown Source)		
	at com.kms.katalon.core.cucumber.keyword.		
	CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall (CucumberBuiltinKeywords.groovy:82)		
	at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall		
	(CucumberBuiltinKeywords.groovy)		
	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68)		
	at com.kms.katalon.core.keyword.internal.KeywordMain\$runKeyword.call		
	(Unknown Source) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
	runFeatureFile(CucumberBuiltinKeywords.groovy:46) at com.kms.katalon.core.cucumber.keyword.		
	CucumberBuiltinKeywords\$runFeatureFile\$0.callStatic(Unknown Source)		
	at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.runFeatureFile(CucumberBuiltinKeywords.groovy:169)		
	at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords\$runFeatureFile.call(Unknown Source)		
	at SLIK Gateway Customer Search By Status SUCCESS.run(SLIK Gateway		
	Customer Search By Status SUCCESS:18) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript		
	(TestCaseExecutor.java:339) at com.kms.katalon.core.main.TestCaseExecutor.doExecute		
	(TestCaseExecutor.java:330)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:309)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:301)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute		
	(TestCaseExecutor.java:235) at com.kms.katalon.core.main.TestSuiteExecutor.		
	accessTestCaseMainPhase(TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.		
	accessTestSuiteMainPhase(TestSuiteExecutor.java:141)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:90)		
	$at\ com. kms. katalon. core. main. Test Case Main. start Test Suite (Test Case Main.$		
	java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call		
	(Unknown Source) at TempTestSuite1600881315732.run(TempTestSuite1600881315732.		
	groovy:39)		

SLIK Gateway Customer View Detail

Information

ID Test Cases/IST_Real/SLIK/SLIK_Gateway_Customer/SLIK Gateway Customer View Detail

Description

Tag

Start 2020-09-24 00:15:34 End 2020-09-24 00:15:35

Elapsed 1.457s Status FAILED

Details

SLIK Gateway Customer View Detail

#	Description	Elapsed	Status
1	runFeatureFile("Include/features/IST_Real/SLIK/SLIK Gateway Customer/SLIK_Gateway_Customer_View_Detail.feature")	1.334s	FAILED
	Keyword runFeatureFile was failed (Root cause: com.kms.katalon.core.exception. StepFailedException: Feature file 'Include/features/IST_Real/SLIK/SLIK Gateway		
	Customer/SLIK_Gateway_Customer_View_Detail.feature' was failed at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed		
	(KeywordMain.groovy:50)		
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed (KeywordMain.groovy)		
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed (KeywordMain.groovy:23)		
	at com.kms.katalon.core.keyword.internal.KeywordMain\$stepFailed\$0.call (Unknown Source)		
	at com.kms.katalon.core.cucumber.keyword.		
	CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall (CucumberBuiltinKeywords.groovy:82)		
	at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall		
	(CucumberBuiltinKeywords.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
	(KeywordMain.groovy:68)		
	at com.kms.katalon.core.keyword.internal.KeywordMain\$runKeyword.call (Unknown Source)		
	at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.runFeatureFile(CucumberBuiltinKeywords.groovy:46)		
	at com.kms.katalon.core.cucumber.keyword.		
	CucumberBuiltinKeywords\$runFeatureFile\$0.callStatic(Unknown Source) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
	runFeatureFile(CucumberBuiltinKeywords.groovy:169) at com.kms.katalon.core.cucumber.keyword.		
	CucumberBuiltinKeywords\$runFeatureFile.call(Unknown Source)		
	at SLIK Gateway Customer View Detail.run(SLIK Gateway Customer View Detail:18)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText		
	(ScriptEngine.java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:339)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:330)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:309)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:301) at com.kms.katalon.core.main.TestCaseExecutor.execute		
	(TestCaseExecutor.java:235) at com.kms.katalon.core.main.TestSuiteExecutor.		
	accessTestCaseMainPhase(TestSuiteExecutor.java:191)		
	at com.kms.katalon.core.main.TestSuiteExecutor. accessTestSuiteMainPhase(TestSuiteExecutor.java:141)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:90)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. java:157)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call		
	(Unknown Source) at TempTestSuite1600881315732.run(TempTestSuite1600881315732.		
	groovy:39)		

Delete KTPNumber From DB

Information

ID Test Cases/IST_Real/SLIK/SLIK_Gateway_Customer/Delete KTPNumber From DB

Description

Tag

Start 2020-09-24 00:15:35 End 2020-09-24 00:15:35

Elapsed 0.320s Status FAILED

Details

Delete KTPNumber From DB

#	Description	Elapsed	Status
1	runFeatureFile("Include/features/IST_Real/SLIK/SLIK Gateway	0.215s	FAILED
•	Customer/Delete_KTPNumber_From_DB.feature")	0.2.00	. ,
	Keyword runFeatureFile was failed (Root cause: com.kms.katalon.core.exception. StepFailedException: Feature file 'Include/features/IST_Real/SLIK/SLIK Gateway		
	Customer/Delete_KTPNumber_From_DB.feature' was failed		
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed		
	(KeywordMain.groovy:50)		
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed		
	(KeywordMain.groovy)		
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed (KeywordMain.groovy:23)		
	at com.kms.katalon.core.keyword.internal.KeywordMain\$stepFailed\$0.call		
	(Unknown Source)		
	at com.kms.katalon.core.cucumber.keyword.		
	CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall		
	(CucumberBuiltinKeywords.groovy:82)		
	at com.kms.katalon.core.cucumber.keyword.		
	CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall		
	(CucumberBuiltinKeywords.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
	(KeywordMain.groovy:68)		
	at com.kms.katalon.core.keyword.internal.KeywordMain\$runKeyword.call		
	(Unknown Source)		
	at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
	runFeatureFile(CucumberBuiltinKeywords.groovy:46)		
	at com.kms.katalon.core.cucumber.keyword.		
	CucumberBuiltinKeywords\$runFeatureFile\$0.callStatic(Unknown Source)		
	at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
	runFeatureFile(CucumberBuiltinKeywords.groovy:169) at com.kms.katalon.core.cucumber.keyword.		
	CucumberBuiltinKeywords\$runFeatureFile.call(Unknown Source)		
	at Delete KTPNumber From DB.run(Delete KTPNumber From DB:18)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText		
	(ScriptEngine.java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript		
	(TestCaseExecutor.java:339)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute		
	(TestCaseExecutor.java:330) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:309)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:301)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute		
	(TestCaseExecutor.java:235)		
	at com.kms.katalon.core.main.TestSuiteExecutor.		
	accessTestCaseMainPhase(TestSuiteExecutor.java:191)		
	at com.kms.katalon.core.main.TestSuiteExecutor. accessTestSuiteMainPhase(TestSuiteExecutor.java:141)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute		
	(TestSuiteExecutor.java:90)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.		
	java:157)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call		
	(Unknown Source)		
	at TempTestSuite1600881315732.run(TempTestSuite1600881315732.		
	groovy:39)		