



CyberScan
Security Audit Platform

alibaba.com — Procédure de Résolution des Vulnérabilités

Informations générales

Information	Valeur
Date et heure du scan	24/07/2026 à 15:29
Identifiant unique du scan	106
Client	chaima

NIVEAU DE RISQUE : CRITIQUE
Score de risque IA : 8.6/10 — Score sécurité : 1.4/10

Le score sécurité est l'inverse du score de risque : plus il est bas, plus le niveau de vulnérabilité est élevé.

Document confidentiel — Usage interne uniquement

Sommaire

Informations générales	1
Situation actuelle	3
Fiches vulnérabilité	5
Plan de correction	6
Annexe CVE	7
Conclusion	7

Situation actuelle

L'audit de alibaba.com a identifié 3 vulnérabilité(s) significative(s). OS/versions détectés : Alibaba-Aliyun, Cookies (ali_apache_id, JSESSIONID), Country (CANADA, UNITED STATES), HTTPServer (Tengine), IP (47.246.136.52, 23.60.190.183), PoweredBy (Tengine, AI), RedirectLocation (https://www.alibaba.com/), Strict-Transport-Security (max-age=31536000), Tengine-Web-Server, Title (301 Moved Permanently, Alibaba.com: Manufacturers, Suppliers, Exporters & Importers from the world's largest online B2B marketplace), UncommonHeaders (ups-target-key,x-protocol,eagleeye-traceid,s-brt,alt-svc,s-rt,timing-allow-origin,eagleid,server-timing, link,x-content-type-options,ups-target-key,x-protocol,eagleeye-traceid,s-brt,s-rt,timing-allow-origin,eagleid,server-timing,alt-svc,object-status,edge-type), HTML5, HttpOnly (JSESSIONID), Java, Open-Graph-Protocol (site), Script (application/ld+json, text/javascript), X-Frame-Options (DENY).

■ 2. Méthodologie

SSLScan — Inventaire des protocoles et suites cryptographiques TLS.

Nmap — Détection des ports ouverts, services et bannières réseau.

OpenSSL — Contrôle de la négociation TLS et du certificat présenté.

WhatWeb — Identification des technologies et versions web.

OWASP ZAP — Analyse dynamique des contrôles de sécurité HTTP.

NVD — Corrélation des produits versionnés avec les CVE du NIST.

■ 3. Inventaire technique

Technologies détectées


Technologie	Version	Détails
Alibaba-Aliyun	—	—
Cookies	—	ali_apache_id, JSESSIONID, cna, sc_g_cfg_f, ug_se_c, ug_se_c_tag
Country	—	CANADA, UNITED STATES
HTTPServer	—	Tengine
IP	—	47.246.136.52, 23.60.190.183
PoweredBy	—	Tengine, AI
RedirectLocation	—	https://www.alibaba.com/
Strict-Transport-Security	—	max-age=31536000
Tengine-Web-Server	—	—
Title	—	301 Moved Permanently, Alibaba.com: Manufacturers, Suppliers, Exporters & Importers from the world's largest online B2B marketplace
UncommonHeaders	—	ups-target-key,x-protocol,eagleeye-traceid,s-brt,alt-svc,s-rt,timing-allow-origin,eagleid,server-timing, link,x-content-type-options,ups-target-key,x-protocol,eagleeye-traceid,s-brt,s-rt,timing-allow-origin,eagleid,server-timing,alt-svc,object-status,edge-type
HTML5	—	—
HttpOnly	—	JSESSIONID

Technologie	Version	Détails
Java	—	—
Open-Graph-Protocol	site	—
Script	—	application/ld+json, text/javascript
X-Frame-Options	—	DENY

Ports exposés

Port	État	Service	Classification
—	—	—	Aucun port extrait.


■ 4. Indicateurs graphiques



Jauge du score de risque IA



Statut des protocoles SSL/TLS



Fiches vulnérabilité

Vuln_001

Libellé	Valeur
Identifiant	Vuln_001
Composant vulnérable	TLSv1.0 / TLSv1.1
Preuve d'audit	TLSv1.0 enabled TLSv1.1 enabled TLSv1.1 not vulnerable to heartbleed TLSv1.0 not vulnerable to heartbleed
Type	Configuration
Actif impacté	alibaba.com
Score CVSS	7.5
Niveau de criticité	Élevé
Recommandation	Désactiver TLS 1.0 et TLS 1.1 et n'autoriser que TLS 1.2/1.3.
Priorité de mise en œuvre	Immédiate

Solution proposée :

1. Nginx : définir « ssl_protocols TLSv1.2 TLSv1.3; » dans le bloc serveur.
2. Apache : définir « SSLProtocol -all +TLSv1.2 +TLSv1.3 » puis recharger le service.
3. Vérifier avec « openssl s_client -connect <hôte>:443 -tls1 » puis relancer sslscan.

Vuln_002

Libellé	Valeur
Identifiant	Vuln_002
Composant vulnérable	En-tête Content-Security-Policy (CSP) absent

Libellé	Valeur
Preuve d'audit	ZAP [Medium] En-tête Content-Security-Policy (CSP) absent URL : https://alibaba.com Occurrences : 1
Type	Technique
Actif impacté	https://alibaba.com
Score CVSS	5.0
Niveau de criticité	Moyen
Recommandation	Configurer explicitement l'en-tête HTTP Content-Security-Policy sur toutes les réponses.
Priorité de mise en œuvre	Court terme

Solution proposée :

1. Nginx : add_header Content-Security-Policy "default-src 'self'; object-src 'none'; frame-ancestors 'self'" always;
2. Apache : Header always set Content-Security-Policy "default-src 'self'; object-src 'none'; frame-ancestors 'self'"
3. Vérifier avec « curl -I https://<hôte> » que Content-Security-Policy est présent.

Vuln_003

Libellé	Valeur
Identifiant	Vuln_003
Composant vulnérable	Attribut Subresource Integrity (SRI) absent
Preuve d'audit	ZAP [Medium] Attribut Subresource Integrity (SRI) absent URL : https://alibaba.com Occurrences : 5
Type	Technique
Actif impacté	https://alibaba.com
Score CVSS	5.0
Niveau de criticité	Moyen
Recommandation	Fournir un attribut integrity valide sur chaque balise script ou link chargée depuis un tiers.
Priorité de mise en œuvre	Court terme

Solution proposée :

1. Nginx : déployer la balise « <script src="/app.js" integrity="sha384-..." crossorigin="anonymous"></script> » dans le fichier HTML servi.
2. Apache : déployer la même balise SRI dans le document servi par le VirtualHost.
3. Générer le hash avec « openssl dgst -sha384 -binary fichier.js | openssl base64 -A », puis vérifier dans la console du navigateur.

Plan de correction

Priorité	Élément	Action corrective
P1	—	Désactiver TLS 1.0 et TLS 1.1 et n'autoriser que TLS 1.2/1.3.
P2	—	Configurer explicitement l'en-tête HTTP Content-Security-Policy sur toutes les réponses.
P2	—	Fournir un attribut integrity valide sur chaque balise script ou link chargée depuis un tiers.

Annexe CVE

CVE / Élément	CVSS	Description
—	—	Aucune autre CVE pertinente après filtrage.

Conclusion

Le score sécurité est de 1.4/10, pour un risque critique (8.6/10). Appliquer les actions P1/P2 puis relancer CyberScan.

■ Annexe — sorties brutes complètes

SSLScan

```
Version: 2.1.5
OpenSSL 3.5.6 7 Apr 2026

Connected to 47.246.131.198

Testing SSL server alibaba.com on port 443 using SNI name alibaba.com

SSL/TLS Protocols:
SSLv2 disabled
SSLv3 disabled
TLSv1.0 enabled
TLSv1.1 enabled
TLSv1.2 enabled
TLSv1.3 enabled

TLS Fallback SCSV:
Server supports TLS Fallback SCSV

TLS renegotiation:
Secure session renegotiation supported

TLS Compression:
Compression disabled

Heartbleed:
TLSv1.3 not vulnerable to heartbleed
TLSv1.2 not vulnerable to heartbleed
TLSv1.1 not vulnerable to heartbleed
TLSv1.0 not vulnerable to heartbleed

Supported Server Cipher(s):
Preferred TLSv1.3 256 bits TLS_AES_256_GCM_SHA384 Curve 25519 DHE 253
Accepted TLSv1.3 128 bits TLS_AES_128_GCM_SHA256 Curve 25519 DHE 253
Accepted TLSv1.3 256 bits TLS_CHACHA20_POLY1305_SHA256 Curve 25519 DHE 253
Preferred TLSv1.2 128 bits ECDHE-ECDSA-AES128-GCM-SHA256 Curve 25519 DHE 253

Accepted TLSv1.2 256 bits ECDHE-ECDSA-AES256-GCM-SHA384 Curve 25519 DHE 253
Accepted TLSv1.2 128 bits ECDHE-ECDSA-AES128-SHA256 Curve 25519 DHE 253
Accepted TLSv1.2 256 bits ECDHE-ECDSA-AES256-SHA384 Curve 25519 DHE 253
Accepted TLSv1.2 128 bits ECDHE-RSA-AES128-GCM-SHA256 Curve 25519 DHE 253
Accepted TLSv1.2 256 bits ECDHE-RSA-AES256-GCM-SHA384 Curve 25519 DHE 253
Accepted TLSv1.2 128 bits ECDHE-RSA-AES128-SHA256 Curve 25519 DHE 253
Accepted TLSv1.2 256 bits ECDHE-RSA-AES256-SHA384 Curve 25519 DHE 253
Accepted TLSv1.2 128 bits AES128-GCM-SHA256
Accepted TLSv1.2 256 bits AES256-GCM-SHA384
Accepted TLSv1.2 128 bits AES128-SHA256
Accepted TLSv1.2 256 bits AES256-SHA256
Accepted TLSv1.2 128 bits ECDHE-ECDSA-AES128-SHA Curve 25519 DHE 253
Accepted TLSv1.2 256 bits ECDHE-ECDSA-AES256-SHA Curve 25519 DHE 253
Accepted TLSv1.2 128 bits ECDHE-RSA-AES128-SHA Curve 25519 DHE 253
Accepted TLSv1.2 256 bits ECDHE-RSA-AES256-SHA Curve 25519 DHE 253
Accepted TLSv1.2 128 bits AES128-SHA
Accepted TLSv1.2 256 bits AES256-SHA
Preferred TLSv1.1 128 bits ECDHE-ECDSA-AES128-SHA Curve 25519 DHE 253
Accepted TLSv1.1 256 bits ECDHE-ECDSA-AES256-SHA Curve 25519 DHE 253
Accepted TLSv1.1 128 bits ECDHE-RSA-AES128-SHA Curve 25519 DHE 253
Accepted TLSv1.1 256 bits ECDHE-RSA-AES256-SHA Curve 25519 DHE 253
Accepted TLSv1.1 128 bits AES128-SHA
Accepted TLSv1.1 256 bits AES256-SHA
Preferred TLSv1.0 128 bits ECDHE-ECDSA-AES128-SHA Curve 25519 DHE 253
Accepted TLSv1.0 256 bits ECDHE-ECDSA-AES256-SHA Curve 25519 DHE 253
Accepted TLSv1.0 128 bits ECDHE-RSA-AES128-SHA Curve 25519 DHE 253
Accepted TLSv1.0 256 bits ECDHE-RSA-AES256-SHA Curve 25519 DHE 253
Accepted TLSv1.0 128 bits AES128-SHA
Accepted TLSv1.0 256 bits AES256-SHA

Server Key Exchange Group(s):
TLSv1.3 128 bits secp256r1 (NIST P-256)
TLSv1.3 192 bits secp384r1 (NIST P-384)
```


TLSv1.3 260 bits secp521r1 (NIST P-521)
TLSv1.3 128 bits x25519

TLSv1.3 224 bits x448
TLSv1.2 128 bits secp256r1 (NIST P-256)
TLSv1.2 192 bits secp384r1 (NIST P-384)
TLSv1.2 260 bits secp521r1 (NIST P-521)
TLSv1.2 128 bits x25519
TLSv1.2 224 bits x448

SSL Certificate:
Signature Algorithm: sha256WithRSAEncryption
ECC Curve Name: prime256v1
ECC Key Strength: 128

Subject: *.alibaba.com
AltNames: DNS:*.alibaba.com, DNS:gw.api.alibaba.com, DNS:m.dutch.alibaba.com, DNS:m.indonesian.alibaba.com, DNS:service.blue.alibaba.com, DNS:*.10e.alibaba-inc.com, DNS:*.4.alibaba-inc.com, DNS:*.aas-ehp-data-service.amap.com, DNS:*.ad.alibaba-inc.com, DNS:*.ade.taobao.org, DNS:*.admin.alibaba.com, DNS:*.admin.shejijia.com, DNS:*.ae.alibaba-inc.com, DNS:*.agtech-develop.cn, DNS:*.ai.alibaba.com, DNS:*.aicloud.alibaba.com, DNS:*.aid.alibaba.com, DNS:*.ailabs.alibaba.com, DNS:*.algo-serverless.cainiao-inc.com, DNS:*.ali-health.com, DNS:*.alicom-mcm.alibaba-inc.com, DNS:*.aliexpress.alibaba.com, DNS:*.alihealth.alibaba-inc.com, DNS:*.alijk.com, DNS:*.alimebot.alibaba.com, DNS:*.alinode-pre.alibaba-inc.com, DNS:*.alinode.alibaba-inc.com, DNS:*.alipay.keruyun.com, DNS:*.alipsports.alibaba-inc.com, DNS:*.alisports.alibaba.com, DNS:*.alitalk.alibaba.com, DNS:*.alivedcdn.com, DNS:*.aliwx.alibaba.com, DNS:*.aliyundrive.com, DNS:*.alsc.alibaba.com, DNS:*.alsc.ele.me, DNS:*.alta.ele.net.me, DNS:*.alwx.alibaba.com, DNS:*.amap.alibaba-inc.com, DNS:*.ams.taobao.org, DNS:*.analysis.alibaba.com, DNS:*.apollo.alibaba.com, DNS:*.apsaraun.com, DNS:*.arabic.alibaba.com, DNS:*.arrival.sm.cn, DNS:*.art.alibaba.com, DNS:*.ascp.alibaba.com, DNS:*.ascp.hemaos.com, DNS:*.asi.yushanfeng.com, DNS:*.atom-polymer.alibaba-inc.com, DNS:*.auto-rtti.amap.com, DNS:*.b.keruyun.com, DNS:*.baidu.keruyun.com, DNS:*.bcp.alibaba-inc.com, DNS:*.bid.cainiao.com, DNS:*.bifrost.alibaba-inc.com, DNS:*.bops.alibaba.com, DNS:*.botframework.alibaba.com, DNS:*.bpaas.alibaba-inc.com, DNS:*.brain.alibaba-inc.com, DNS:*.budao.alibaba-inc.com, DNS:*.buyermarket.alibaba.com, DNS:*.c2m.alibaba-inc.com, DNS:*.cacheadmin.taobao.org, DNS:*.cangjie-test.alibaba-inc.com, DNS:*.car.amap.com, DNS:*.cashier.keruyun.com, DNS:*.cc-schedule.alibaba-inc.com, DNS:*.cdnfc.alibaba-inc.com, DNS:*.cdnsreport.alibaba-inc.com, DNS:*.center.opens.alios.cn, DNS:*.cf.alibaba-inc.com, DNS:*.cgame.alibaba.com, DNS:*.chaoniu.alibaba-inc.com, DNS:*.chaos.alibaba-inc.com, DNS:*.china.alibaba.com, DNS:*.chinasuppliers.alibaba.com, DNS:*.chinese.alibaba.com, DNS:*.client.alibaba.com, DNS:*.cloud-ide.alibaba-inc.com, DNS:*.cloud.alibaba.com, DNS:*.cloudavn.zebred.com, DNS:*.cloudgame.alibaba-inc.com, DNS:*.cloudsinger.alibaba-inc.com, DNS:*.cmc.cainiao.com, DNS:*.cmns.yunos-inc.com, DNS:*.cmt.sm.cn, DNS:*.cntec.cainiao.com, DNS:*.como.alibaba-inc.com, DNS:*.company.alibaba.com, DNS:*.cone.alibaba-inc.com, DNS:*.content.alibaba-inc.com, DNS:*.corona-web.alibaba-inc.com, DNS:*.corp.alibaba-inc.com, DNS:*.corp.taobao.org, DNS:*.coverage.alibaba-inc.com, DNS:*.creation.alibaba.com, DNS:*.crm.alibaba.com, DNS:*.crm.koubei.com, DNS:*.crmweb.alibaba.com, DNS:*.cro.alibaba-inc.com, DNS:*.cs.shejijia.com, DNS:*.cse.alibaba-inc.com, DNS:*.cus.dingtalk.com, DNS:*.customize.alibaba.com, DNS:*.cw-inbound.cainiao.com, DNS:*.d.alibaba.com, DNS:*.daisy.alibaba.com, DNS:*.damo.alibaba.com, DNS:*.data.taobao.org, DNS:*.datav-app.alibaba-inc.com, DNS:*.datax.alibaba-inc.com, DNS:*.dayu.alibaba.com, DNS:*.dazlogistics-mm.com, DNS:*.dazlogistics-np.com, DNS:*.dazlogistics.com.bd, DNS:*.dazlogistics.lk, DNS:*.dazlogistics.pk, DNS:*.de.alibaba-inc.com, DNS:*.delivery.quality.alibaba-inc.com, DNS:*.delivery.report.alibaba-inc.com, DNS:*.developers.alios.cn, DNS:*.dg-work.cn, DNS:*.diamond.alibaba-inc.com, DNS:*.dianwoda.cn, DNS:*.dianwoda.com, DNS:*.dingding.xin, DNS:*.directory.alibaba.com, DNS:*.dlportal-np.com, DNS:*.dlportal-np.com, DNS:*.dlportal.com.bd, DNS:*.dlportal.lk, DNS:*.dlportal.pk, DNS:*.dm.alibaba-inc.com, DNS:*.dm.taobao.org, DNS:*.do.ele.net.me, DNS:*.dolphin.alimama.com, DNS:*.download.alibaba.com, DNS:*.drds-histore-manager.alibaba.com, DNS:*.dryrun.alibaba-inc.com, DNS:*.drzpcb.alibaba.com, DNS:*.dwms.cainiao.com, DNS:*.e2d.alibaba.com, DNS:*.edi.alibaba.com, DNS:*.edi.hemaos.com, DNS:*.ei.alibaba.com, DNS:*.eiworkspace.com, DNS:*.ele-finnet.alibaba.com, DNS:*.ele.alibaba.com, DNS:*.en.alibaba.com, DNS:*.enasa.alibaba-inc.com, DNS:*.engine.alibaba-inc.com, DNS:*.erp.keruyun.com, DNS:*.f2e.alibaba-inc.com, DNS:*.faas.ele.net.me, DNS:*.fbi.alibaba.com, DNS:*.fe.uczzd.cn, DNS:*.finance.alibaba.com, DNS:*.find.alibaba-inc.com, DNS:*.finnet.alibaba.com, DNS:*.fita.alibaba.com, DNS:*.fm.alibaba.com, DNS:*.french.alibaba.com, DNS:*.friday123.alibaba-inc.com, DNS:*.fs-proxy.alibaba-inc.com, DNS:*.fx.alibaba.com, DNS:*.gateway.koubei.com, DNS:*.gdb.amap.com, DNS:*.gds.alibaba-inc.com, DNS:*.gds.alibaba.com, DNS:*.gds.amap.com, DNS:*.german.alibaba.com, DNS:*.ggp.alibaba-inc.com, DNS:*.global.alibaba-inc.com, DNS:*.goc-ding-isv.alibaba-inc.com, DNS:*.goc.alibaba-inc.com, DNS:*.goofish.com, DNS:*.gov-deliver.alibaba-inc.com, DNS:*.gov-devops.alibaba.com, DNS:*.gray.amap.com, DNS:*.green.alibaba-inc.com, DNS:*.gts-x.alibaba.com, DNS:*.gts.work, DNS:*.guobei.alibaba.com, DNS:*.h.alibaba.com, DNS:*.halo.alibaba-inc.com, DNS:*.hangzhou.myalicdn.com, DNS:*.hanoi.alibaba-inc.com, DNS:*.hbase.alibaba-inc.com, DNS:*.hdfs.amap.com, DNS:*.heartbeat.alibaba.com, DNS:*.hebrew.alibaba.com, DNS:*.hindi.alibaba.com, DNS:*.holoweb.alibaba-inc.com, DNS:*.homelab.alibaba-inc.com, DNS:*.hospital.ali-health.com, DNS:*.hr.cainiao.com, DNS:*.huichuan.sm.cn, DNS:*.huikuanbao.alibaba.com, DNS:*.hz-productposting.alibaba.com, DNS:*.icbu-uic-ops.alibaba-inc.com, DNS:*.icbu.alibaba.com, DNS:*.idcenvinspect.alibaba-inc.com, DNS:*.idst-open.alibaba.com, DNS:*.iflow.sm.cn, DNS:*.importer.alibaba.com, DNS:*.impp.alibaba-inc.com, DNS:*.inc.alibaba.com, DNS:*.india.alibaba.com,

DNS:*.inner.alicdn.com, DNS:*.insights.alibaba.com, DNS:*.inspection.alibaba.com, DNS:*.instar.elenet.me, DNS:*.invoice.alibaba.com, DNS:*.invoice.kaola.com, DNS:*.iot.aligenie.com, DNS:*.iot.cainiao.com, DNS:*.irs.alibaba-inc.com, DNS:*.italian.alibaba.com, DNS:*.japanese.alibaba.com, DNS:*.keruyun.com, DNS:*.koala-id.alibaba-inc.com, DNS:*.koala-sg.alibaba-inc.com, DNS:*.korean.alibaba.com, DNS:*.kun-sit.ejoy.com, DNS:*.kun.ejoy.com, DNS:*.labs.alibaba-inc.com, DNS:*.lakers.hupan.com, DNS:*.lazadapcb.alibaba.com, DNS:*.lena.alibaba-inc.com, DNS:*.loginx.alibaba.com, DNS:*.loginx.cainiao-inc.com, DNS:*.loginx.cainiao.com, DNS:*.lsy.alibaba.com, DNS:*.m.alibaba.com, DNS:*.m.en.alibaba.com, DNS:*.m.fm.alibaba.com, DNS:*.m.kaola.com, DNS:*.m.trustpass.alibaba.com, DNS:*.manager.amap.com, DNS:*.masp.alibaba-inc.com, DNS:*.master.alibaba-inc.com, DNS:*.mcu.alibaba.com, DNS:*.mds.alibaba.com, DNS:*.mechanism.alibaba-inc.com, DNS:*.media.alimama.com, DNS:*.message.amap.com, DNS:*.metric-gateway.alibaba.com, DNS:*.mid.ejoy.com, DNS:*.mini.alibaba.com, DNS:*.miniapp.alibaba-inc.com, DNS:*.model-construction2.alibaba-inc.com, DNS:*.monitor.dingtalk.com, DNS:*.mos.alibaba.com, DNS:*.mw.alibaba-inc.com, DNS:*.my.alibaba.com, DNS:*.myalicdn.com, DNS:*.nb.cainiao-inc.com, DNS:*.nls-domo.alibaba-inc.com, DNS:*.notebook.alibaba-inc.com, DNS:*.notebook1.alibaba-inc.com, DNS:*.o2o.ele.me, DNS:*.o2oclick.alibaba.com, DNS:*.offer.alibaba.com, DNS:*.ok.alibaba-inc.com, DNS:*.olympic.alimebot.com, DNS:*.omni.alibaba-inc.com, DNS:*.oms.hemaos.com, DNS:*.one-voice-platform.alibaba-inc.com, DNS:*.onebox.alibaba-inc.com, DNS:*.oneops.alibaba-inc.com, DNS:*.onepub.alibaba-inc.com, DNS:*.onesite.alibaba.com, DNS:*.online.alibaba.com, DNS:*.open.alimama.com, DNS:*.opens.aios.cn, DNS:*.opensearch-cn-shanghai-in.alibaba-inc.com, DNS:*.operation.alibaba-inc.com, DNS:*.orch.alibaba.com, DNS:*.orchestration.alibaba.com, DNS:*.orchestrator.alibaba.com, DNS:*.orion-api.sm.cn, DNS:*.oversea.amap.com, DNS:*.package.alibaba-inc.com, DNS:*.partner.keruyun.com, DNS:*.pay.keruyun.com, DNS:*.philstone.client.alibaba-inc.com, DNS:*.philstone.server.alibaba-inc.com, DNS:*.photostore-admin.yunos.com, DNS:*.piao.cn, DNS:*.piao.com.cn, DNS:*.pinpoint.alibaba-inc.com, DNS:*.platform.cainiao.com, DNS:*.porschemaster.alibaba-inc.com, DNS:*.portuguese.alibaba.com, DNS:*.ppc.alibaba.com, DNS:*.pre-chaos.alibaba-inc.com, DNS:*.pre-corona-web.alibaba-inc.com, DNS:*.pre-seller.fliggy.com, DNS:*.pre-test.alibaba-inc.com, DNS:*.pre.ele.me, DNS:*.prepub.alibaba.com, DNS:*.prepub.ele.me, DNS:*.preview.alibaba.com, DNS:*.product.alibaba-inc.com, DNS:*.productdict.alibaba.com, DNS:*.profile.alibaba.com, DNS:*.proxy.sm.cn, DNS:*.pts.alibaba.com, DNS:*.qatool.amap.com, DNS:*.qd.alibaba.com, DNS:*.qoockgames.com, DNS:*.quark.alibaba.com, DNS:*.quark.cn, DNS:*.rec.alibaba.com, DNS:*.recmd.alibaba.com, DNS:*.resources.alibaba.com, DNS:*.rest.alibaba.com, DNS:*.rfq.alibaba.com, DNS:*.riskflow.alibaba-inc.com, DNS:*.roadline.amap.com, DNS:*.rtp.alibaba.com, DNS:*.ru-inc.cainiao.com, DNS:*.ru.cainiao-inc.com, DNS:*.russian.alibaba.com, DNS:*.sa.alibaba.com, DNS:*.sec-ops.alibaba.com, DNS:*.security.alibaba.com, DNS:*.seenew.alibaba-inc.com, DNS:*.seller.fliggy.com, DNS:*.shadow-caijing.alibaba-inc.com, DNS:*.shield-alisports.alibaba-inc.com, DNS:*.shippingma.alibaba.com, DNS:*.shishike.com, DNS:*.shujupie.com, DNS:*.skywalker-manager.alibaba-inc.com, DNS:*.sm.alibaba.com, DNS:*.solar-id.alibaba-inc.com, DNS:*.solar-sg.alibaba-inc.com, DNS:*.solr.yunos-inc.com, DNS:*.solr.yunos.com, DNS:*.sourcing.alibaba.com, DNS:*.sp.sm.cn, DNS:*.sp.yisou.com, DNS:*.sp2.sm.cn, DNS:*.spanish.alibaba.com, DNS:*.sqlflow.alibaba-inc.com, DNS:*.staging-sg.alibaba-inc.com, DNS:*.static.keruyun.com, DNS:*.structure.alibaba-inc.com, DNS:*.studio.alibaba-inc.com, DNS:*.surge.alibaba.com, DNS:*.t.alibaba.com, DNS:*.tae.taobao.org, DNS:*.tag.xiami.com, DNS:*.taohuazg.com, DNS:*.tbpw.alibaba-inc.com, DNS:*.tdum.alibaba.com, DNS:*.teamix.alibaba-inc.com, DNS:*.telematics.alibaba.com, DNS:*.telematics.amap.com, DNS:*.test1.alibaba-inc.com, DNS:*.testaone.alibaba-inc.com, DNS:*.thai.alibaba.com, DNS:*.themis.alibaba-inc.com, DNS:*.thor.amap.com, DNS:*.tiddo.alibaba-inc.com, DNS:*.tinya1.cn, DNS:*.tian.plus, DNS:*.tools.elenet.me, DNS:*.touch.umeng.com, DNS:*.tpp.taobao.org, DNS:*.tq-meta.alibaba-inc.com, DNS:*.translate.alibaba-inc.com, DNS:*.trustpass.alibaba.com, DNS:*.tsp.alibaba-inc.com, DNS:*.tupre.alibaba.com, DNS:*.turkish.alibaba.com, DNS:*.tvos.alibaba.com, DNS:*.uat-caijing.alibaba-inc.com, DNS:*.umstest.hemaos.com, DNS:*.unicorn.alibaba.com, DNS:*.union.alibaba.com, DNS:*.university.alibaba-inc.com, DNS:*.ups.alibaba-inc.com, DNS:*.upush.umeng.com, DNS:*.us.alibaba.com, DNS:*.vertical.freshhema.com, DNS:*.video.alibaba.com, DNS:*.vidmagic.alibaba-inc.com, DNS:*.vietnamese.alibaba.com, DNS:*.vip.alibaba.com, DNS:*.viprod.alibaba.com, DNS:*.virtual.alibaba-inc.com, DNS:*.vmac.yunos.com, DNS:*.vs.cainiao-inc.com, DNS:*.vscode.alibaba-inc.com, DNS:*.w.alibaba-inc.com, DNS:*.waimai.alibaba-inc.com, DNS:*.wap.alibaba.com, DNS:*.wap2.alibaba.com, DNS:*.wapa.alibaba.com, DNS:*.wapseo.alibaba.com, DNS:*.web.taobao.org, DNS:*.weixin.keruyun.com, DNS:*.weixin.static.keruyun.com, DNS:*.wing.alibaba-inc.com, DNS:*.workbench.alibaba-inc.com, DNS:*.wscrostool-bops.alibaba.com, DNS:*.x-medic.alibaba-inc.com, DNS:*.xnet2-model.alibaba-inc.com, DNS:*.xnet2-service.alibaba-inc.com, DNS:*.xunxi.alibaba.com, DNS:*.yamp.alibaba-inc.com, DNS:*.youku.alibaba.com, DNS:*.yp.alibaba.com, DNS:*.yuekeyun.cn, DNS:*.zaihuadong.alibaba.com, DNS:*.zebred.com, DNS:*.zeus.alibaba.com, DNS:*.zhanzhang.sm.cn, DNS:*.zsd.alibaba-inc.com, DNS:*.zsd.sm.cn, DNS:alibabadesign.com, DNS:alibabaued.com, DNS:alidns.com, DNS:dcdcrm.com, DNS:ewtp.com, DNS:goofish.com, DNS:keruyun.com, DNS:myquark.cn, DNS:quark.cn, DNS:shishike.com, DNS:sm.cn, DNS:tian.plus, DNS:uc-engine.cn, DNS:yisou.com, DNS:yunshangzhipian.com, DNS:alibaba.com

Issuer: GlobalSign GCC R3 OV TLS CA 2024

Not valid before: Mar 16 11:57:07 2026 GMT

Not valid after: Oct 1 11:51:17 2026 GMT

Nmap

Starting Nmap 7.95 (<https://nmap.org>) at 2026-07-24 16:25 CET

Nmap scan report for alibaba.com (47.246.136.52)

Host is up (0.14s latency).

Other addresses for alibaba.com (not scanned): 47.246.131.198 47.246.137.105 47.246.136.156

Skipping host alibaba.com (47.246.136.52) due to host timeout

```
Nmap done: 1 IP address (1 host up) scanned in 15.63 seconds
```

OpenSSL

```

Connecting to 47.246.137.105
depth=2 OU=GlobalSign Root CA - R3, O=GlobalSign, CN=GlobalSign
verify return:1
depth=1 C=BE, O=GlobalSign nv-sa, CN=GlobalSign GCC R3 OV TLS CA 2024
verify return:1
depth=0 C=CN, ST=Zhejiang, L=HangZhou, O=Alibaba (China) Technology Co., Ltd., CN=*.alibaba.com
verify return:1
CONNECTED(00000003)
---
Certificate chain
0 s:C=CN, ST=Zhejiang, L=HangZhou, O=Alibaba (China) Technology Co., Ltd., CN=*.alibaba.com
i:C=BE, O=GlobalSign nv-sa, CN=GlobalSign GCC R3 OV TLS CA 2024
a:PKKEY: EC, (prime256v1); sigalg: sha256WithRSAEncryption
v:NotBefore: Mar 16 11:57:07 2026 GMT; NotAfter: Oct 1 11:51:17 2026 GMT
1 s:C=BE, O=GlobalSign nv-sa, CN=GlobalSign GCC R3 OV TLS CA 2024
i:OU=GlobalSign Root CA - R3, O=GlobalSign, CN=GlobalSign
a:PKKEY: RSA, 2048 (bit); sigalg: sha256WithRSAEncryption
v:NotBefore: Sep 18 03:14:38 2024 GMT; NotAfter: Mar 18 00:00:00 2029 GMT
2 s:OU=GlobalSign Root CA - R3, O=GlobalSign, CN=GlobalSign
i:C=BE, O=GlobalSign nv-sa, OU=Root CA, CN=GlobalSign Root CA
a:PKKEY: RSA, 2048 (bit); sigalg: sha256WithRSAEncryption
v:NotBefore: Sep 19 00:00:00 2018 GMT; NotAfter: Jan 28 12:00:00 2028 GMT
---
Server certificate
-----BEGIN CERTIFICATE-----
MIISGDCCKwCgFRABQIMQfzmE0To+SP+hKa+MA0GCSqGSIb3DQEBCwUAMFMxCzAJ
BgNVBAYTAkJGMRkwFwYDVQKExBHBG9iYXwTaWduIG52LXNhMskwJwYDVQDEyBH
Bg9iYXwTaWduIEQDQyBSMyBPViBUTFMgQ0EgMjAyNDAAeFw0YjAzMTYxMTU3MDda
Fw0YjEwMDEEXTUxMTdaMHoxCzAJBgNVBAYTAkNOMREwDwYDVQDEwHaGVkaWwFu
ZzERMA8GA1UEBxMISGFuZ1pob3UxLTArBgNVBAoTJEJFsaWJhYmEgKENoaw5hKSBU
ZWNobm9sb2d5IENvLiwgTHRKLjEwMBQGA1UEAwwNKi5hbGliYWJhLmNvbTBZMBMG
ByqGSM49AqEGCCqGSM49AwEHA0IABHJi1Q8aS70yR0vGK7kw9GIW5Wp6hs2IsH
wKRWykKLHmVbQMY4YAT8TLEiXrtnNBPcscQM4yVmJBRmuyswC8+jgimOMIipjAO
BgNVHQ8BAf8EBAMCB4AwDAYDVR0TAAQH/BAIwADCBkwYIKwYBBQUHAQEegYYwgYmw
RgYIKwYBBQUHMAKGOmh0dHA6Ly9zZWZ1cmUuZ2xvYmFsc2lnbi5jb20vY2FjZXJ0
L2dzZ2NjcjNvdnRsc2NhMjAyNC5jcncwOQYIKwYBBQUHMAAGGLWh0dHA6Ly9vY3Nw
Lmdsb2JhbHNpZ24uY29tL2dzZ2NjcjNvdnRsc2NhMjAyNDhBcG9iYXwTaWduIG52LXNhMskwJwYDVQDEyBH
Bg9iYXwTaWduIEQDQyBSMyBPViBUTFMgQ0EgMjAyNDAAeFw0YjAzMTYxMTU3MDda
Fw0YjEwMDEEXTUxMTdaMHoxCzAJBgNVBAYTAkNOMREwDwYDVQDEwHaGVkaWwFu
ZzERMA8GA1UEBxMISGFuZ1pob3UxLTArBgNVBAoTJEJFsaWJhYmEgKENoaw5hKSBU
ZWNobm9sb2d5IENvLiwgTHRKLjEwMBQGA1UEAwwNKi5hbGliYWJhLmNvbTBZMBMG
ByqGSM49AqEGCCqGSM49AwEHA0IABHJi1Q8aS70yR0vGK7kw9GIW5Wp6hs2IsH
wKRWykKLHmVbQMY4YAT8TLEiXrtnNBPcscQM4yVmJBRmuyswC8+jgimOMIipjAO
BgNVHQ8BAf8EBAMCB4AwDAYDVR0TAAQH/BAIwADCBkwYIKwYBBQUHAQEegYYwgYmw
RgYIKwYBBQUHMAKGOmh0dHA6Ly9zZWZ1cmUuZ2xvYmFsc2lnbi5jb20vY2FjZXJ0
L2dzZ2NjcjNvdnRsc2NhMjAyNC5jcncwOQYIKwYBBQUHMAAGGLWh0dHA6Ly9vY3Nw
Lmdsb2JhbHNpZ24uY29tL2dzZ2NjcjNvdnRsc2NhMjAyNDhBcG9iYXwTaWduIG52LXNhMskwJwYDVQDEyBH
Bg9iYXwTaWduIEQDQyBSMyBPViBUTFMgQ0EgMjAyNDAAeFw0YjAzMTYxMTU3MDda
Fw0YjEwMDEEXTUxMTdaMHoxCzAJBgNVBAYTAkNOMREwDwYDVQDEwHaGVkaWwFu
ZzERMA8GA1UEBxMISGFuZ1pob3UxLTArBgNVBAoTJEJFsaWJhYmEgKENoaw5hKSBU
ZWNobm9sb2d5IENvLiwgTHRKLjEwMBQGA1UEAwwNKi5hbGliYWJhLmNvbTBZMBMG
ByqGSM49AqEGCCqGSM49AwEHA0IABHJi1Q8aS70yR0vGK7kw9GIW5Wp6hs2IsH
wKRWykKLHmVbQMY4YAT8TLEiXrtnNBPcscQM4yVmJBRmuyswC8+jgimOMIipjAO
BgNVHQ8BAf8EBAMCB4AwDAYDVR0TAAQH/BAIwADCBkwYIKwYBBQUHAQEegYYwgYmw
RgYIKwYBBQUHMAKGOmh0dHA6Ly9zZWZ1cmUuZ2xvYmFsc2lnbi5jb20vY2FjZXJ0
L2dzZ2NjcjNvdnRsc2NhMjAyNC5jcncwOQYIKwYBBQUHMAAGGLWh0dHA6Ly9vY3Nw
Lmdsb2JhbHNpZ24uY29tL2dzZ2NjcjNvdnRsc2NhMjAyNDhBcG9iYXwTaWduIG52LXNhMskwJwYDVQDEyBH
Bg9iYXwTaWduIEQDQyBSMyBPViBUTFMgQ0EgMjAyNDAAeFw0YjAzMTYxMTU3MDda
Fw0YjEwMDEEXTUxMTdaMHoxCzAJBgNVBAYTAkNOMREwDwYDVQDEwHaGVkaWwFu
ZzERMA8GA1UEBxMISGFuZ1pob3UxLTArBgNVBAoTJEJFsaWJhYmEgKENoaw5hKSBU
ZWNobm9sb2d5IENvLiwgTHRKLjEwMBQGA1UEAwwNKi5hbGliYWJhLmNvbTBZMBMG
ByqGSM49AqEGCCqGSM49AwEHA0IABHJi1Q8aS70yR0vGK7kw9GIW5Wp6hs2IsH
wKRWykKLHmVbQMY4YAT8TLEiXrtnNBPcscQM4yVmJBRmuyswC8+jgimOMIipjAO
BgNVHQ8BAf8EBAMCB4AwDAYDVR0TAAQH/BAIwADCBkwYIKwYBBQUHAQEegYYwgYmw
RgYIKwYBBQUHMAKGOmh0dHA6Ly9zZWZ1cmUuZ2xvYmFsc2lnbi5jb20vY2FjZXJ0
L2dzZ2NjcjNvdnRsc2NhMjAyNC5jcncwOQYIKwYBBQUHMAAGGLWh0dHA6Ly9vY3Nw
Lmdsb2JhbHNpZ24uY29tL2dzZ2NjcjNvdnRsc2NhMjAyNDhBcG9iYXwTaWduIG52LXNhMskwJwYDVQDEyBH
Bg9iYXwTaWduIEQDQyBSMyBPViBUTFMgQ0EgMjAyNDAAeFw0YjAzMTYxMTU3MDda
Fw0YjEwMDEEXTUxMTdaMHoxCzAJBgNVBAYTAkNOMREwDwYDVQDEwHaGVkaWwFu
ZzERMA8GA1UEBxMISGFuZ1pob3UxLTArBgNVBAoTJEJFsaWJhYmEgKENoaw5hKSBU
ZWNobm9sb2d5IENvLiwgTHRKLjEwMBQGA1UEAwwNKi5hbGliYWJhLmNvbTBZMBMG
ByqGSM49AqEGCCqGSM49AwEHA0IABHJi1Q8aS70yR0vGK7kw9GIW5Wp6hs2IsH
wKRWykKLHmVbQMY4YAT8TLEiXrtnNBPcscQM4yVmJBRmuyswC8+jgimOMIipjAO
BgNVHQ8BAf8EBAMCB4AwDAYDVR0TAAQH/BAIwADCBkwYIKwYBBQUHAQEegYYwgYmw
RgYIKwYBBQUHMAKGOmh0dHA6Ly9zZWZ1cmUuZ2xvYmFsc2lnbi5jb20vY2FjZXJ0
L2dzZ2NjcjNvdnRsc2NhMjAyNC5jcncwOQYIKwYBBQUHMAAGGLWh0dHA6Ly9vY3Nw
Lmdsb2JhbHNpZ24uY29tL2dzZ2NjcjNvdnRsc2NhMjAyNDhBcG9iYXwTaWduIG52LXNhMskwJwYDVQDEyBH
Bg9iYXwTaWduIEQDQyBSMyBPViBUTFMgQ0EgMjAyNDAAeFw0YjAzMTYxMTU3MDda
Fw0YjEwMDEEXTUxMTdaMHoxCzAJBgNVBAYTAkNOMREwDwYDVQDEwHaGVkaWwFu
ZzERMA8GA1UEBxMISGFuZ1pob3UxLTArBgNVBAoTJEJFsaWJhYmEgKENoaw5hKSBU
ZWNobm9sb2d5IENvLiwgTHRKLjEwMBQGA1UEAwwNKi5hbGliYWJhLmNvbTBZMBMG
ByqGSM49AqEGCCqGSM49AwEHA0IABHJi1Q8aS70yR0vGK7kw9GIW5Wp6hs2IsH
wKRWykKLHmVbQMY4YAT8TLEiXrtnNBPcscQM4yVmJBRmuyswC8+jgimOMIipjAO
BgNVHQ8BAf8EBAMCB4AwDAYDVR0TAAQH/BAIwADCBkwYIKwYBBQUHAQEegYYwgYmw
RgYIKwYBBQUHMAKGOmh0dHA6Ly9zZWZ1cmUuZ2xvYmFsc2lnbi5jb20vY2FjZXJ0
L2dzZ2NjcjNvdnRsc2NhMjAyNC5jcncwOQYIKwYBBQUHMAAGGLWh0dHA6Ly9vY3Nw
Lmdsb2JhbHNpZ24uY29tL2dzZ2NjcjNvdnRsc2NhMjAyNDhBcG9iYXwTaWduIG52LXNhMskwJwYDVQDEyBH
Bg9iYXwTaWduIEQDQyBSMyBPViBUTFMgQ0EgMjAyNDAAeFw0YjAzMTYxMTU3MDda
Fw0YjEwMDEEXTUxMTdaMHoxCzAJBgNVBAYTAkNOMREwDwYDVQDEwHaGVkaWwFu
ZzERMA8GA1UEBxMISGFuZ1pob3UxLTArBgNVBAoTJEJFsaWJhYmEgKENoaw5hKSBU
ZWNobm9sb2d5IENvLiwgTHRKLjEwMBQGA1UEAwwNKi5hbGliYWJhLmNvbTBZMBMG
ByqGSM49AqEGCCqGSM49AwEHA0IABHJi1Q8aS70yR0vGK7kw9GIW5Wp6hs2IsH
wKRWykKLHmVbQMY4YAT8TLEiXrtnNBPcscQM4yVmJBRmuyswC8+jgimOMIipjAO
BgNVHQ8BAf8EBAMCB4AwDAYDVR0TAAQH/BAIwADCBkwYIKwYBBQUHAQEegYYwgYmw
RgYIKwYBBQUHMAKGOmh0dHA6Ly9zZWZ1cmUuZ2xvYmFsc2lnbi5jb20vY2FjZXJ0
L2dzZ2NjcjNvdnRsc2NhMjAyNC5jcncwOQYIKwYBBQUHMAAGGLWh0dHA6Ly9vY3Nw
Lmdsb2JhbHNpZ24uY29tL2dzZ2NjcjNvdnRsc2NhMjAyNDhBcG9iYXwTaWduIG52LXNhMskwJwYDVQDEyBH
Bg9iYXwTaWduIEQDQyBSMyBPViBUTFMgQ0EgMjAyNDAAeFw0YjAzMTYxMTU3MDda
Fw0YjEwMDEEXTUxMTdaMHoxCzAJBgNVBAYTAkNOMREwDwYDVQDEwHaGVkaWwFu
ZzERMA8GA1UE
```

LWluYy5jb22CFyouYnVkyW8uYWxpYmFiYS1pbmMuY29tghgqLmJ1eWVybwFrZXQuYWxpYmFiYS5jb22CFSouYzJtLmFsaWJhYmEtaW5jLmNvbYIXKi5jYwNoZWfkbWLu

LnRh2Jhby5vcmeCHiouY2FuZ2ppZS10ZXN0LmFsaWJhYmEtaW5jLmNvbYI0Ki5jYXIuYw1hcC5jb22CFSouY2FzaGllici5rZXJ1eXVuLmNvbYIdKi5jYy1zY2hlZHVszS5hbGliYWJhLWluYy5jb22CFyouY2RuZmMuYwXpYmFiYS1pbmMuY29tgh4qLmNkbnNyZXBvcnRhbc5hbGliYWJhLWluYy5jb22CFyouY2VudGVyLm9wZW5zLmFsaW9zLmNughQqLmNmLmFsaWJhYmEtaW5jLmNvbYITKi5jZ2FtZS5hbGliYWJhLmNvbYIZKi5jaGFvbm1lLmFsaWJhYmEtaW5jLmNvbYIXKi5jaGFvcy5hbGliYWJhLWluYy5jb22CEyouY2hpbmEuYwXpYmFiYS5jb22CHCouY2hpbmFzdXBwbGlcnMuYwXpYmFiYS5jb22CFSouY2hpbmVzZS5hbGliYWJhLmNvbYIUKi5jbGllbnQuYwXpYmFiYS5jb22CGyouY2xvudQtaWRLLmFsaWJhYmEtaW5jLmNvbYITKi5jbG91ZC5hbGliYWJhLmNvbYIVKi5jbG91ZGF2bi56ZWJyZWQuY29tghsqLmNsb3VkZ2FtZS5hbGliYWJhLWluYy5jb22CHSouY2xvudRzaw5nZXIuYwXpYmFiYS1pbmMuY29tghEqLmNtYy5jYwluawFvLmNvbYIUKi5jbW5zLn1l1bm9zLWluYy5jb22CCyouY210LnNtLmNughMqLmNudGVjLmNhaw5pYw8uY29tghYqLmNvbW8uYwXpYmFiYS1pbmMuY29tghUqLmNvbXBhbnkuYwXpYmFiYS5jb22CFiouY29uZS5hbGliYWJhLWluYy5jb22CGSouY29udGVudC5hbGliYWJhLWluYy5jb22CHCouY29yb25hLXdliY5hbGliYWJhLWluYy5jb22CFiouY29ycC5hbGliYWJhLWluYy5jb22CESouY29ycC50YW9iYW8ub3JnghoqLmNvdmVyYwdlLmFsaWJhYmEtaW5jLmNvbYIWKi5jcmVhdGVlbi5hbGliYWJhLmNvbYIRKi5jcm0uYwXpYmFiYS5jb22CECouY3JtLmtvdWJlaS5jb22CFCouY3Jtd2ViLmFsaWJhYmEuY29tghUqLmNyby5hbGliYWJhLWluYy5jb22CESouY3Muc2h1am1qawEuY29tghUqLmNzZS5hbGliYWJhLWluYy5jb22CEiouY3VzLmRpbmd0YwXrLmNvbYIXKi5jdxN0b21pemUuYwXpYmFiYS5jb22CGCouY3ctaW5ib3VuZC5jYwluawFvLmNvbYIPKi5kLmFsaWJhYmEuY29tghMqLmRhaXN5LmFsaWJhYmEuY29tghIqLmRhbW8uYwXpYmFiYS5jb22CESouZGF0YS50YW9iYW8ub3JnghsqLmRhdGF2LWFwcC5hbGliYWJhLWluYy5jb22CFyouZGF0YXguYwXpYmFiYS1pbmMuY29tghIqLmRheXUuYwXpYmFiYS5jb22CFSouZGF6bG9naXN0aWZlW1tLmNvbYIVKi5kYXpsb2dpc3RpY3MtbnAuY29tghUqLmRhemxvZ2lzdG1jcy5jb20uYmSCESouZGF6bG9naXN0aWZlMmxrghEqLmRhemxvZ2lzdG1jcy5wa4IUKi5kZS5hbGliYWJhLWluYy5jb22CIiouZGVsaXZlcnkucXVhbG0eS5hbGliYWJhLWluYy5jb22CISouZGVsaXZlcnkucmVwb3J0LmFsaWJhYmEtaW5jLmNvbYIVKi5kZXZlbG9wZXJzLmFsaW9zLmNuggwqLmRnLXdvcmsuY26CGSouZGlbhW9uZC5hbGliYWJhLWluYy5jb22CDSouZGlbhndvZGEuY26CDiouZGlbhndvZGEuY29tgg4qLmRpbmdkaw5nLnhpboIXKi5kaXJlY3RvcnkuYwXpYmFiYS5jb22CESouZGxbw3J0YwWtbW0uY29tghEqLmRscG9ydGFsLW5wLmNvbYIRKi5kbHBvcnRhbc5jb20uYmSCDSouZGxbw3J0YwWubGuCDSouZGxbw3J0YwWuc6GuCFCouZG0uYwXpYmFiYS1pbmMuY29tgg8qLmRtLnRh2Jhby5vcmeCDiouZG8uZwXlbmV0Lm1lghUqLmRvbHBoaw4uYwXpbWftYS5jb22CFiouZG93bmXvYwQuYwXp

YmFiYS5jb22CIiouZHJkcy1oaXN0b3JlLW1hbmFnZXIuYwXpYmFiYS5jb22CGCouZHJ5cnVuLmFsaWJhYmEtaW5jLmNvbYIUKi5kcnpwY2IuYwXpYmFiYS5jb22CEiouZHdtcy5jYwluawFvLmNvbYIRKi5lMmQuYwXpYmFiYS5jb22CESouZWRpLmFsaWJhYmEuY29tghAqLmVkaS5oZW1hb3MuY29tghAqLmVpLmFsaWJhYmEuY29tghEqLmVpd29ya3NwYWNlLmNvbYIYKi5lbGutZmlubmV0LmFsaWJhYmEuY29tghEqLmVsZS5hbGliYWJhLmNvbYIQKi5lbi5hbGliYWJhLmNvbYIXKi5lbmFzYS5hbGliYWJhLWluYy5jb22CGCouZW5naW5lLmFsaWJhYmEtaW5jLmNvbYIRKi5lcnAua2VydXl1bi5jb22CFSouZjJlLmFsaWJhYmEtaW5jLmNvbYIQKi5mYWFzLmVsZW5ldC5tZYIRKi5mYmkuYwXpYmFiYS5jb22CSouZmUudW6emQuY26CFSouZmLuYw5jZS5hbGliYWJhLmNvbYIWKi5maW5kLmFsaWJhYmEtaW5jLmNvbYIUKi5maW5uZXQuYwXpYmFiYS5jb22CEiouZml0YS5hbGliYWJhLmNvbYIQKi5mbS5hbGliYWJhLmNvbYIUKi5mcmVuY2guYwXpYmFiYS5jb22CGyouZnJpZGF5MTIzLmFsaWJhYmEtaW5jLmNvbYIaKi5mcy1wcm94eS5hbGliYWJhLWluYy5jb22CECouZnguYwXpYmFiYS5jb22CFCouZ2F0ZXdheS5rb3ViZWkuY29tgg4qLmdkyi5hbWfLmNvbYIVKi5nZHMuYwXpYmFiYS1pbmMuY29tghEqLmdkcy5hbGliYWJhLmNvbYI0Ki5nZHMuYw1hcC5jb22CFCouZ2VybwFuLmFsaWJhYmEuY29tghUqLmdncC5hbGliYWJhLWluYy5jb22CGCouZ2xvYmFsLmFsaWJhYmEtaW5jLmNvbYIEKi5nb2MtZGluZy1pc3YuYwXpYmFiYS1pbmMuY29tghUqLmdvYy5hbGliYWJhLWluYy5jb22CDSouZ29vZmlzaC5jb22CHSouZ292LWRlbGllZ2IuYwXpYmFiYS1pbmMuY29tghgqLmdvdi1kZXZvcHMuYwXpYmFiYS5jb22CDyouZ3JheS5hbWfLmNvbYIXKi5ncmVlbi5hbGliYWJhLWluYy5jb22CEyouZ3RzLXguYwXpYmFiYS5jb22CCiouZ3RzLndvcmuCFCouZ3VvYmVpLmFsaWJhYmEuY29tgg8qLmguYwXpYmFiYS5jb22CFiouaGFsby5hbGliYWJhLWluYy5jb22CFyouaGFuZ3pob3UubXlhbG1jZG4uY29tghcqLmhbm9pLmFsaWJhYmEtaW5jLmNvbYIXKi5oYmFzZS5hbGliYWJhLWluYy5jb22CDyouaGRmcy5hbWfLmNvbYIXKi5oZWfYdGJlYXQuYwXpYmFiYS5jb22CFCouaGVicmV3LmFsaWJhYmEuY29tghMqLmhpbmRpLmFsaWJhYmEuY29tghkqLmhvbG93ZW1uYwXpYmFiYS1pbmMuY29tghkqLmhvbWVsYwIuYwXpYmFiYS1pbmMuY29tghkqLmhvc3BpdGFsLmFsa1oZWfSdGguY29tghAqLmhyLmNhaw5pYw8uY29tghAqLmh1awNodWfLmNtLmNughgqLmh1awt1Yw5iYw8uYwXpYmFiYS5jb22CHyouaHotcHJvZHVjdHBvc3RpbmcuYwXpYmFiYS5jb22CHiouawNi5S11awMt3BzLmFsaWJhYmEtaW5jLmNvbYISKi5pY2J1LmFsaWJhYmEuY29tgh8qLmlkY2Vudmluc3Bly3QuYwXpYmFiYS1pbmMuY29tghcqLmlk3Qtb3B1bi5hbGliYWJhLmNvbYINKi5pZmxvdy5zbS5jboIWKi5pbXBvcnRlci5hbGliYWJhLmNvbYIWKi5pbXBwLmFsaWJhYmEtaW5jLmNvbYIRKi5pbmMuYwXpYmFiYS5jb22CEyouaw5kawEuYwXpYmFiYS5jb22CEiouaw5uZXIuYwXpY2RuLmNvbYIWKi5pbnNpZ2h0cy5hbGliYWJhLmNvbYIYKi5pbnNwZWNoaw9uLmFsaWJhYmEuY29tghIqLmluc3Rhci5l

LmtLcnV5dw4uY29tgiIqLnBoawxzDG9uZS5jbGlbnQuYwXpYmFiYS1pbmMuY29tgiIqLnBoawxzDG9uZS5ZXZJZZXXtUyWxpYmFiYS1pbmMuY29tghwQlnLBob3Rvc3RvcUtYWRtaW4ueXVub3MuY29tgkgQLnBpYWbuY26CDSoucGhlby5j20uY26CGioucGLucG9bpnbQuYwXpYmFiYS1pbmMuY29tghYqLnLBsYXRmb3JtLmNhaw5Yw8uY29tgh8qLnLBvncnjagVtYXN0ZXtUyWxpYmFiYS1pbmMuY29tghgqLnLBvncrR1Z3Vlc2UuYwXpYmFiYS5jb22CESoucHBJLmfSaWJhYmEuY29tghsqLnByZS1jaGFvcy5hbGgliYWJhLWluYy5jb22CIcOucHJlLWNvcmc9YS13ZWtUyWxpYmFiYS1pbmMuY29tghcqLnByZS1ZzWxsZXItUmxpZ2J5LmNvbYIaki5wcmUdGVzdG5hbGgliYWJhLWluYy5jb22CCoucHJLlMVsZS5tZYtUKi5wcmVudWtUyWxpYmFiYS5jb22CDyocuwHJlchViLmVsZS5tZYtVKi5wcmV2aWV3LmfSaWJhYmEuY29tghkqLnByb2R1Y3QUyWxpYmFiYS1pbmMuY29tghkqLnByb2R1Y3RkawN0LmfSaWJhYmEuY29tghUqLnByb2ZpbGUuYwXpYmFiYS5jb22CDSoucHJveHKuc20uY26CESoucHRZLmfSaWJhYmEuY29tghEqLnFhdG9ybzc5hbWFLmNvbYIqKi5xcZS5hbGgliYWJhLmNvbYIRKI5xb29a2FnYw1lcysj22CEyoucVhcmsuYwXpYmFiYS5jb22CCIoucVhcmsuY26CESoucmVjLmfSaWJhYmEuY29tghMqLnJLY2xkLmfSaWJhYmEuY29tghcqLnJlc29cmNlcy5hbGgliYWJhLmNvbYISKi5yZXN0LmfSaWJhYmEuY29tghEqLnJmcS5hbGliYWJhLmNvbYIAKi5yaXNrZmxvdY5hbGgliYWJhLWluYy5jb22CEyoucm9hZGxpbmUuYWh1cc5jb22CEsoucrWfLmfSaWJhYmEuY29tghqQLnJlLWluYy5jYwJhLmNvbYIUki5ydS5jYwJhLWluYy5jb22CFSoucnVzc2lhb5ibGgliYWJhLmNvbYIUki5zS5hbGgliYWJhLmNvbYIVKki5zWMtb3BZLmfSaWJhYmEuY29tghYqLnLly3VyaxR5LmfSaWJhYmEuY29tghgqLnLW5ldy5hbGgliYWJhLWluYy5jb22CEyouc2VsbGVyLmZsaWdnES5jb22CIcOuc2hhZG93LWNhawppbmcuYwXpYmFiYS1pbmMuY29tgiIqLnNoawWfYZS1hbgLzcG9ydHMUyWxpYmFiYS1pbmMuY29tghgqLnNoaXBwaW5nbEuuYwXpYmFiYS5jb22CDiouc2hpap2UuY29tgg4LnNodmw1pcGLlMmNvbYIJk15a3z1YwXrZXItbwFuYwdlci5hbGgliYWJhLWluYy5jb22CECouc20uYwXpYmFiYS5jb22CGiouc29sYXIatawQuYwXpYmFiYS1pbmMuY29tghoqLnNvbGfyLXNnLmfSaWJhYmEtaW5jLmNvbYIUki5zb2xyLn1lbm9zLWluYy5jb22CECouc29sc155dw5vcy5jb22CFiouc291cmNwbmcuYwXpYmFiYS5jb22CCIouc3Auc20uY26CDiouc3Auewlzb3UuY29tggsgLnNmWi5zS5jboIvKi5zcGFuaXNoLmfSaWJhYmEuY29tghkqLnNbXbzSbc3cuYwXpYmFiYS1pbmMuY29tghwQLnN0Ywdpbmctc2cuYwXpYmFiYS1pbmMuY29tghQQLnN0YXRpy5rZXJleXuLmNvbYIBki5zdHJ1Y3R1cmUuYwXpYmFiYS1pbmMuY29tghgqLnN0dwRppy5hbGgliYWJhLWluYy5jb22CEyouc3VyZ2UuYwXpYmFiYS5jb22CDyoudC5hbGgliYWJhLmNvbYIQki50YwUdGFYmVmFLm9yZ4IPki50YwcueGlbhwkuY29tgg4qLnRhbb2h1YXpnLmNvbYIZwi50YwnB3LmfSaWJhYmEtaW5jLmNvbYISkI50ZHVTLMfSaWJhYmEuY29tghgqLnRLryWki5peC5hbGgliYWJhLWluYy5jb22CGCoudGVs

LnRob3IuYW1hcC5jb22CFyoudG1kZG8uYWxpYmFiYS1pbmMuY29tggsqLnRpbnlh
MS5jboIMKi50aXlhb15wbHVzghEqLnRvb2xzLmVsZW5ldC5tZYIRKi50b3VjaC51
bWVuZy5jb22CECoudHBwLnRhb2Jhby5vcmeCGSoudHEtbwV0YS5hbG1iYWJhLWlu
Yy5jb22CGyoudHJhbnNsYXRlLmFsaWJhYmEtaW5jLmNvbYIXKi50cnVzdHBhc3Mu
YWxpYmFiYS5jb22CFSoudHNwLmFsaWJhYmEtaW5jLmNvbYIUKi50dWlwcMuYwXp
YmFiYS5jb22CFSoudHVya2lzaC5hbG1iYWJhLmNvbYISKi50dm9zLmFsaWJhYmEu
Y29tgh0qLnVhdC1jYwLqaw5nLmFsaWJhYmEtaW5jLmNvbYIUKi51bXN0ZXN0Lmhl
bWVvcy5jb22CFSoudW5pY29ybi5hbG1iYWJhLmNvbYITKi51bm1vbi5hbG1iYWJh
LmNvbYIcKi51bm12ZXJzaXR5LmFsaWJhYmEtaW5jLmNvbYIVKi51cHMUyWxpYmFi
YS1pbmMuY29tghEqLnVwdXNoLnVtZW5nLmNvbYIQKi51cy5hbG1iYWJhLmNvbYIY
Ki52ZXJ0awNhbc5mcmVzaGh1bWEuY29tghMqLnZpZGVvLmFsaWJhYmEuY29tghoq
LnZpZG1hZ2ljLmFsaWJhYmEtaW5jLmNvbYIYKi52awV0bmFtZXNlLmFsaWJhYmEu
Y29tghEqLnZpcC5hbG1iYWJhLmNvbYIVKi52aXBwcm9kLmFsaWJhYmEuY29tghkq
LnZpcnR1YWwuYwXpYmFiYS1pbmMuY29tghAqLnZtYmMueXVub3MuY29tghQqLnZz
LmNhaw5pYw8taW5jLmNvbYIYKi52c2NvZGUuYwXpYmFiYS1pbmMuY29tghMqLncu
YwXpYmFiYS1pbmMuY29tghqLndhaw1haS5hbG1iYWJhLWluYy5jb22CESoud2Fw
LmFsaWJhYmEuY29tghIqLndhcDIuYwXpYmFiYS5jb22CEioud2FwYS5hbG1iYWJh
LmNvbYIUKi53YXBzZW8uYwXpYmFiYS5jb22CECoud2ViLnRhb2Jhby5vcmeCFCou
d2VpeGluLmtlcnV5dW4uY29tghsqLndlaXhpbi5zdGF0awMua2Vydx1bi5jb22C
Fioud2luZy5hbG1iYWJhLWluYy5jb22CGyoud29ya2JlbnNoLmFsaWJhYmEtaW5j
LmNvbYIeKi53c2Nybn3NzdG9vbC1ib3BzLmFsaWJhYmEuY29tghkqLngtbwVkaWMu
YWxpYmFiYS1pbmMuY29tgh0qLnhuZXQyLW1vZGVsLmFsaWJhYmEtaW5jLmNvbYIY
Ki54bmV0Mi1zZXJ2aWNLmFsaWJhYmEtaW5jLmNvbYITKi54dW54aS5hbG1iYWJh
LmNvbYIWKi55Yw1wLmFsaWJhYmEtaW5jLmNvbYITKi55b3VrdS5hbG1iYWJhLmNv
bYIYKi55cC5hbG1iYWJhLmNvbYINKi55dWVrZX1bi5jb22CBoYKi56YwLodWfkb25n
LmFsaWJhYmEuY29tghqLnpLjYnJlZC5jb22CEiouemV1cy5hbG1iYWJhLmNvbYIR
Ki56aGFuemhhbmccuc20uY26CFSouenpkLmFsaWJhYmEtaW5jLmNvbYILKi56emQu
c20uY26CEWfSaWJhYmFkZXNpZ24uY29tgg5hbG1iYWJhLmNvbYIKYwXpZG5z
LmNvbYIKZGnkY3JtLmNvbYIIZXd0cC5jb22CC2dvd2Zpc2guY29tggtrZXJ1eXVu
LmNvbYIKbXlxdWfYay5jboIicXVhcmsuY26CDHNoaXNoawTlLmNvbYIFc20uY26C
CnRpeWfFuLnBsdX0CDHVjLWVuZ2luZS5jboIJeWlzb3UuY29tghN5dW5zaGFuZ3po
aXBpYw4uY29tggthbG1iYWJhLmNvbTAdBgNVHSUEfjAUBGgrBgEFBQcDAQYIKwYB

BQUHAWIhWwYDVR0jBBGwFoAU2t0oCEgMNDdY7uWndS5Z/NbcPDgwhQYDVR00BBYE
FJGQXhiz0aSDLmVtXj1rZnkkamSYMIBfwYKKwYBBAHWeQIEAgSCAW8EggFrAwKA
dwDLOPcViXyEOURfW8Hd+8lu8ppZzUcKaQWfSMsUwXRY5wAAAZz2gnt5AAAEAwBI
MEYCIQC4Ea8w+80otmpvpudTjxde5dxoWYyVvK+hMM3N9LliwSwIhA05rWU7LccG5
AIVxqkykeJh1l6zDmr94QqY021AN+ef6AHYA1219ENGn9XfCx+lf1wC/+YLM1p1
4dCzAXMXwMjFaXCAAAGc90J7JQAABAMARzBFAiAiCj4YZP6H0y2Vut1WJuBrr1RJ
9x53fJFIEFTTPYyzcwIhAIYqI44RRoFSomLLHCuj5rro2uim7cnfpv8Kz/9I50pe
AHYAyKPEf8ezrbk1awE/anoSbeM6TK0lxb5l605dZkdz5oAAAGc90J7ZQAABAMA
RzBFAiEA/hTLHKBa/qM0AMZw0tSaVv9lJev8GitoYmqur9HKczwCIbe7fajvuQ8W
OMx3rpVS/CSokwJ05KogCjMQh8YPTQLDMA0GCSqGSib3DQEBCwUAA4IBAQB6XOKA
HLAVl39Ur8JrSfIy2/RG+QmMi7J+g1uQD8giZxoGcmr4wgfsv1WxlctjxxK+xrT5
dmBN5x0750v7AAkhNwaSg9MjgPzJZoTieG0XS0TstVerwRfiH6P+8Q4hbFZPCfH5
knnMv0j+lyFQ9NaH1cdMjLI4AJjFvHkVTygz0UJtNBAjJ4Dtp/3QCJvXStvW9z8
VU1ylxXah182F05hupMh30XjSkmFgwGoSpmN3KBHGbijBZrF+LflkaNfzkf1J8D7
zYoXEiVdkntBnZYgISfjtbC7A3B+Twn70rGT1XaXb/JbpgpAkevUA1ckje4JeXsS1
qz/19WnU7iLJP5Xw

-----END CERTIFICATE-----

subject=C=CN, ST=ZheJiang, L=HangZhou, O=Alibaba (China) Technology Co., Ltd., CN=*.alibaba.com
issuer=C=BE, O=GlobalSign nv-sa, CN=GlobalSign GCC R3 OV TLS CA 2024

No client certificate CA names sent

Peer signing digest: SHA256

Peer signature type: ecdsa_secp256r1_sha256

Peer Temp Key: X25519, 253 bits

SSL handshake has read 13964 bytes and written 1633 bytes

Verification: OK

New, TLSv1.3, Cipher is TLS_AES_256_GCM_SHA384

Protocol: TLSv1.3

Server public key is 256 bit

This TLS version forbids renegotiation.

Compression: NONE

Expansion: NONE

No ALPN negotiated

Early data was not sent

Verify return code: 0 (ok)

DONE

WhatWeb

```
{
  "success": true,
  "technologies": [
    {
      "name": "Alibaba-Aliyun",
      "version": [],
      "string": []
    },
    {
      "name": "Cookies",
      "version": [],
      "string": [
        "ali_apache_id",
        "JSESSIONID",
        "cna",
        "sc_g_cfg_f",
        "ug_se_c",
        "ug_se_c_tag"
      ]
    },
    {
      "name": "Country",
      "version": [],
      "string": [
        "CANADA",
        "UNITED STATES"
      ]
    },
    {
      "name": "HTTPServer",
      "version": [],
      "string": [
        "Tengine"
      ]
    },
  ],
}
```

```
{
  "name": "IP",
  "version": [],
  "string": [
    "47.246.136.52",
    "23.60.190.183"
  ],
},
{
  "name": "PoweredBy",
  "version": [],
  "string": [
    "Tengine",
    "AI"
  ],
},
{
  "name": "RedirectLocation",
  "version": [],
  "string": [
    "https://www.alibaba.com/"
  ],
},
{
  "name": "Strict-Transport-Security",
  "version": [],
  "string": [
    "max-age=31536000"
  ],
},
{
  "name": "Tengine-Web-Server",
  "version": [],
  "string": []
},
}
```

```

{
  "name": "Title",
  "version": [],
  "string": [
    "301 Moved Permanently",
    "Alibaba.com: Manufacturers, Suppliers, Exporters & Importers from the world's largest online B2B marketplace"
  ],
},
{
  "name": "UncommonHeaders",
  "version": [],
  "string": [
    "ups-target-key,x-protocol,eagleeye-traceid,s-brt,alt-svc,s-rt,timing-allow-origin,eagleid,server-timing",
    "link,x-content-type-options,ups-target-key,x-protocol,eagleeye-traceid,s-brt,s-rt,timing-allow-origin,eagleid,server-timing,alt-svc,object-status,edge-type"
  ],
},
{
  "name": "HTML5",
  "version": [],
  "string": []
},
{
  "name": "HttpOnly",
  "version": [],
  "string": [
    "JSESSIONID"
  ],
},
{
  "name": "Java",
  "version": [],
  "string": []
},
{
  "name": "Open-Graph-Protocol",
  "version": [
    "site"
  ],
  "string": []
},
{
  "name": "Script",
  "version": [],
  "string": [
    "application/ld+json",
    "text/javascript"
  ],
},
{
  "name": "X-Frame-Options",
  "version": [],
  "string": [
    "DENY"
  ],
},
]
}

```

OWASP ZAP

```

{
  "@programName": "ZAP",
  "@version": "2.17.0",
  "@generated": "Fri, 24 Jul 2026 15:28:53",
  "created": "2026-07-24T15:28:53.817235975Z",
  "insights":[
    {
      "level": "Info",
      "reason": "Informational",
      "site": "https://alibaba.com",
      "key": "insight.code.2xx",

```



```

"description": "Percentage of responses with status code 2xx",
"statistic": "25"
},
{
  "level": "Info",
  "reason": "Informational",
  "site": "https://alibaba.com",
  "key": "insight.code.3xx",
  "description": "Percentage of responses with status code 3xx",
  "statistic": "75"
},
{
  "level": "Info",
  "reason": "Informational",
  "site": "https://alibaba.com",
  "key": "insight.endpoint ctype.text/html",
  "description": "Percentage of endpoints with content type text/html",
  "statistic": "100"
},
{
  "level": "Info",
  "reason": "Informational",
  "site": "https://alibaba.com",
  "key": "insight.endpoint.method.GET",

"description": "Percentage of endpoints with method GET",
"statistic": "100"
},
{
  "level": "Info",
  "reason": "Informational",
  "site": "https://alibaba.com",
  "key": "insight.endpoint.total",
  "description": "Count of total endpoints",
  "statistic": "2"
},
{
  "level": "Info",
  "reason": "Informational",
  "site": "https://alibaba.com",
  "key": "insight.response.slow",
  "description": "Percentage of slow responses",
  "statistic": "100"
}
],
"site": [
{
  "@name": "https://alibaba.com",
  "@host": "alibaba.com",
  "@port": "443",
  "@ssl": "true",
  "alerts": [
    {
      "pluginid": "10038",
      "alertRef": "10038-1",
      "alert": "Content Security Policy (CSP) Header Not Set",
      "name": "Content Security Policy (CSP) Header Not Set",
      "riskcode": "2",
      "confidence": "3",
      "riskdesc": "Medium (High)",

```

```

"desc": "<p>Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate
certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are
used for everything from data theft to site defacement or distribution of malware. CSP provides a set of
standard HTTP headers that allow website owners to declare approved sources of content that browsers should
be allowed to load on that page \u2014 covered types are JavaScript, CSS, HTML frames, fonts, images and
embeddable objects such as Java applets, ActiveX, audio and video files.</p>",
"instances": [
{
  "id": "8",
  "uri": "https://alibaba.com",
  "nodeName": "https:\\\\alibaba.com",
  "method": "GET",
  "param": "",

```

```

"attack": "",
"evidence": "",
"otherinfo": ""
},
],
"count": "1",
"systemic": false,
"solution": "<p>Ensure that your web server, application server, load balancer, etc. is configured to set the Content-Security-Policy header.</p>",
"otherinfo": "",
"reference": "<p>https://developer.mozilla.org/en-US/docs/Web/HTTP/Guides/CSP</p><p>https://cheatsheetseries.owasp.org/cheatsheets/Content_Security_Policy_Cheat_Sheet.html</p><p>https://www.w3.org/TR/CSP/</p><p>https://w3c.github.io/webappsec-csp/</p><p>https://web.dev/articles/csp</p><p>https://caniuse.com/#feat=contentsecuritypolicy</p><p>https://content-security-policy.com/</p>",
"cweid": "693",
"wascid": "15",
"sourceid": "1"
},
{
"pluginid": "90003",
>alertRef": "90003",
>alert": "Sub Resource Integrity Attribute Missing",
"name": "Sub Resource Integrity Attribute Missing",
"riskcode": "2",
"confidence": "3",
"riskdesc": "Medium (High)",
"desc": "<p>The integrity attribute is missing on a script or link tag served by an external server. The integrity tag prevents an attacker who have gained access to this server from injecting a malicious content.</p>",
"instances": [
{
"id": "26",
"uri": "https://alibaba.com",

"nodeName": "https:\\\\alibaba.com",
"method": "GET",
"param": "",
"attack": "",
"evidence": "<link rel=\"preload\" href=\"https://s.alicdn.com/@g/bc/common-font/0.0.1/font/UcC73FwrK3iLTeHuS_fvQtMwCp50KnMa1ZL7W0Q5nw.woff2\" as=\"font\" type=\"font/woff2\" crossorigin>",
"otherinfo": ""
},
{
"id": "24",
"uri": "https://alibaba.com",
"nodeName": "https:\\\\alibaba.com",
"method": "GET",
"param": "",
"attack": "",
"evidence": "<link rel=\"preload\" href=\"https://s.alicdn.com/@img/imgextra/i1/01CN01c9zJQN1bmG2UcUU4G_! !6000000003507-0-tps-2880-600.jpg\" as=\"image\" />",
"otherinfo": ""
},
{
"id": "23",
"uri": "https://alibaba.com",
"nodeName": "https:\\\\alibaba.com",
"method": "GET",
"param": "",
"attack": "",
"evidence": "<link rel=\"preload\" href=\"https://s.alicdn.com/@img/imgextra/i2/01CN01oekVig1pCRh00hDP5_! !6000000005324-0-tps-1428-360.jpg\" as=\"image\" />",
"otherinfo": ""
},
{
"id": "25",
"uri": "https://alibaba.com",
"nodeName": "https:\\\\alibaba.com",
"method": "GET",
"param": "",
"attack": "",

```

```
"evidence": "<link rel=\"preload\"  
href=\"https://s.alicdn.com/img/imgextra/i4/01CN01oAkS1m1q0MxjE1vk3_!6000000005433-2-tps-3840-80.png\"  
as=\"image\" />",
```

```
"otherinfo": ""  
},  
{  
  "id": "27",  
  "uri": "https://alibaba.com",  
  "nodeName": "https:\\\\alibaba.com",  
  "method": "GET",  
  "param": "",  
  "attack": "",  
  "evidence": "<link rel=\"preload\" type=\"text/css\" as=\"style\"  
href=\"https://s.alicdn.com/@g/code/npm/@alife/sc-common-style/1.0.3/index.css\" />",  
  "otherinfo": ""  
}  
],  
  "count": "5",  
  "systemic": true,  
  "solution": "<p>Provide a valid integrity attribute to the tag.</p>",  
  "otherinfo": "",  
  "reference": "<p>https://developer.mozilla.org/en-US/docs/Web/Security/Defenses/Subresource_Integrity</p>",  
  "cweid": "345",  
  "wascid": "15",  
  "sourceid": "1"  
},  
{  
  "pluginid": "10010",  
  "alertRef": "10010",  
  "alert": "Cookie No HttpOnly Flag",  
  "name": "Cookie No HttpOnly Flag",  
  "riskcode": "1",  
  "confidence": "2",  
  "riskdesc": "Low (Medium)",  
  "desc": "<p>A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by  
JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be  
transmitted to another site. If this is a session cookie then session hijacking may be possible.</p>",  
  "instances": [  
    {  
      "id": "10",  
      "uri": "https://alibaba.com",
```

```
      "nodeName": "https:\\\\alibaba.com",  
      "method": "GET",  
      "param": "cna",  
      "attack": "",  
      "evidence": "Set-Cookie: cna",  
      "otherinfo": ""  
    },  
    {  
      "id": "9",  
      "uri": "https://alibaba.com",  
      "nodeName": "https:\\\\alibaba.com",  
      "method": "GET",  
      "param": "sc_g_cfg_f",  
      "attack": "",  
      "evidence": "Set-Cookie: sc_g_cfg_f",  
      "otherinfo": ""  
    }  
  ],  
  "count": "2",  
  "systemic": false,  
  "solution": "<p>Ensure that the HttpOnly flag is set for all cookies.</p>",  
  "otherinfo": "",  
  "reference": "<p>https://owasp.org/www-community/HttpOnly</p>",  
  "cweid": "1004",  
  "wascid": "13",  
  "sourceid": "1"  
},  
{  
  "pluginid": "10011",  
  "alertRef": "10011",  
  "alert": "Cookie Without Secure Flag",
```

```
"name": "Cookie Without Secure Flag",
"riskcode": "1",
"confidence": "2",
"riskdesc": "Low (Medium)",
```

```
"desc": "<p>A cookie has been set without the secure flag, which means that the cookie can be accessed via
unencrypted connections.</p>",
"instances":[
{
  "id": "14",
  "uri": "https://alibaba.com",
  "nodeName": "https:\\\\alibaba.com",
  "method": "GET",
  "param": "JSESSIONID",
  "attack": "",
  "evidence": "Set-Cookie: JSESSIONID",
  "otherinfo": ""
}
],
"count": "1",
"systemic": false,
"solution": "<p>Whenever a cookie contains sensitive information or is a session token, then it should always
be passed using an encrypted channel. Ensure that the secure flag is set for cookies containing such
sensitive information.</p>",
"otherinfo": "",
"reference": "<p>https://owasp.org/www-project-web-security-testing-guide/v41/4-Web_Application_Security_Tes
ting/06-Session_Management_Testing/02-Testing_for_Cookies_Attributes.html</p>",
"cweid": "614",
"wascid": "13",
"sourceid": "1"
},
{
  "pluginid": "10054",
  "alertRef": "10054-2",
  "alert": "Cookie with SameSite Attribute None",
  "name": "Cookie with SameSite Attribute None",
  "riskcode": "1",
  "confidence": "2",
  "riskdesc": "Low (Medium)",
  "desc": "<p>A cookie has been set with its SameSite attribute set to \"none\", which means that the cookie
can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to
cross-site request forgery, cross-site script inclusion, and timing attacks.</p>",
  "instances":[
  {
    "id": "13",
    "uri": "https://alibaba.com",
```

```
  "nodeName": "https:\\\\alibaba.com",
  "method": "GET",
  "param": "cna",
  "attack": "",
  "evidence": "Set-Cookie: cna",
  "otherinfo": ""
}
],
"count": "1",
"systemic": false,
"solution": "<p>Ensure that the SameSite attribute is set to either 'lax' or ideally 'strict' for all
cookies.</p>",
"otherinfo": "",
"reference": "<p>https://datatracker.ietf.org/doc/html/draft-ietf-httpbis-cookie-same-site</p>",
"cweid": "1275",
"wascid": "13",
"sourceid": "1"
},
{
  "pluginid": "10054",
  "alertRef": "10054-1",
  "alert": "Cookie without SameSite Attribute",
  "name": "Cookie without SameSite Attribute",
  "riskcode": "1",
  "confidence": "2",
  "riskdesc": "Low (Medium)",
  "desc": "<p>A cookie has been set without the SameSite attribute, which means that the cookie can be sent as
```

a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.</p>

```
"instances":[
{
  "id": "11",
  "uri": "https://alibaba.com",
  "nodeName": "https:\\\\alibaba.com",
  "method": "GET",
  "param": "JSESSIONID",
  "attack": "",
  "evidence": "Set-Cookie: JSESSIONID",

  "otherinfo": ""
},
{
  "id": "12",
  "uri": "https://alibaba.com",
  "nodeName": "https:\\\\alibaba.com",
  "method": "GET",
  "param": "sc_g_cfg_f",
  "attack": "",
  "evidence": "Set-Cookie: sc_g_cfg_f",
  "otherinfo": ""
}
],
"count": "2",
"systemic": false,
"solution": "<p>Ensure that the SameSite attribute is set to either 'lax' or ideally 'strict' for all cookies.</p>",
"otherinfo": "",
"reference": "<p>https://datatracker.ietf.org/doc/html/draft-ietf-httpbis-cookie-same-site</p>",
"cweid": "1275",
"wascid": "13",
"sourceid": "1"
},
{
  "pluginid": "10017",
  "alertRef": "10017",
  "alert": "Cross-Domain JavaScript Source File Inclusion",
  "name": "Cross-Domain JavaScript Source File Inclusion",
  "riskcode": "1",
  "confidence": "2",
  "riskdesc": "Low (Medium)",
  "desc": "<p>The page includes one or more script files from a third-party domain.</p>",
  "instances":[
  {
    "id": "16",
    "uri": "https://alibaba.com",

    "nodeName": "https:\\\\alibaba.com",
    "method": "GET",
    "param": "//s.alicdn.com/@g/sc/pc-home-2022/0.0.373/js/fy25headersearchproduct.js",
    "attack": "",
    "evidence": "<script type=\"text/javascript\" src=\"//s.alicdn.com/@g/sc/pc-home-2022/0.0.373/js/fy25headersearchproduct.js\" defer></script>",
    "otherinfo": ""
  },
  {
    "id": "17",
    "uri": "https://alibaba.com",
    "nodeName": "https:\\\\alibaba.com",
    "method": "GET",
    "param": "//s.alicdn.com/@g/sc/pc-home-2022/0.0.373/js/fy25producthome.js",
    "attack": "",
    "evidence": "<script type=\"text/javascript\" id=\"fy25-home-js\" src=\"//s.alicdn.com/@g/sc/pc-home-2022/0.0.373/js/fy25producthome.js\" defer></script>",
    "otherinfo": ""
  },
  {
    "id": "15",
    "uri": "https://alibaba.com",
    "nodeName": "https:\\\\alibaba.com",
    "method": "GET",
    "param": "https://s.alicdn.com/@g/code/lib/??react/18.2.0/umd/react.production.min.js,react-dom/18.2.0/umd/r
eact-dom.production.min.js",
```

```

"attack": "",
"evidence": "<script type=\"text/javascript\" src=\"https://s.alicdn.com/@g/code/lib/??react/18.2.0/umd/react.production.min.js,react-dom/18.2.0/umd/react-dom.production.min.js\" defer></script>",
"otherinfo": ""
},
{
  "id": "19",
  "uri": "https://alibaba.com",
  "nodeName": "https://alibaba.com",
  "method": "GET",
  "param": "https://s.alicdn.com/@g/icbu-fe/cdn-ecoNet/1.0.0/index.js",
  "attack": "",
  "evidence": "<script src=\"https://s.alicdn.com/@g/icbu-fe/cdn-ecoNet/1.0.0/index.js\" defer></script>",
  "otherinfo": ""
},
{
  "id": "18",
  "uri": "https://alibaba.com",
  "nodeName": "https://alibaba.com",
  "method": "GET",
  "param": "https://s.alicdn.com/@g/sc/pc-home-2022/0.0.373/sw/register.js",
  "attack": "",
  "evidence": "<script src=\"https://s.alicdn.com/@g/sc/pc-home-2022/0.0.373/sw/register.js\" defer async></script>",
  "otherinfo": ""
}
],
"count": "5",
"systemic": true,
"solution": "<p>Ensure JavaScript source files are loaded from only trusted sources, and the sources can't be controlled by end users of the application.</p>",
"otherinfo": "",
"reference": "",
"cweid": "829",
"wascid": "15",
"sourceid": "1"
},
{
  "pluginid": "90004",
  "alertRef": "90004-2",
  "alert": "Cross-Origin-Embedder-Policy Header Missing or Invalid",
  "name": "Cross-Origin-Embedder-Policy Header Missing or Invalid",
  "riskcode": "1",
  "confidence": "2",
  "riskdesc": "Low (Medium)",
  "desc": "<p>Cross-Origin-Embedder-Policy header is a response header that prevents a document from loading any cross-origin resources that don't explicitly grant the document permission (using CORP or CORS).</p>",
  "instances": [
    {
      "id": "6",
      "uri": "https://alibaba.com",
      "nodeName": "https://alibaba.com",
      "method": "GET",
      "param": "Cross-Origin-Embedder-Policy",
      "attack": "",
      "evidence": "",
      "otherinfo": ""
    }
  ],
  "count": "1",
  "systemic": false,
  "solution": "<p>Ensure that the application/web server sets the Cross-Origin-Embedder-Policy header appropriately, and that it sets the Cross-Origin-Embedder-Policy header to 'require-corp' for documents.</p><p>If possible, ensure that the end user uses a standards-compliant and modern web browser that supports the Cross-Origin-Embedder-Policy header (https://caniuse.com/mdn-http_headers_cross-origin-embedder-policy).</p>",
  "otherinfo": "",
  "reference": "<p>https://developer.mozilla.org/en-US/docs/Web/HTTP/Reference/Headers/Cross-Origin-Embedder-Policy</p>",
  "cweid": "693",
  "wascid": "14",
  "sourceid": "1"
}

```

```
},
{
  "pluginid": "90004",
  "alertRef": "90004-3",
  "alert": "Cross-Origin-Opener-Policy Header Missing or Invalid",
  "name": "Cross-Origin-Opener-Policy Header Missing or Invalid",
  "riskcode": "1",
  "confidence": "2",
  "riskdesc": "Low (Medium)",
  "desc": "<p>Cross-Origin-Opener-Policy header is a response header that allows a site to control if others included documents share the same browsing context. Sharing the same browsing context with untrusted documents might lead to data leak.</p>",
  "instances": [
    {
      "id": "7",
      "uri": "https://alibaba.com",
      "nodeName": "https:\\\\alibaba.com",
      "method": "GET",
      "param": "Cross-Origin-Opener-Policy",
      "attack": "",
      "evidence": ""
    }
  ]
}
```

```
"otherinfo": ""
},
"count": "1",
"systemic": false,
"solution": "<p>Ensure that the application/web server sets the Cross-Origin-Opener-Policy header appropriately, and that it sets the Cross-Origin-Opener-Policy header to 'same-origin' for documents.</p><p>'same-origin-allow-popups' is considered as less secured and should be avoided.</p><p>If possible, ensure that the end user uses a standards-compliant and modern web browser that supports the Cross-Origin-Opener-Policy header (https://caniuse.com/mdn-http\_headers\_cross-origin-opener-policy).</p>",
"otherinfo": "",
"reference":
"<p>https://developer.mozilla.org/en-US/docs/Web/HTTP/Reference/Headers/Cross-Origin-Opener-Policy</p>",
"cweid": "693",
"wascid": "14",
"sourceid": "1"
},
{
  "pluginid": "90004",
  "alertRef": "90004-1",
  "alert": "Cross-Origin-Resource-Policy Header Missing or Invalid",
  "name": "Cross-Origin-Resource-Policy Header Missing or Invalid",
  "riskcode": "1",
  "confidence": "2",
  "riskdesc": "Low (Medium)",
  "desc": "<p>Cross-Origin-Resource-Policy header is an opt-in header designed to counter side-channels attacks like Spectre. Resource should be specifically set as shareable amongst different origins.</p>",
  "instances": [
    {
      "id": "5",
      "uri": "https://alibaba.com",
      "nodeName": "https:\\\\alibaba.com",
      "method": "GET",
      "param": "Cross-Origin-Resource-Policy",
      "attack": "",
      "evidence": ""
    }
  ],
  "otherinfo": ""
},
"count": "1",
"systemic": false,
```

```
"solution": "<p>Ensure that the application/web server sets the Cross-Origin-Resource-Policy header appropriately, and that it sets the Cross-Origin-Resource-Policy header to 'same-origin' for all web pages.</p><p>'same-site' is considered as less secured and should be avoided.</p><p>If resources must be shared, set the header to 'cross-origin'.</p><p>If possible, ensure that the end user uses a standards-compliant and modern web browser that supports the Cross-Origin-Resource-Policy header (https://caniuse.com/mdn-http\_headers\_cross-origin-resource-policy).</p>",
"otherinfo": "",
"reference":
"<p>https://developer.mozilla.org/en-US/docs/Web/HTTP/Reference/Headers/Cross-Origin-Embedder-Policy</p>",
"cweid": "693",
```

```

"wascid": "14",
"sourceid": "1"
},
{
  "pluginid": "10063",
  "alertRef": "10063-1",
  "alert": "Permissions Policy Header Not Set",
  "name": "Permissions Policy Header Not Set",
  "riskcode": "1",
  "confidence": "2",
  "riskdesc": "Low (Medium)",
  "desc": "<p>Permissions Policy Header is an added layer of security that helps to restrict from unauthorized access or usage of browser/client features by web resources. This policy ensures the user privacy by limiting or specifying the features of the browsers can be used by the web resources. Permissions Policy provides a set of standard HTTP headers that allow website owners to limit which features of browsers can be used by the page such as camera, microphone, location, full screen etc.</p>",
  "instances": [
    {
      "id": "4",
      "uri": "https://alibaba.com",
      "nodeName": "https:\\\\alibaba.com",
      "method": "GET",
      "param": "",
      "attack": "",
      "evidence": "",
      "otherinfo": ""
    }
  ],
  "count": "1",
  "systemic": false,
  "solution": "<p>Ensure that your web server, application server, load balancer, etc. is configured to set the Permissions-Policy header.</p>",
  "otherinfo": "",
  "reference": "<p>https://developer.mozilla.org/en-US/docs/Web/HTTP/Reference/Headers/Permissions-Policy</p><p>https://developer.chrome.com/blog/feature-policy/</p><p>https://scotthelme.co.uk/a-new-security-header-feature-policy/</p><p>https://w3c.github.io/webappsec-feature-policy/</p><p>https://www.smashingmagazine.com/2018/12/feature-policy/</p>",
  "cweid": "693",
  "wascid": "15",
  "sourceid": "1"
},
{
  "pluginid": "10027",
  "alertRef": "10027",
  "alert": "Information Disclosure - Suspicious Comments",
  "name": "Information Disclosure - Suspicious Comments",
  "riskcode": "0",
  "confidence": "2",
  "riskdesc": "Informational (Medium)",
  "desc": "<p>The response appears to contain suspicious comments which may help an attacker.</p>",
  "instances": [
    {
      "id": "21",
      "uri": "https://alibaba.com",
      "nodeName": "https:\\\\alibaba.com",
      "method": "GET",
      "param": "",
      "attack": "",
      "evidence": "\u5939 html espace twice bug fixed",
      "otherinfo": "The following pattern was used: \\bBUG\\b and was detected in likely comment: \"//\u4E70\u5BB6\u6536\u85CF\u5939 html espace twice bug fixed\", see evidence field for the suspicious comment/snippet."
    }
  ],
  "count": "1",
  "systemic": false,
  "solution": "<p>Remove all comments that return information that may help an attacker and fix any underlying problems they refer to.</p>",
  "otherinfo": "<p>The following pattern was used: \\bBUG\\b and was detected in likely comment: \"//\u4E70\u5BB6\u6536\u85CF\u5939 html espace twice bug fixed\", see evidence field for the suspicious comment/snippet.</p>",
  "reference": "",
  "cweid": "615",

```



```

"wascid": "13",
"sourceid": "1"
},
{
"pluginid": "10109",
>alertRef": "10109",

>alert": "Modern Web Application",
"name": "Modern Web Application",
"riskcode": "0",
"confidence": "2",
"riskdesc": "Informational (Medium)",
"desc": "<p>The application appears to be a modern web application. If you need to explore it automatically then the Client Spider may well be more effective than the standard one.</p>",
"instances":[
{
"id": "22",
"uri": "https://alibaba.com",
"nodeName": "https:\\\\alibaba.com",
"method": "GET",
"param": "",
"attack": "",
"evidence": "<a target=\"_self\" class=\"home-dot-element ai-mode-entry ai-background\" data-spm=\"ai\" href=\"https://aimode.alibaba.com/\"><span class=\"ai-mode-text\">AI Mode</span><svg class=\"icbu-common-icon icbu-common-icon-ai-smart-assistant-text-fill ai-mode-icon\" viewBox=\"0 0 42 42\" style=\"--icon-size:17px\" data-testid=\"icon-ai-smart-assistant-text-fill\"><g><path d=\"M40.4597 2.625C40.8946 2.625 41.2472 2.97758 41.2472 3.4125V12.6557C41.2472 13.0906 40.8946 13.4432 40.4597 13.4432H40.075C39.6401 13.4432 39.2875 13.0906 39.2875 12.6557V3.4125C39.2875 2.97757 39.6401 2.625 40.075 2.625H40.4597ZM33.9844 3.27148L35.2936 6.44984L35.4759 6.89241L35.4759 6.89248C36.3719 9.06762 37.2538 11.2084 38.0417 13.4433H37.1019C36.4345 13.4433 35.8396 13.0226 35.6171 12.3934L35.0171 10.6969H31.022L30.4234 12.3925C30.2011 13.0222 29.606 13.4433 28.9382 13.4433H28C28.8367 11.0667 29.7731 8.79245 30.7289 6.47434L32.0486 3.27148C32.2171 2.8635 32.5789 2.64803 32.9512 2.62509H33.0844C33.4567 2.64803 33.8176 2.8635 33.9844 3.27148ZM31.5316 9.25313H34.5065L33.0177 5.04324L31.5316 9.25313ZM4.10029 20.0849L4.11372 20.0792L4.11605 20.0782V20.0849L4.1184 20.0839L4.13225 20.0782L6.40199 19.1467L7.10567 18.8578C12.0174 16.8393 15.9216 12.9453 17.9468 8.03374L19.2005 4.99103C19.5397 4.16966 20.7036 4.16966 21.0395 4.99103L22.2833 8.01047C24.3052 12.922 28.2026 16.8194 33.1144 18.8412L36.1339 20.0849C36.9553 20.4241 36.9553 21.588 36.1339 21.9238L33.0911 23.1775C28.1827 25.2027 24.2852 29.1066 22.2666 34.0182L21.0395 37.0077C20.7003 37.8291 19.5364 37.8324 19.1972 37.0077L17.9501 33.9816C15.9282 29.0701 12.0274 25.1727 7.11565 23.1542L4.88928 22.2385L4.11605 21.9205C3.29994 21.5835 3.29468 20.4324 4.10029 20.0849Z\"></path></g></svg></a>",
"otherinfo": "Links have been found with a target of '_self' - this is often used by modern frameworks to force a full page reload."
}
],
"count": "1",
"systemic": false,
"solution": "<p>This is an informational alert and so no changes are required.</p>",
"otherinfo": "<p>Links have been found with a target of '_self' - this is often used by modern frameworks to force a full page reload.</p>",
"reference": "",
"cweid": "-1",
"wascid": "-1",
"sourceid": "1"
},
{
"pluginid": "10049",
>alertRef": "10049-1",
>alert": "Non-Storable Content",
"name": "Non-Storable Content",
"riskcode": "0",
"confidence": "2",
"riskdesc": "Informational (Medium)",

"desc": "<p>The response contents are not storable by caching components such as proxy servers. If the response does not contain sensitive, personal or user-specific information, it may benefit from being stored and cached, to improve performance.</p>",
"instances":[
{
"id": "3",
"uri": "https://alibaba.com",
"nodeName": "https:\\\\alibaba.com",
"method": "GET",
"param": "",
"attack": "",
"evidence": "no-store",

```

```

"otherinfo": ""
},
],
"count": "1",
"systemic": false,
"solution": "<p>The content may be marked as storable by ensuring that the following conditions are
satisfied:</p><p>The request method must be understood by the cache and defined as being cacheable (\"GET\",
\"HEAD\", and \"POST\" are currently defined as cacheable)</p><p>The response status code must be understood
by the cache (one of the 1XX, 2XX, 3XX, 4XX, or 5XX response classes are generally understood)</p><p>The
\"no-store\" cache directive must not appear in the request or response header fields</p><p>For caching by
\"shared\" caches such as \"proxy\" caches, the \"private\" response directive must not appear in the
response</p><p>For caching by \"shared\" caches such as \"proxy\" caches, the \"Authorization\" header field
must not appear in the request, unless the response explicitly allows it (using one of the
\"must-revalidate\", \"public\", or \"s-maxage\" Cache-Control response directives)</p><p>In addition to the
conditions above, at least one of the following conditions must also be satisfied by the response:</p><p>It
must contain an \"Expires\" header field</p><p>It must contain a \"max-age\" response directive</p><p>For
\"shared\" caches such as \"proxy\" caches, it must contain a \"s-maxage\" response directive</p><p>It must
contain a \"Cache Control Extension\" that allows it to be cached</p><p>It must have a status code that is
defined as cacheable by default (200, 203, 204, 206, 300, 301, 404, 405, 410, 414, 501).</p>",
"otherinfo": "",
"reference": "<p>https://datatracker.ietf.org/doc/html/rfc7234</p><p>https://datatracker.ietf.org/doc/html/r
fc7231</p><p>https://www.w3.org/Protocols/rfc2616/rfc2616-sec13.html</p>",
"cweid": "524",
"wascid": "13",
"sourceid": "1"
},
{
"pluginid": "10112",
>alertRef": "10112",
>alert": "Session Management Response Identified",
"name": "Session Management Response Identified",
"riskcode": "0",
"confidence": "2",
"riskdesc": "Informational (Medium)",
"desc": "<p>The given response has been identified as containing a session management token. The 'Other Info'
field contains a set of header tokens that can be used in the Header Based Session Management Method. If the
request is in a context which has a Session Management Method set to \"Auto-Detect\" then this rule will
change the session management to use the tokens identified.</p>",
"instances":[
{
"id": "0",
"uri": "https://alibaba.com",

"nodeName": "https://alibaba.com",
"method": "GET",
"param": "ali_apache_id",
"attack": "",
"evidence": "ali_apache_id",
"otherinfo": "cookie:ali_apache_id"
},
{
"id": "2",
"uri": "https://alibaba.com",
"nodeName": "https://alibaba.com",
"method": "GET",
"param": "cna",
"attack": "",
"evidence": "cna",
"otherinfo": "cookie:cna\\ncookie:JSESSIONID\\ncookie:sc_g_cfg_f"
}
],
"count": "2",
"systemic": false,
"solution": "<p>This is an informational alert rather than a vulnerability and so there is nothing to
fix.</p>",
"otherinfo": "<p>cookie:ali_apache_id</p>",
"reference": "<p>https://www.zaproxy.org/docs/desktop/addons/authentication-helper/session-mgmt-id/</p>",
"cweid": "-1",
"wascid": "-1",
"sourceid": "6"
},
{
"pluginid": "10049",
>alertRef": "10049-3",

```

```

"alert": "Storable and Cacheable Content",
"name": "Storable and Cacheable Content",
"riskcode": "0",
"confidence": "2",
"riskdesc": "Informational (Medium)",

"desc": "<p>The response contents are storable by caching components such as proxy servers, and may be
retrieved directly from the cache, rather than from the origin server by the caching servers, in response to
similar requests from other users. If the response data is sensitive, personal or user-specific, this may
result in sensitive information being leaked. In some cases, this may even result in a user gaining complete
control of the session of another user, depending on the configuration of the caching components in use in
their environment. This is primarily an issue where \"shared\" caching servers such as \"proxy\" caches are
configured on the local network. This configuration is typically found in corporate or educational
environments, for instance.</p>",
"instances":[
{
"id": "1",
"uri": "https://alibaba.com",
"nodeName": "https:\\\\alibaba.com",
"method": "GET",
"param": "",
"attack": "",
"evidence": "",
"otherinfo": "In the absence of an explicitly specified caching lifetime directive in the response, a liberal
lifetime heuristic of 1 year was assumed. This is permitted by rfc7234."
},
{
"id": "31",
"uri": "https://alibaba.com/robots.txt",
"nodeName": "https:\\\\alibaba.com\\robots.txt",
"method": "GET",
"param": "",
"attack": "",
"evidence": "",
"otherinfo": "In the absence of an explicitly specified caching lifetime directive in the response, a liberal
lifetime heuristic of 1 year was assumed. This is permitted by rfc7234."
},
{
"id": "32",
"uri": "https://alibaba.com/sitemap.xml",
"nodeName": "https:\\\\alibaba.com\\sitemap.xml",
"method": "GET",
"param": "",
"attack": "",
"evidence": "",
"otherinfo": "In the absence of an explicitly specified caching lifetime directive in the response, a liberal
lifetime heuristic of 1 year was assumed. This is permitted by rfc7234."
}
],
"count": "3",
"systemic": false,

"solution": "<p>Validate that the response does not contain sensitive, personal or user-specific information.
If it does, consider the use of the following HTTP response headers, to limit, or prevent the content being
stored and retrieved from the cache by another user:</p><p>Cache-Control: no-cache, no-store,
must-revalidate, private</p><p>Pragma: no-cache</p><p>Expires: 0</p><p>This configuration directs both HTTP
1.0 and HTTP 1.1 compliant caching servers to not store the response, and to not retrieve the response
(without validation) from the cache, in response to a similar request.</p>",
"otherinfo": "<p>In the absence of an explicitly specified caching lifetime directive in the response, a
liberal lifetime heuristic of 1 year was assumed. This is permitted by rfc7234.</p>",
"reference": "<p>https://datatracker.ietf.org/doc/html/rfc7234</p><p>https://datatracker.ietf.org/doc/html/r
fc7231</p><p>https://www.w3.org/Protocols/rfc2616/rfc2616-sec13.html</p>",
"cweid": "524",
"wascid": "13",
"sourceid": "6"
}
]
}

```

NVD

Aucune sortie brute disponible.

Preuves techniques complètes disponibles en export JSON depuis l'historique des scans (scan ID : 106)