

API Reference

Filter

Enter keyword

Global API

Application

| _orosto/ | | |
|----------|-----------|---|
| CICALCE | dd | Г |

- -createSSRApp()-
- -app.mount()
- -app.unmount()
- app.provide()
- -app.component()
- app.directive()
- app.use()
- -app.mixin()
- -app.version
- app.config
- -app.config.errorHandler-
- app.config.warnHandler
- app.config.performance
- app.config.compilerOptions
- -app.config.globalProperties-
- -app.config.optionMergeStrategies-

General

-version
-nextTick()
-defineComponent()
-defineAsyncComponent()
-defineCustomElement()

Composition API

setup()

- Accessing Props
- Setup Context
- Usage with Render Functions

Reactivity: Core

ref()
computed()
reactive()
readonly()
watchEffect()
watchPostEffect()
watchSyncEffect()
watch()

САРОЗС

Options: Rendering

template

-render

compilerOptions

Options: Lifecycle

-beforeCreate

-created

-beforeMount

mounted

-beforeUpdate ----

-updated

-beforeUnmount

unmounted

errorCaptured

renderTracked

renderTriggered

activated

deactivated

-serverPrefetch-

Options: Composition

provide

-inject

mixing

-extends

Directives

v-text
v-html
v-show
v-if
v-else
v-else-if
v-for
v-on
v-bind
v-model
v-slot
v-pre
v-onee
v-memo
v-cloak

Components

<Transition>

<TransitionGroup>

<KeepAlive>

<Teleport>

<Suspense>

Special Elements

<component>
<slot>

Special Attributes

-key -ref

Single-File Component

Syntax Specification

- Overview
- Language Blocks
- Automatic Name Inference
- Pre- Processors
- Sre Imports
- Comments

<script setup>

-Basic Syntax
-Reactivity
-Using Components
-Using Gustom Directives
-defineProps() & defineEmits()
-defineExpose()
-useSlots() & useAttrs()
-Usage alongside normal <script>
Top-level await
-TypeScript only Features
-Restrictions