API Reference

Filter   Enter keyword

Global API

Application

~~createApp()~~

~~createSSRApp()~~

~~app.mount()~~

~~app.unmount()~~

~~app.provide()~~

~~app.component()~~

~~app.directive()~~

~~app.use()~~

~~app.mixin()~~

~~app.version~~

~~app.config~~

~~app.config.errorHandler~~

app.config.warnHandler

app.config.performance

app.config.compilerOptions

~~app.config.globalProperties~~

~~app.config.optionMergeStrategies~~

General

~~version~~

~~nextTick()~~

~~defineComponent()~~

defineAsyncComponent()

~~defineCustomElemen~~t()

Composition API

setup()

~~Basic Usage~~

~~Accessing Props~~

~~Setup Context~~

~~Usage with Render Functions~~

Reactivity: Core

~~ref()~~

~~computed()~~

~~reactive()~~

~~readonly()~~

~~watchEffect()~~

~~watchPostEffect()~~

~~watchSyncEffect()~~

~~watch()~~

~~expose~~

Options: Rendering

template

~~render~~

compilerOptions

Options: Lifecycle

~~beforeCreate~~

~~created~~

~~beforeMount~~

~~mounted~~

~~beforeUpdate~~

~~updated~~

~~beforeUnmount~~

~~unmounted~~

~~errorCaptured~~

~~renderTracked~~

~~renderTriggered~~

~~activated~~

~~deactivated~~

~~serverPrefetch~~

Options: Composition

~~provide~~

~~inject~~

~~mixins~~

~~extends~~

Directives

~~v-text~~

~~v-html~~

~~v-show~~

~~v-if~~

~~v-else~~

~~v-else-if~~

~~v-for~~

~~v-on~~

~~v-bind~~

~~v-model~~

~~v-slot~~

v-pre

~~v-once~~

~~v-memo~~

~~v-cloak~~

Components

<Transition>

<TransitionGroup>

~~<KeepAlive>~~

<Teleport>

~~<Suspense>~~

Special Elements

~~<component>~~

~~<slot>~~

Special Attributes

~~key~~

~~ref~~

~~is~~

Single-File Component

Syntax Specification

~~Overview~~

~~Language Blocks~~

~~Automatic Name Inference~~

~~Pre-Processors~~

~~Src Imports~~

~~Comments~~

\<script setup\>

~~Basic Syntax~~

~~Reactivity~~

~~Using Components~~

~~Using Custom Directives~~

~~defineProps() & defineEmits()~~

~~defineExpose()~~

~~useSlots() & useAttrs()~~

~~Usage alongside normal \<script\>~~

Top-level await

~~TypeScript-only Features~~

~~Restrictions~~