

Kubernetes Comprehensive Security Audit

Generated: 2026-01-26 20:45:02

Executive Summary

Metric	Count
Namespaces Scanned	22
Total Pods	53
Total Deployments	48
Total DaemonSets	18
Total StatefulSets	6
Total RoleBindings	19
Total NetworkPolicies	9
Queries Executed	268/268

Namespace: AKS-COMMAND

Resource Type	Count	Status
Pods	0	■ Empty
Deployments	0	■ Empty
Daemonsets	0	■ Empty
Statefulsets	0	■ Empty
Rolebindings	0	■ Empty
Networkpolicies	0	■ Empty
Services	0	■ Empty
Ingresses	0	■ Empty
Virtualservices	0	■ Empty
Destinationrules	0	■ Empty
Gateways	0	■ Empty
Configmaps	1	✓ Found

Namespace: APPLICATION

Resource Type	Count	Status
Pods	0	■ Empty
Deployments	0	■ Empty
Daemonsets	0	■ Empty
Statefulsets	0	■ Empty
Rolebindings	0	■ Empty
Networkpolicies	0	■ Empty
Services	0	■ Empty
Ingresses	0	■ Empty
Virtualservices	0	■ Empty
Destinationrules	0	■ Empty
Gateways	0	■ Empty
Configmaps	1	✓ Found

Namespace: ARGOCD

Resource Type	Count	Status
Pods	8	✓ Found
Deployments	6	✓ Found
Daemonsets	0	■ Empty
Statefulsets	1	✓ Found
Rolebindings	5	✓ Found
Networkpolicies	7	✓ Found
Services	8	✓ Found
Ingresses	0	■ Empty
Virtualservices	0	■ Empty
Destinationrules	0	■ Empty
Gateways	0	■ Empty
Configmaps	8	✓ Found

Namespace: AXA

Resource Type	Count	Status
Pods	2	✓ Found
Deployments	1	✓ Found
Daemonsets	0	■ Empty
Statefulsets	0	■ Empty
Rolebindings	0	■ Empty
Networkpolicies	0	■ Empty
Services	1	✓ Found
Ingresses	1	✓ Found
Virtualservices	0	■ Empty
Destinationrules	0	■ Empty
Gateways	0	■ Empty
Configmaps	1	✓ Found

Security Findings

■ HIGH RISK:

- No NetworkPolicies [NIST AC-4, CIS 5.x]

■ MEDIUM RISK:

- Ingress missing TLS [NIST AC-4, CIS 5.x]

■ Recommendations:

- Add default-deny NetworkPolicies

Namespace: CERT-MANAGER

Resource Type	Count	Status
Pods	3	✓ Found
Deployments	3	✓ Found
Daemonsets	0	■ Empty
Statefulsets	0	■ Empty
Rolebindings	1	✓ Found
Networkpolicies	0	■ Empty
Services	2	✓ Found
Ingresses	0	■ Empty
Virtualservices	0	■ Empty
Destinationrules	0	■ Empty
Gateways	0	■ Empty
Configmaps	3	✓ Found

Security Findings

■ HIGH RISK:

- No NetworkPolicies [NIST AC-4, CIS 5.x]

■ Recommendations:

- Add default-deny NetworkPolicies

Namespace: DEFAULT

Resource Type	Count	Status
Pods	18	✓ Found
Deployments	20	✓ Found
Daemonsets	0	■ Empty
Statefulsets	0	■ Empty
Rolebindings	1	✓ Found
Networkpolicies	0	■ Empty
Services	22	✓ Found
Ingresses	3	✓ Found
Virtualservices	0	■ Empty
Destinationrules	0	■ Empty
Gateways	0	■ Empty
Configmaps	4	✓ Found

Security Findings

■ HIGH RISK:

- No NetworkPolicies [NIST AC-4, CIS 5.x]

■ MEDIUM RISK:

- Ingress missing TLS [NIST AC-4, CIS 5.x]
- Ingress missing TLS [NIST AC-4, CIS 5.x]
- Ingress missing TLS [NIST AC-4, CIS 5.x]

■ Recommendations:

- Add default-deny NetworkPolicies

Namespace: FALKORDB

Resource Type	Count	Status
Pods	1	✓ Found
Deployments	0	■ Empty
Daemonsets	0	■ Empty
Statefulsets	1	✓ Found
Rolebindings	0	■ Empty
Networkpolicies	0	■ Empty
Services	1	✓ Found
Ingresses	0	■ Empty
Virtualservices	0	■ Empty
Destinationrules	0	■ Empty
Gateways	0	■ Empty
Configmaps	1	✓ Found

Security Findings

■ HIGH RISK:

- No NetworkPolicies [NIST AC-4, CIS 5.x]

■ Recommendations:

- Add default-deny NetworkPolicies

Namespace: GEN-AI-WORK-NS

Resource Type	Count	Status
Pods	0	■ Empty
Deployments	0	■ Empty
Daemonsets	0	■ Empty
Statefulsets	0	■ Empty
Rolebindings	0	■ Empty
Networkpolicies	0	■ Empty
Services	0	■ Empty
Ingresses	0	■ Empty
Virtualservices	0	■ Empty
Destinationrules	0	■ Empty
Gateways	0	■ Empty
Configmaps	1	✓ Found

Namespace: GENAI-FE

Resource Type	Count	Status
Pods	0	■ Empty
Deployments	0	■ Empty
Daemonsets	0	■ Empty
Statefulsets	0	■ Empty
Rolebindings	0	■ Empty
Networkpolicies	0	■ Empty
Services	0	■ Empty
Ingresses	0	■ Empty
Virtualservices	0	■ Empty
Destinationrules	0	■ Empty
Gateways	0	■ Empty
Configmaps	1	✓ Found

Namespace: KUBE-NODE-LEASE

Resource Type	Count	Status
Pods	0	■ Empty
Deployments	0	■ Empty
Daemonsets	0	■ Empty
Statefulsets	0	■ Empty
Rolebindings	0	■ Empty
Networkpolicies	0	■ Empty
Services	0	■ Empty
Ingresses	0	■ Empty
Virtualservices	0	■ Empty
Destinationrules	0	■ Empty
Gateways	0	■ Empty
Configmaps	1	✓ Found

Namespace: KUBE-PUBLIC

Resource Type	Count	Status
Pods	0	■ Empty
Deployments	0	■ Empty
Daemonsets	0	■ Empty
Statefulsets	0	■ Empty
Rolebindings	1	✓ Found
Networkpolicies	0	■ Empty
Services	0	■ Empty
Ingresses	0	■ Empty
Virtualservices	0	■ Empty
Destinationrules	0	■ Empty
Gateways	0	■ Empty
Configmaps	2	✓ Found

Namespace: KUBE-SYSTEM

Resource Type	Count	Status
Pods	0	■ Empty
Deployments	10	✓ Found
Daemonsets	18	✓ Found
Statefulsets	0	■ Empty
Rolebindings	11	✓ Found
Networkpolicies	1	✓ Found
Services	6	✓ Found
Ingresses	0	■ Empty
Virtualservices	0	■ Empty
Destinationrules	0	■ Empty
Gateways	0	■ Empty
Configmaps	18	✓ Found

Namespace: LSEC

Resource Type	Count	Status
Pods	0	■ Empty
Deployments	0	■ Empty
Daemonsets	0	■ Empty
Statefulsets	0	■ Empty
Rolebindings	0	■ Empty
Networkpolicies	0	■ Empty
Services	0	■ Empty
Ingresses	0	■ Empty
Virtualservices	0	■ Empty
Destinationrules	0	■ Empty
Gateways	0	■ Empty
Configmaps	1	✓ Found

Namespace: MAREX

Resource Type	Count	Status
Pods	0	■ Empty
Deployments	0	■ Empty
Daemonsets	0	■ Empty
Statefulsets	0	■ Empty
Rolebindings	0	■ Empty
Networkpolicies	0	■ Empty
Services	0	■ Empty
Ingresses	0	■ Empty
Virtualservices	0	■ Empty
Destinationrules	0	■ Empty
Gateways	0	■ Empty
Configmaps	1	✓ Found

Namespace: MCP

Resource Type	Count	Status
Pods	2	✓ Found
Deployments	2	✓ Found
Daemonsets	0	■ Empty
Statefulsets	0	■ Empty
Rolebindings	0	■ Empty
Networkpolicies	0	■ Empty
Services	2	✓ Found
Ingresses	0	■ Empty
Virtualservices	0	■ Empty
Destinationrules	0	■ Empty
Gateways	0	■ Empty
Configmaps	1	✓ Found

Security Findings

■ HIGH RISK:

- No NetworkPolicies [NIST AC-4, CIS 5.x]

■ Recommendations:

- Add default-deny NetworkPolicies

Namespace: MCPSERVER

Resource Type	Count	Status
Pods	1	✓ Found
Deployments	1	✓ Found
Daemonsets	0	■ Empty
Statefulsets	0	■ Empty
Rolebindings	0	■ Empty
Networkpolicies	0	■ Empty
Services	1	✓ Found
Ingresses	0	■ Empty
Virtualservices	0	■ Empty
Destinationrules	0	■ Empty
Gateways	0	■ Empty
Configmaps	1	✓ Found

Security Findings

■ HIGH RISK:

- No NetworkPolicies [NIST AC-4, CIS 5.x]

■ Recommendations:

- Add default-deny NetworkPolicies

Namespace: MOCK

Resource Type	Count	Status
Pods	3	✓ Found
Deployments	2	✓ Found
Daemonsets	0	■ Empty
Statefulsets	0	■ Empty
Rolebindings	0	■ Empty
Networkpolicies	0	■ Empty
Services	2	✓ Found
Ingresses	1	✓ Found
Virtualservices	0	■ Empty
Destinationrules	0	■ Empty
Gateways	0	■ Empty
Configmaps	1	✓ Found

Security Findings

■ HIGH RISK:

- No NetworkPolicies [NIST AC-4, CIS 5.x]

■ MEDIUM RISK:

- Ingress missing TLS [NIST AC-4, CIS 5.x]

■ Recommendations:

- Add default-deny NetworkPolicies

Namespace: MONGODB

Resource Type	Count	Status
Pods	3	✓ Found
Deployments	0	■ Empty
Daemonsets	0	■ Empty
Statefulsets	2	✓ Found
Rolebindings	0	■ Empty
Networkpolicies	1	✓ Found
Services	2	✓ Found
Ingresses	0	■ Empty
Virtualservices	0	■ Empty
Destinationrules	0	■ Empty
Gateways	0	■ Empty
Configmaps	3	✓ Found

Namespace: NEO4J

Resource Type	Count	Status
Pods	1	✓ Found
Deployments	0	■ Empty
Daemonsets	0	■ Empty
Statefulsets	1	✓ Found
Rolebindings	0	■ Empty
Networkpolicies	0	■ Empty
Services	3	✓ Found
Ingresses	0	■ Empty
Virtualservices	0	■ Empty
Destinationrules	0	■ Empty
Gateways	0	■ Empty
Configmaps	7	✓ Found

Security Findings

■ HIGH RISK:

- No NetworkPolicies [NIST AC-4, CIS 5.x]

■ Recommendations:

- Add default-deny NetworkPolicies

Namespace: PERSONA

Resource Type	Count	Status
Pods	10	✓ Found
Deployments	3	✓ Found
Daemonsets	0	■ Empty
Statefulsets	0	■ Empty
Rolebindings	0	■ Empty
Networkpolicies	0	■ Empty
Services	3	✓ Found
Ingresses	0	■ Empty
Virtualservices	0	■ Empty
Destinationrules	0	■ Empty
Gateways	0	■ Empty
Configmaps	1	✓ Found

Security Findings

■ HIGH RISK:

- No NetworkPolicies [NIST AC-4, CIS 5.x]

■ Recommendations:

- Add default-deny NetworkPolicies

Namespace: VISUAL

Resource Type	Count	Status
Pods	0	■ Empty
Deployments	0	■ Empty
Daemonsets	0	■ Empty
Statefulsets	0	■ Empty
Rolebindings	0	■ Empty
Networkpolicies	0	■ Empty
Services	0	■ Empty
Ingresses	0	■ Empty
Virtualservices	0	■ Empty
Destinationrules	0	■ Empty
Gateways	0	■ Empty
Configmaps	1	✓ Found

Namespace: WEAVIATE

Resource Type	Count	Status
Pods	1	✓ Found
Deployments	0	■ Empty
Daemonsets	0	■ Empty
Statefulsets	1	✓ Found
Rolebindings	0	■ Empty
Networkpolicies	0	■ Empty
Services	3	✓ Found
Ingresses	0	■ Empty
Virtualservices	0	■ Empty
Destinationrules	0	■ Empty
Gateways	0	■ Empty
Configmaps	2	✓ Found

Security Findings

■ HIGH RISK:

- No NetworkPolicies [NIST AC-4, CIS 5.x]

■ Recommendations:

- Add default-deny NetworkPolicies

Cluster-Wide Security Assessment

■ *HIGH RISK FINDINGS:*

- No PeerAuthentication found [NIST SC-8/SC-13]

■ *MEDIUM RISK FINDINGS:*

- No AuthorizationPolicy found

■ *RECOMMENDATIONS:*

- Enforce STRICT mTLS mesh-wide
- Add AuthorizationPolicy to restrict access
- Enable Pod Security Standards (PSS/PSA)
- Implement admission controls (OPA/Gatekeeper)
- Enable audit logging
- Use ImagePullSecrets and pinned tags