

DOCUMENT 1: DESIGN_SYSTEM.md

Shinodroid Enhanced Design System — WORMHOLE Security

Philosophy

Every token below follows three principles:

1. **Layered Depth** — Dark UIs live or die by surface hierarchy. Each background level is exactly +8 lightness on the HSL scale, creating a physically intuitive sense of depth (things closer to you are lighter).
2. **Restrained Glow** — Purple glow is the signature. It's used sparingly — only on interactive states and active elements — so when it appears, it means something.
3. **Ninja Precision** — Spacing, type, and motion are mathematically derived from base units. Nothing is arbitrary.

1. COLOR PALETTE EXTENSION

Add these to your existing `globals.css` `:root` block:

CSS

```
/* _____
SHINODROID DESIGN SYSTEM - Extended Tokens v2.0
Add below your EXISTING custom properties in globals.css
_____ */

:root {
  /* — SURFACE LAYERS (for modals, popovers, nested cards) —
    Each layer is +8 L on HSL from --bg-primary (240 20% 4%)
    Reason: Human eyes perceive depth through luminance steps.
    4 layers lets you nest card-in-card-in-modal without collision. */
  --surface-0: #0a0a0f;          /* HSL 240 20% 4% - page bg (= --bg-primary)
  */
  --surface-1: #12121a;          /* HSL 240 18% 8% - section bg (= --bg-
secondary) */
  --surface-2: #181825;          /* HSL 240 16% 12% - card bg (= --bg-card) */
  --surface-3: #1e1e2e;          /* HSL 245 14% 15% - nested card / popover */
  --surface-4: #252538;          /* HSL 245 12% 18% - modal / dropdown */
}
```

```

--surface-5: #2d2d42;          /* HSL 245 11% 22% - tooltip / elevated
overlay */

/* — BORDER EXTENSION — */
--border-subtle: #1e1e2e;      /* HSL 245 14% 15% - barely visible dividers
*/
--border-default: #2a2a3a;     /* (existing --border) */
--border-strong: #3a3a50;      /* HSL 245 12% 27% - emphasized borders */
--border-interactive: #7c3aed33; /* accent at 20% opacity - form focus rings
*/

/* — SEMANTIC BACKGROUND OVERLAYS —
These are used as bg on severity sections, alert banners, etc.
Very low opacity so they tint the surface without overwhelming. */
--success-bg: rgba(16, 185, 129, 0.08); /* #10b981 at 8% */
--success-border: rgba(16, 185, 129, 0.20);
--success-text: #34d399;          /* lighter green for readability
*/

--warning-bg: rgba(245, 158, 11, 0.08);
--warning-border: rgba(245, 158, 11, 0.20);
--warning-text: #fbbf24;

--danger-bg: rgba(239, 68, 68, 0.08);
--danger-border: rgba(239, 68, 68, 0.20);
--danger-text: #f87171;

--info-bg: rgba(59, 130, 246, 0.08);
--info-border: rgba(59, 130, 246, 0.20);
--info-text: #60a5fa;

--critical-bg: rgba(220, 38, 38, 0.10); /* deeper red for critical */
--critical-border: rgba(220, 38, 38, 0.25);
--critical-text: #ef4444;

/* — SIGNATURE GRADIENTS —
Gradient 1 (existing): Purple → Pink (accent → accent-end)
Gradient 2: Cyber - cooler, for backgrounds and data viz
Gradient 3: Stealth - subtle, for card borders on hover
Gradient 4: Score - used on the score gauge ring */
--gradient-start: #7c3aed;      /* existing */
--gradient-end: #ec4899;        /* existing */

--gradient-cyber-start: #7c3aed;
--gradient-cyber-mid: #3b82f6;
--gradient-cyber-end: #06b6d4;

```

```

--gradient-stealth-start: rgba(124, 58, 237, 0.5);
--gradient-stealth-end: rgba(236, 72, 153, 0.0);

--gradient-score-critical: #ef4444;    /* 0-30 */
--gradient-score-high: #f97316;        /* 31-50 */
--gradient-score-medium: #f59e0b;      /* 51-70 */
--gradient-score-good: #3b82f6;        /* 71-85 */
--gradient-score-excellent: #10b981;   /* 86-100 */

/* — OVERLAY & SCRIM — */
--overlay-light: rgba(10, 10, 15, 0.5); /* modal backdrop light */
--overlay-heavy: rgba(10, 10, 15, 0.80); /* modal backdrop heavy */
--scrim: rgba(10, 10, 15, 0.95);        /* full page overlay */

/* ————— */
2. TYPOGRAPHY SYSTEM
/* ————— */

Scale: Major Third (1.250 ratio)
Base: 16px
Reason: Major Third gives enough contrast between heading levels
without the dramatic jumps of a Perfect Fourth, which can feel
aggressive in data-dense security UIs. */

/* Font families (already loaded) */
--font-sans: 'Inter', -apple-system, BlinkMacSystemFont, system-ui, sans-serif;
--font-mono: 'JetBrains Mono', 'Fira Code', 'Cascadia Code', monospace;

/* Display – for hero headlines only */
--text-display: 3.815rem;          /* 61.04px */
--text-display-lh: 1.08;
--text-display-ls: -0.035em;
--text-display-weight: 800;

/* H1 – page titles */
--text-h1: 3.052rem;               /* 48.83px */
--text-h1-lh: 1.12;
--text-h1-ls: -0.03em;
--text-h1-weight: 700;

/* H2 – section headings */
--text-h2: 2.441rem;               /* 39.06px */
--text-h2-lh: 1.16;
--text-h2-ls: -0.025em;

```

```
--text-h2-weight: 700;

/* H3 - card titles, subsections */
--text-h3: 1.953rem;          /* 31.25px */
--text-h3-lh: 1.2;
--text-h3-ls: -0.02em;
--text-h3-weight: 600;

/* H4 - widget headings */
--text-h4: 1.563rem;          /* 25.0px */
--text-h4-lh: 1.28;
--text-h4-ls: -0.015em;
--text-h4-weight: 600;

/* H5 - small headings, labels */
--text-h5: 1.25rem;           /* 20.0px */
--text-h5-lh: 1.32;
--text-h5-ls: -0.01em;
--text-h5-weight: 600;

/* Body Large - featured descriptions */
--text-body-lg: 1.125rem;      /* 18px */
--text-body-lg-lh: 1.6;
--text-body-lg-ls: -0.005em;
--text-body-lg-weight: 400;

/* Body - default text */
--text-body: 1rem;             /* 16px */
--text-body-lh: 1.6;
--text-body-ls: 0em;
--text-body-weight: 400;

/* Body Small - secondary info, timestamps */
--text-body-sm: 0.875rem;      /* 14px */
--text-body-sm-lh: 1.5;
--text-body-sm-ls: 0.005em;
--text-body-sm-weight: 400;

/* Caption - labels, badges, metadata */
--text-caption: 0.75rem;       /* 12px */
--text-caption-lh: 1.4;
--text-caption-ls: 0.02em;
--text-caption-weight: 500;

/* Overline - section labels, category tags */
--text-overline: 0.6875rem;     /* 11px */
```

```
--text-overline-lh: 1.4;
--text-overline-ls: 0.08em;
--text-overline-weight: 600;
```

```
/* Code - inline code, file paths */
--text-code: 0.8125rem;          /* 13px */
--text-code-lh: 1.6;
--text-code-ls: 0em;
--text-code-weight: 400;
```

/* --- 3. SPACING SYSTEM --- */

Base unit: 4px

Scale: Linear up to md, then jumps for larger values.

Reason: 4px base aligns with the browser's pixel grid and snaps perfectly with Tailwind's default spacing scale. */

```
--space-2xs: 0.125rem;  /* 2px - hairline gaps */
--space-xs: 0.25rem;    /* 4px - icon-to-text */
--space-sm: 0.5rem;     /* 8px - tight padding */
--space-md: 0.75rem;    /* 12px - default padding */
--space-base: 1rem;     /* 16px - standard gap */
--space-lg: 1.5rem;     /* 24px - section padding */
--space-xl: 2rem;       /* 32px - card padding */
--space-2xl: 3rem;      /* 48px - section gap */
--space-3xl: 4rem;      /* 64px - major sections */
--space-4xl: 6rem;      /* 96px - page section spacing */
```

/* — BORDER RADIUS — */

```
--radius-xs: 4px;      /* small badges, tags */
--radius-sm: 6px;      /* buttons, inputs */
--radius-md: 8px;      /* small cards, tooltips */
--radius-base: 12px;   /* (existing) cards */
--radius-lg: 16px;     /* (existing) modals, large cards */
--radius-xl: 20px;     /* featured cards, hero elements */
--radius-2xl: 24px;    /* landing page sections */
--radius-full: 9999px; /* pills, avatars, circular */
```

/* — CONTAINER WIDTHS — */

```
--container-xs: 480px; /* centered forms, small modals */
--container-sm: 640px; /* auth pages, upload zone */
--container-md: 768px; /* upload page, settings */
--container-lg: 1024px; /* content pages, docs */
--container-xl: 1280px; /* dashboard, reports */
```

```

--container-2xl: 1440px; /* landing page, max width */

/* -----
4. ELEVATION SYSTEM
-----

Dark UIs need subtle shadows with colored tints,
not the gray shadows used in light themes.
Each level adds: spread, blur, and vertical offset. */

/* Non-glow shadows (structural depth) */
--shadow-xs: 0 1px 2px rgba(0, 0, 0, 0.3);
--shadow-sm: 0 2px 4px rgba(0, 0, 0, 0.3), 0 1px 2px rgba(0, 0, 0, 0.2);
--shadow-md: 0 4px 12px rgba(0, 0, 0, 0.4), 0 2px 4px rgba(0, 0, 0, 0.3);
--shadow-lg: 0 8px 24px rgba(0, 0, 0, 0.5), 0 4px 8px rgba(0, 0, 0, 0.3);
--shadow-xl: 0 16px 48px rgba(0, 0, 0, 0.6), 0 8px 16px rgba(0, 0, 0, 0.4);

/* Glow shadows (interactive / accent) */
--glow-sm: 0 0 8px var(--accent-glow);
--glow-md: 0 0 16px var(--accent-glow), 0 0 4px var(--accent-glow);
--glow-lg: 0 0 32px var(--accent-glow), 0 0 8px var(--accent-glow);
--glow-danger: 0 0 16px rgba(239, 68, 68, 0.25);
--glow-success: 0 0 16px rgba(16, 185, 129, 0.25);

/* Colored elevation for score cards */
--glow-score-critical: 0 0 20px rgba(239, 68, 68, 0.2);
--glow-score-high: 0 0 20px rgba(249, 115, 22, 0.2);
--glow-score-medium: 0 0 20px rgba(245, 158, 11, 0.2);
--glow-score-good: 0 0 20px rgba(59, 130, 246, 0.2);
--glow-score-excellent: 0 0 20px rgba(16, 185, 129, 0.2);

/* — GLASS MORPHISM — */
--glass-bg: rgba(24, 24, 37, 0.60); /* --bg-card at 60% */
--glass-blur: 16px;
--glass-border: rgba(255, 255, 255, 0.06);
--glass-bg-heavy: rgba(24, 24, 37, 0.85);
--glass-blur-heavy: 24px;

/* -----
5. MOTION SYSTEM
-----

Three curves, each for a specific purpose:
- ease-out: Elements entering the screen (draws attention)
- ease-in: Elements leaving (gets out of the way fast)
- spring: Interactive feedback (buttons, toggles)

```

Duration rule: Functional transitions $\leq 200\text{ms}$.

Decorative animations can be longer. */

```
--ease-out: cubic-bezier(0.16, 1, 0.3, 1);      /* decelerate - enter */
--ease-in: cubic-bezier(0.4, 0, 1, 1);          /* accelerate - exit */
--ease-spring: cubic-bezier(0.34, 1.56, 0.64, 1); /* overshoot - interactive
*/
```

```
--ease-smooth: cubic-bezier(0.25, 0.1, 0.25, 1); /* general purpose */
```

```
--duration-instant: 75ms;    /* focus rings, color changes */
```

```
--duration-fast: 150ms;      /* button hover, toggle, tooltip */
```

```
--duration-normal: 250ms;    /* card hover, panel slide, tab switch */
```

```
--duration-slow: 400ms;      /* modal enter, page transition */
```

```
--duration-slower: 600ms;    /* complex animations, chart draw */
```

```
/* — ANIMATION KEYFRAMES (add as @keyframes below) — */
}
```

```
/* — KEYFRAME ANIMATIONS — */
```

```
@keyframes fadeIn {
  from { opacity: 0; }
  to { opacity: 1; }
}
```

```
@keyframes fadeInUp {
  from { opacity: 0; transform: translateY(12px); }
  to { opacity: 1; transform: translateY(0); }
}
```

```
@keyframes fadeInDown {
  from { opacity: 0; transform: translateY(-12px); }
  to { opacity: 1; transform: translateY(0); }
}
```

```
@keyframes slideInRight {
  from { opacity: 0; transform: translateX(20px); }
  to { opacity: 1; transform: translateX(0); }
}
```

```
@keyframes slideInLeft {
  from { opacity: 0; transform: translateX(-20px); }
  to { opacity: 1; transform: translateX(0); }
}
```

```
@keyframes scaleIn {
```

```

    from { opacity: 0; transform: scale(0.95); }
    to { opacity: 1; transform: scale(1); }
}

@keyframes pulse-glow {
    0%, 100% { box-shadow: 0 0 8px var(--accent-glow); }
    50% { box-shadow: 0 0 20px var(--accent-glow), 0 0 40px rgba(124, 58, 237, 0.15); }
}

@keyframes shimmer {
    0% { background-position: -200% 0; }
    100% { background-position: 200% 0; }
}

@keyframes spin-slow {
    from { transform: rotate(0deg); }
    to { transform: rotate(360deg); }
}

@keyframes dash-march {
    to { stroke-dashoffset: -20; }
}

@keyframes count-up {
    from { opacity: 0; transform: translateY(8px); }
    to { opacity: 1; transform: translateY(0); }
}

@keyframes ring-fill {
    from { stroke-dashoffset: var(--ring-circumference); }
    to { stroke-dashoffset: var(--ring-target); }
}

/* — UTILITY CLASSES (extend your existing ones) — */

.animate-fade-in { animation: fadeIn var(--duration-normal) var(--ease-out) both; }
.animate-fade-in-up { animation: fadeInUp var(--duration-normal) var(--ease-out) both; }
.animate-fade-in-down { animation: fadeInDown var(--duration-normal) var(--ease-out) both; }
.animate-slide-in-right { animation: slideInRight var(--duration-normal) var(--ease-out) both; }
.animate-scale-in { animation: scaleIn var(--duration-slow) var(--ease-spring) both; }

```

```
.animate-pulse-glow { animation: pulse-glow 2s ease-in-out infinite; }
.animate-shimmer {
  background: linear-gradient(90deg, transparent 0%, rgba(255,255,255,0.04)
50%, transparent 100%);
  background-size: 200% 100%;
  animation: shimmer 2s linear infinite;
}
```

```
/* Stagger children - apply to parent, add .stagger-child to each child */
.stagger-children .stagger-child:nth-child(1) { animation-delay: 0ms; }
.stagger-children .stagger-child:nth-child(2) { animation-delay: 60ms; }
.stagger-children .stagger-child:nth-child(3) { animation-delay: 120ms; }
.stagger-children .stagger-child:nth-child(4) { animation-delay: 180ms; }
.stagger-children .stagger-child:nth-child(5) { animation-delay: 240ms; }
.stagger-children .stagger-child:nth-child(6) { animation-delay: 300ms; }
.stagger-children .stagger-child:nth-child(7) { animation-delay: 360ms; }
.stagger-children .stagger-child:nth-child(8) { animation-delay: 420ms; }
```

```
/* Glass morphism utility */
.glass {
  background: var(--glass-bg);
  backdrop-filter: blur(var(--glass-blur));
  -webkit-backdrop-filter: blur(var(--glass-blur));
  border: 1px solid var(--glass-border);
}
.glass-heavy {
  background: var(--glass-bg-heavy);
  backdrop-filter: blur(var(--glass-blur-heavy));
  -webkit-backdrop-filter: blur(var(--glass-blur-heavy));
  border: 1px solid var(--glass-border);
}
```

```
/* Skeleton loading */
.skeleton {
  background: linear-gradient(90deg, var(--surface-2) 25%, var(--surface-3)
50%, var(--surface-2) 75%);
  background-size: 200% 100%;
  animation: shimmer 1.5s ease-in-out infinite;
  border-radius: var(--radius-sm);
}
```

```
/* Reduced motion respect */
@media (prefers-reduced-motion: reduce) {
  *, *::before, *::after {
    animation-duration: 0.01ms !important;
    animation-iteration-count: 1 !important;
  }
}
```

```
    transition-duration: 0.01ms !important;
  }
}
```

Tailwind Config Extension

Add this to your `tailwind.config.ts` to make tokens available as Tailwind utilities:

TypeScript

```
// tailwind.config.ts - EXTEND section (don't replace)
import type { Config } from 'tailwindcss'

const config: Config = {
  darkMode: 'class',
  content: ['./src/**/*.{ts,tsx}'],
  theme: {
    extend: {
      colors: {
        surface: {
          0: 'var(--surface-0)',
          1: 'var(--surface-1)',
          2: 'var(--surface-2)',
          3: 'var(--surface-3)',
          4: 'var(--surface-4)',
          5: 'var(--surface-5)',
        },
        border: {
          subtle: 'var(--border-subtle)',
          DEFAULT: 'var(--border)',
          strong: 'var(--border-strong)',
          interactive: 'var(--border-interactive)',
        },
        accent: {
          DEFAULT: 'var(--accent)',
          hover: 'var(--accent-hover)',
          glow: 'var(--accent-glow)',
        },
      },
      fontFamily: {
        sans: ['var(--font-sans)'],
        mono: ['var(--font-mono)'],
      },
      borderRadius: {
        xs: 'var(--radius-xs)',
        sm: 'var(--radius-sm)',
```

```

    md: 'var(--radius-md)',
    base: 'var(--radius-base)',
    lg: 'var(--radius-lg)',
    xl: 'var(--radius-xl)',
    '2xl': 'var(--radius-2xl)',
  },
  boxShadow: {
    xs: 'var(--shadow-xs)',
    sm: 'var(--shadow-sm)',
    md: 'var(--shadow-md)',
    lg: 'var(--shadow-lg)',
    xl: 'var(--shadow-xl)',
    'glow-sm': 'var(--glow-sm)',
    'glow-md': 'var(--glow-md)',
    'glow-lg': 'var(--glow-lg)',
  },
  transitionTimingFunction: {
    'out-expo': 'var(--ease-out)',
    'in-expo': 'var(--ease-in)',
    spring: 'var(--ease-spring)',
    smooth: 'var(--ease-smooth)',
  },
  transitionDuration: {
    instant: 'var(--duration-instant)',
    fast: 'var(--duration-fast)',
    normal: 'var(--duration-normal)',
    slow: 'var(--duration-slow)',
    slower: 'var(--duration-slower)',
  },
  maxWidth: {
    'container-xs': 'var(--container-xs)',
    'container-sm': 'var(--container-sm)',
    'container-md': 'var(--container-md)',
    'container-lg': 'var(--container-lg)',
    'container-xl': 'var(--container-xl)',
    'container-2xl': 'var(--container-2xl)',
  },
},
},
plugins: [],
}

```

export default config

