


DOCUMENT 2: PAGE_SPECS.md

Shinodroid Page-by-Page UI Specifications

Global Components (Used Across All Pages)

COMPONENT: Top Navigation Bar (Landing/Public Pages)


text



- **Position:** `sticky top-0 z-50`
- **Background:** `var(--glass-bg-heavy)` with `backdrop-filter: blur(24px)`
- **Height:** `64px`
- **Content max-width:** `var(--container-2xl)` centered
- **Logo:** Icon mark + "Shinodroid" wordmark, gradient-text on hover
- **Nav links:** `var(--text-secondary)` , on hover → `var(--text-primary)` , transition: `var(--duration-fast)`
- **"Sign In":** Ghost button — transparent bg, `var(--text-secondary)` text, on hover `var(--surface-3)` bg
- **"Start Free →":** `.btn-primary` with arrow icon, subtle `var(--glow-sm)` on hover
- **Scroll behavior:** Background opacity goes from 0% to 85% as user scrolls past 100px (use Intersection Observer)
- **Mobile (< 768px):** Hamburger menu, slide-in drawer from right

COMPONENT: Dashboard Sidebar (dashboard-shell.tsx — REDESIGN)

text




Width: 260px (expanded) / 72px (collapsed)

- **Background:** `var(--surface-1)` — one step above page bg
- **Border right:** `1px solid var(--border-subtle)`
- **Width expanded:** 260px | **Collapsed:** 72px
- **Collapse animation:** `width transition var(--duration-normal) var(--ease-out)`
- **Nav items:**
 - Default: `var(--text-secondary)`, padding: 10px 16px, border-radius: `var(--radius-sm)`
 - Hover: bg: `var(--surface-2)`, color: `var(--text-primary)`
 - Active: bg: `rgba(124, 58, 237, 0.1)`, color: `var(--accent)`, left border 3px solid `var(--accent)`, icon also tinted accent
- **User section:** Fixed to bottom, separated by `1px solid var(--border-subtle)` divider above
- **Plan badge:** `.badge` with outline style, "Free" / "Pro" / "Team"
- **Collapsed state:** Only icons visible, centered, tooltip on hover showing label
- **Mobile (< 1024px):** Hidden by default, hamburger triggers slide-in overlay with `var(--overlay-heavy)` backdrop
- **Existing logic to preserve:** All navigation routes, auth context for user info

COMPONENT: Dashboard Top Bar

text



- **Position:** Sticky within main content area (not global)
- **Background:** `var(--surface-0)` with bottom border `var(--border-subtle)`
- **Greeting:** Uses time-of-day (morning/afternoon/evening) + user's first name from `Convex users.viewer`
- **Notification bell:** `Lucide Bell` icon, relative positioned badge (count from `Convex` if implemented, else static)
- **"+ New Scan" button:** `.btn-primary`, Link to `/dashboard/scan`
- **Height:** 64px


PAGE 1: LANDING PAGE [REDESIGN]

Route: `/` → `src/app/page.tsx`

Status: EXISTS — complete visual rewrite, keep route structure

SECTION 1.1 — HERO

text



```

|           [ 🔍 Analyze Your First APK - Free ]           [ ▶ Watch Demo ]           | ←
| .btn-primary large + ghost btn                               |
|
|           Trusted by 2,000+ developers                       | ←
|--text-caption, --text-muted
|           [logo] [logo] [logo] [logo] [logo]                 | ←
| Grayscale opacity:40 logos
|
|                                     [ HERO VISUAL ]           |
| ← Canva Asset 1 (phone+shield)   (illustration)             |
|                                     [
|
|                                     ↓ scroll                     | ←
| Animated chevron, pulse
|
| [ ] bg-grid pattern at 3% opacity [ ]
| [ ] radial gradient: accent at 5% opacity, centered top [ ]
|
|
| Height: 100vh (full viewport)
| Background: var(--surface-0) + .bg-grid overlay + radial purple glow

```

Content Hierarchy:

1. Headline (largest, first read)
2. Subheadline (context)
3. CTA buttons (conversion)
4. Social proof (trust)
5. Hero visual (engagement)

Animations:


- Headline: `fadeInUp` , delay 0ms
- Subheadline: `fadeInUp` , delay 100ms
- CTA buttons: `fadeInUp` , delay 200ms
- Social proof: `fadeIn` , delay 400ms
- Hero visual: `fadeIn` + subtle float (translateY ±8px, 6s cycle)
- Background grid: static (no animation, performance)
- Scroll indicator: `pulse` animation on the chevron

Responsive:

- Tablet: Stack headline + visual vertically, reduce display to h1 size
- Mobile: `--text-h2` for headline, single CTA button full-width, hide "Watch Demo"

SECTION 1.2 — PROBLEM STATEMENT

text




Card Design:

- Background: `var(--surface-2)`
- Border: `1px solid var(--border)`
- On hover: border transitions to `var(--danger-border)`, subtle `var(--glow-danger)` shadow

- Severity strip at bottom: full-width bar colored by severity
- Icon: 48px, `var(--text-muted)` default, `var(--danger)` on card hover
- **Animation:** Cards stagger in with `fadeInUp`, 80ms delay between each. `.stagger-children`

SECTION 1.3 — HOW IT WORKS

text



Step Numbers: Oversized `--text-h1`, `var(--accent)` at 15% opacity behind

Connector Lines: Dashed SVG line, `stroke: var(--border)`, `stroke-dasharray: 8 4`


Cards:

- Background: `var(--surface-2)`
- Hover: `translateY(-4px)`, `var(--shadow-md)`, border glow transition
- Step number badge: 32×32px circle, gradient background (`var(--gradient-start)` → `var(--gradient-end)`)

Animation: Stagger in from left, 150ms delay. Connector lines "draw" in (stroke-dashoffset animation)

SECTION 1.4 — FEATURES (Bento Grid)

text



Bento Card Design:

- Background: var(--surface-2)
- Border: 1px solid var(--border)
- Hover: Gradient border effect (pseudo-element behind, border-radius slightly larger, gradient background, visible through 1px gap)
- Large cards: min-height: 280px, padding var(--space-xl)
- Small cards: min-height: 200px, padding var(--space-lg)


- Icons: 40px, `var(--accent)` color
- Feature list items: `--text-body-sm`, `var(--text-secondary)`, bullet = small accent dot

Hover animation on large cards: A subtle scan-line effect — a horizontal line of `rgba(124,58,237,0.1)` moving top-to-bottom inside the card (CSS `background-position` animation, 3s cycle)

Mobile: Stack to single column, all cards full-width

SECTION 1.5 — REPORT PREVIEW

text



Screenshot treatment:


- CSS `perspective(1200px) rotateY(-3deg) rotateX(2deg)` for slight 3D tilt
- `var(--shadow-xl)` for depth
- Rounded corners `var(--radius-xl)` with overflow hidden
- Optional: Subtle animated gradient border

Callout cards:

- `var(--surface-3) bg, var(--radius-md) corners`
- Connected to screenshot via SVG lines (`thin, var(--border)`)
- `--text-caption text`
- On scroll-into-view: `fadeInUp` with stagger

SECTION 1.6 — PRICING

text



Pro card (highlighted):

- Border: `2px solid var(--accent)` with `var(--glow-md)` shadow
- "Most Popular" badge: Gradient bg, positioned top, overlapping card edge by 12px
- Slightly larger scale: `transform: scale(1.03)`
- Background: `var(--surface-3)` (one level brighter than others)

Other cards:


- Border: `1px solid var(--border)`
- Background: `var(--surface-2)`
- CTA buttons: Secondary style for Hobby, ghost for Enterprise

Price animation: On toggle Monthly↔Annual, price numbers animate (count up/down, `--duration-normal`)

Feature checkmarks: Lucide Check in `var(--success)` for included, Lucide X in `var(--text-muted)` for excluded

SECTION 1.7 — FAQ

text



Accordion design:

- Item: `var(--surface-2)` bg, `1px solid var(--border)`, `var(--radius-base)` corners
- Gap between items: `var(--space-sm)`


- Question text: `--text-h5 weight 500, var(--text-primary)`
- Expand icon: `Lucide ChevronDown`, rotates 180° on open, `transition: var(--duration-fast)`
- Answer text: `--text-body, var(--text-secondary)`, `padding-top var(--space-md)`
- Expand animation: `max-height transition + opacity fade in, var(--duration-normal)`

Questions to include:

1. Is my APK data secure?
2. What types of vulnerabilities do you detect?
3. How long does analysis take?
4. Do you support AAB (Android App Bundle)?
5. Can I integrate this into my CI/CD pipeline?
6. What makes this different from MobSF?
7. How does the AI report work?
8. What's your data retention policy?

SECTION 1.8 — FINAL CTA

text



Full-width section
Padding: var(--space-4xl) top/bottom
Background: Radial gradient of accent at very low opacity + grid pattern

SECTION 1.9 — FOOTER

text

border-top: 1px solid var(--border-subtle)			
 Shinodroid			
AI-powered Android security analysis			
	Product	Resources	Company
	Features	Docs	About
	Pricing	Blog	Contact
	Changelog	API Ref	Careers
	Security	Status	Legal
© 2025 WORMHOLE Security		[X] [GitHub] [LinkedIn]	Privacy Terms
Built with  for the AI-first developer generation			

Background: var(--surface-1)
Max-width content: var(--container-2xl)
Padding: var(--space-3xl) top, var(--space-xl) bottom

PAGE 2: LOGIN [REDESIGN]

Route: /login → src/app/login/page.tsx

Status: EXISTS — visual rewrite, preserve all @convex-dev/auth logic

text

LEFT PANEL (50%)	RIGHT PANEL (50%)
------------------	-------------------

```
| bg: gradient
| var(--surface-0) →
| rgba(124,58,237,0.05)
```

text-h3

text-body, --text-secondary

Shinodroid
WORMHOLE Security

(Logo centered)

```
var(--surface-3) bg
```

divider with text

Floating icons:



(very subtle, 8% opacity,

```
absolute positioned,  
slow float animation)
```

```
.input + show/hide
```

```
"Shinodroid caught
3 critical vulns
```

```
.btn-primary full-width
```

in our app that AI completely missed."

– Alex R., Founder

Link, `--accent color`

(testimonial card, glass bg)

```
bg: var(--surface-0)
```

Welcome back

Sign in to your Shinodroid

account to continue

 Continue with GitHub

— or —

Email

you@example.com

Password

● ● ● ● ● ● ● [👁]

☐ Remember me [Forgot pwd?](#)

Sign In →

Don't have an account?

Sign up →

Full viewport height: 100vh

Mobile (< 768px): Left panel hidden, right panel full-width with logo at top + small gradient bg accent

States:

1. **Default:** As shown above
2. **Loading:** "Sign In" button shows spinner, inputs disabled, `opacity: 0.7` on form
3. **Error:** Red inline message below the relevant input OR a toast notification at top of right panel. Input border → `var(--danger)`, subtle `var(--glow-danger)`
4. **Success:** Brief "Welcome back!" message, then redirect (handled by existing auth logic)

What to preserve:

ALL `signIn` function

calls, `useAuthActions`, `ConvexClientProvider` wrapping. Only change the JSX structure and styling.

Animation:

- Right panel form elements: `fadeInUp` with stagger (50ms per element)
- Left panel floating icons: Slow random drift `translateY(±10px)`, `duration: 8s`, different delays
- Testimonial card: `fadeIn` with 600ms delay

PAGE 3: SIGNUP [REDESIGN]

Route: `/signup` → `src/app/signup/page.tsx`

Status: EXISTS — same layout as login with differences noted

Identical to Login layout with these changes:

- Heading: "Create your account"
- Subheading: "Start analyzing your Android apps for security vulnerabilities"
- Additional field: "Full Name" input above Email
- Password field includes **strength indicator**: text

Password

 Strong ← 4 segments, colored by strength

- Weak (1/4): `var(--danger)` + "Weak"
- Fair (2/4): `var(--warning)` + "Fair"
- Good (3/4): `var(--info)` + "Good"
- Strong (4/4): `var(--success)` + "Strong"
- CTA: "Create Account →"
- Bottom: "Already have an account? Sign in →"
- Terms text below button: `--text-caption` , `--text-muted` , "By creating an account, you agree to our Terms of Service and Privacy Policy"
- Left panel testimonial different quote

PAGE 4: DASHBOARD [REDESIGN]

Route: `/dashboard` → `src/app/dashboard/page.tsx`

Status: EXISTS — redesign within existing `dashboard-shell.tsx` wrapper

text



Recent Scans (60%)

Vuln Dist (40%)

App Name	Score	Vulns	Date
MyApp.apk	87	2H 4M	2h
ShopApp	62	1C 3H	1d
GameApp	34	3C 5H	3d
...			

[View All History →]

Legend:

Critical: 6

High: 14

Medium: 23

Low: 8

Info: 4

LINE CHART

(last 10 scans)

Quick Actions

Upload APK

Latest Report

View Trends

Plan Usage



Stat Cards (4 across):

- Background: `var(--surface-2)`
- Border: `1px solid var(--border)`
- Padding: `var(--space-lg)`
- Label: `--text-caption`, `var(--text-muted)`, uppercase, `--text-overline-ls`
- Value: `--text-h3`, `var(--text-primary)`, font-weight 700
- Trend indicator: Small arrow + percentage, green for up/good, red for up/bad (critical issues going up is bad)
- Avg Score card: Small inline SVG gauge ring (48px diameter) colored by score tier
- Monthly Usage card: Thin progress bar below the number, `var(--accent)` fill
- **Animation:** Numbers count up from 0 on mount, `var(--duration-slower)`. Stagger cards 60ms.

Recent Scans Table:

- Card container: `var(--surface-2)`, `var(--radius-base)`
- Table header: `--text-caption`, `var(--text-muted)`, uppercase, no bg, bottom border `var(--border-subtle)`
- Table rows: padding: `var(--space-md)` `var(--space-lg)`, bottom border `var(--border-subtle)`, hover bg `var(--surface-3)`
- Score badge: Pill shape `var(--radius-full)`, colored bg at 10% + text at 100%:
 - 86-100: success colors, "A"
 - 71-85: info colors, "B"
 - 51-70: warning colors, "C"
 - 31-50: high/orange colors, "D"
 - 0-30: danger colors, "F"
- Vulnerability mini-bar: Segmented horizontal bar showing C/H/M/L as colored segments, proportional width, height: `6px`, border-radius: `var(--radius-full)`

- Status: "Completed" in `var(--success)` , "Scanning" with pulse animation, "Failed" in `var(--danger)`
- Clickable rows → navigate to `/dashboard/scan/[id]`
- "View All History →" link: `var(--accent)` , hover underline

Score Trend Chart:

- Use Recharts `<LineChart>` or `<AreaChart>`
- Line: `stroke: var(--accent)` , `strokeWidth: 2`
- Area fill: Linear gradient from `var(--accent)` at 20% opacity top to 0% bottom
- Grid: `stroke: var(--border-subtle)`
- Axis labels: `--text-caption` , `var(--text-muted)`
- Tooltip: `var(--surface-4)` bg, `var(--shadow-lg)` , shows scan name + score + date
- Dots on line: `fill: var(--accent)` , `r: 4` , on hover `r: 6` with glow

Vulnerability Distribution Donut:

- Use Recharts `<PieChart>` with `innerRadius={60}` `outerRadius={80}`
- Colors: `--critical-text` , `--danger-text` (high), `--warning-text` , `--info-text` , `--text-muted`
- Center: Total count in `--text-h4`
- Legend: Right-aligned, dot + label + count, `--text-body-sm`
- Hover: Segment expands slightly (`outerRadius += 4`), tooltip

Quick Actions Card:

- Background: `var(--surface-2)`
- Each action: Icon (24px, `var(--text-secondary)`) + label, full-width clickable row
- Hover: Icon → `var(--accent)` , bg → `var(--surface-3)`
- Links to respective pages

Plan Usage Card:

- Progress bar: `var(--surface-3)` track, `var(--accent)` fill
- Label: "8 of 10 scans used" in `--text-body-sm`
- "Upgrade to Pro" button: `.btn-secondary small`

Empty State (new user, no scans):

text

[Empty State Illustration]	← Canva Asset 3
Welcome to Shinodroid! 🛡️	← --text-h4
Upload your first APK to start analyzing it for security issues	← --text-body, --text-secondary
[📁 Upload Your First APK]	← .btn-primary

Centered in main content area
Max-width: var(--container-xs)

Skeleton Loading State:

- Each stat card: `.skeleton` rectangles for value (120×32px) and label (80×16px)
- Table: `.skeleton` rows (5 rows), each with rectangular blocks matching column widths
- Charts: `.skeleton` circles (donut) and rectangle (line chart area)
- All skeletons use `var(--shimmer)` animation

Data source: `useQuery(api.scans.list)` — already wired. Compute stats client-side from the scans array.

PAGE 5: APK UPLOAD [REDESIGN]


Route: `/dashboard/scan` → `src/app/dashboard/scan/page.tsx`

Status: EXISTS — visual redesign, preserve all upload + mutation logic


text

Sidebar	
	Dashboard > New Scan
← Breadcrumb	
	Start a New Security Scan
← --text-h3	
	Upload your Android APK for comprehensive analysis

--text-body, --text-secondary



← Dashed border



← Cloud icon, 64px




float animation (subtle)




← --text-body, --text-primary



← .btn-secondary




← --text-caption, --text-muted




— After file selected: —




File info card




Upload progress




.btn-primary large



--text-caption





Dropzone States:

1. Empty (default):

- Border: `2px dashed var(--border)`, `border-radius: var(--radius-xl)`
- Background: `var(--surface-1)` — slightly different from card to draw attention
- Min-height: 320px
- Dash animation: None (static dashes at rest)

2. Drag over (file hovering):

- Border: `2px dashed var(--accent)`, transitions to solid
- Background: `rgba(124, 58, 237, 0.05)`
- Box shadow: `var(--glow-md)`
- Cloud icon: Scales up to 1.1, color → `var(--accent)`
- CSS: `animation: pulse-glow 1.5s infinite`
- Text changes: "Drop your APK file here" (bolder)

3. File selected (uploading):

- Dropzone collapses, replaced by file info card
- File card: `var(--surface-2)`, `var(--radius-base)`, icon + name + size + remove button
- Progress bar: `height: 4px`, `var(--surface-3)` track, `var(--accent)` fill with shimmer overlay
- Upload speed text: `--text-caption`, `var(--text-muted)`

4. Upload complete:

- Progress bar → full green `var(--success)`, then fades away
- Checkmark icon animates in (scale `0→1.2→1`, spring)
- "Start Security Analysis" button appears with `fadeInUp`

5. Error (wrong file type / too large):

- Border: `2px dashed var(--danger)`
- Error message below: `var(--danger-text)` with `Lucide AlertCircle` icon

- "Only .apk files under 100MB are supported"

Trust Badges:

- Three badges in a row, centered
- Each: `var(--surface-2) bg, 1px solid var(--border), var(--radius-md)`
- Icon (20px) + text (`--text-caption` , `var(--text-secondary)`)
- Padding: `var(--space-sm) var(--space-md)`

Existing logic to preserve:

- `useMutation(api.scans.create)` call
- File validation (size, type checking)
- `generateUploadUrl` for Convex file storage
- Navigation to `/dashboard/scan/[id]` after creation

PAGE 6: SCAN DETAIL + REPORT [REDESIGN — MOST CRITICAL PAGE]


Route: `/dashboard/scan/[id]` → `src/app/dashboard/scan/[id]/page.tsx`


Status: EXISTS — this is the crown jewel page, complete visual overhaul

This page has THREE distinct states based on `scan.status` :

STATE A: ANALYSIS IN PROGRESS (`status === "pending" || "scanning"`)

text





Pipeline Step Design:

Each step is a row with:

- **Connector line:** Vertical line, 2px wide
 - Completed: `var(--success)` , solid
 - Active→Pending boundary: Gradient from `var(--accent)` to `var(--border)`
 - Pending: `var(--border)` , dashed
- **Step indicator circle:** 28px diameter
 - Completed: `var(--success)` bg, white checkmark icon (12px)
 - Active: `var(--accent)` bg, animation: `pulse-glow 2s infinite` , spinner icon or pulsing dot
 - Pending: `var(--surface-3)` bg, `var(--border)` border, clock or empty
 - Failed: `var(--danger)` bg, X icon
- **Step label:** `--text-body` , `var(--text-primary)` for active/complete, `var(--text-muted)` for pending
- **Duration/Status:** Right-aligned, `--text-caption` , `var(--text-muted)` for time, `var(--accent)` for "In Progress"
- **Sub-progress (active step only):**
 - Progress bar: height: 3px , `var(--surface-3)` track, `var(--accent)` fill
 - Detail text: `--text-caption` , `var(--text-secondary)` , e.g., "Scanning 2,418 / 3,891 files..."

Live Findings Feed:

- Card: `var(--surface-2)` , `var(--radius-base)`
- Summary bar: Horizontal, segmented, shows count per severity as colored pills
- Each finding row: padding: `var(--space-sm)` `var(--space-md)` , severity dot (8px circle) + title + source
- New findings: animation: `slideInRight var(--duration-normal)` + brief highlight flash (`var(--accent)` bg at 5%, fading out)
- Max 5 visible, then "...and N more" in `--text-caption`
- **Real-time:** Uses Convex reactive `useQuery` — findings appear as backend discovers them


"Did You Know?" Card:

- `var(--surface-2)` bg, `var(--radius-base)`
- Auto-rotates every 8 seconds
- Progress dots at bottom
- Content: Security facts/tips (`--text-body-sm` , `var(--text-secondary)`)
- Transition: `fadeIn` crossfade

Elapsed Timer: Updates every second (client-side `setInterval`), shows `MM:SS` format

STATE B: COMPLETED REPORT (status === "completed")

text





Report Header:

- Position: sticky top=0 z=30 within content area (below global top bar)
- Background: var(--surface-0) with backdrop-filter: blur(12px) , bottom border var(--border-subtle)
- Left: APK icon (placeholder 48px colored square) + App name (--text-h4) + package (--text-caption , --text-muted , monospace) + version badge + scan date
- Center: **Score Gauge** (see component spec below)
- Right: Action buttons row, each .btn-secondary small with icon

Score Gauge Component:

text






- ### Tabs:

- ### OVERVIEW TAB:

Executive Summary		
This application has MODERATE security risk. 3 critical		← AI-generated
vulnerabilities require immediate attention, including		from



Executive Summary:

- var(--surface-2) bg, left border 3px solid var(--accent) , var(--radius-base)
- Text: --text-body , var(--text-secondary) , line-height: var(--text-body-lh)
- Source: scan.reportJson or scan.aiReportStorageId (AI-generated)

Severity Distribution Bar:

- Full-width horizontal bar, height: 32px , border-radius: var(--radius-full)


- Segments are proportionally sized by count
- Each segment: colored bg, white count number centered (if width allows), tooltip on hover
- Colors: Critical= `var(--critical-text)` , High= `var(--danger)` , Medium= `var(--warning)` , Low= `var(--info)` , Info= `var(--text-muted)`
- **Animation:** Segments grow from 0 width on mount, staggered left to right, `var(--duration-slower)`

Top Critical Findings:

- Card: `var(--surface-2)`
- Each finding: Left severity dot (10px, colored), title (`--text-body` , `var(--text-primary)` , weight 500), metadata below (`--text-caption` , `var(--text-muted)`), CVSS badge (pill, `var(--danger-bg)`)
- "View Details →" link: `var(--accent)` , switches to Vulnerabilities tab and scrolls to finding
- Divider: 1px solid `var(--border-subtle)` between items

VULNERABILITIES TAB:

text



45

public class ApiService {

46

private static final String

47

AWS_KEY = "AKIAIOSFODNN7EXAMPLE";

48

private static final String

49

AWS_SECRET = "wJalrXUtnFEMI/...";

[Copy]

REMEDIATION:

1. Remove hardcoded credentials immediately

2. Use Android Keystore or encrypted SharedPreferences

3. Implement server-side credential management

4. Rotate the exposed AWS keys

REFERENCES:

• OWASP M9: Reverse Engineering

• CWE-798: Hardcoded Credentials

Finding Card (Collapsed)

HIGH

Exported Activity without Permission

CVSS: 7.2

Component Exposure

AndroidManifest.xml

... more findings ...

Filter Bar:

- Background: `var(--surface-2)`, `var(--radius-base)`, padding: `var(--space-md)`
- Search: `.input` with Lucide Search icon, placeholder: "Search vulnerabilities..."
- Severity filter: Dropdown/multi-select with colored severity dots
- Category filter: Dropdown with category names
- Sort: Dropdown (Severity ↓, CVSS ↓, Category A-Z)
- **Mobile:** Stack filters vertically, collapsible "Filters" section

Finding Card — Collapsed:

- Background: `var(--surface-2)`, `var(--radius-base)`, border 1px solid `var(--border)`
- Left: Severity badge — colored pill (`var(--radius-xs)`, severity bg/text colors)

- Center: Title (`--text-body` , weight 500), then below: CVSS pill + category tag + file path in monospace
- Right: Expand chevron, rotates 180° on open
- Hover: `bg: var(--surface-3)` , `cursor: pointer`
- Left accent: 4px solid severity color (vertical strip on left edge)
- Margin between cards: `var(--space-sm)`

Finding Card — Expanded:

- Same header as collapsed, chevron rotated
- Divider below header: 1px solid `var(--border-subtle)`
- **Expand animation:** `max-height` from 0 + `opacity 0→1`, `var(--duration-normal)` `var(--ease-out)`
- Sections within expanded card: **Description:** `--text-body-sm` , `var(--text-secondary)` , `padding: var(--space-md) 0` **Code Block:**
 - Background: `var(--surface-1)` (darker than card, for contrast)
 - Border: 1px solid `var(--border-subtle)` , `var(--radius-md)`
 - Font: `var(--font-mono)` , `var(--text-code)` size
 - Line numbers: `var(--text-muted)` , right-aligned, `padding-right: var(--space-md)` , `border-right 1px solid var(--border-subtle)`
 - Highlighted line (vulnerability): `bg: var(--danger-bg)` , left border 3px solid `var(--danger)`
 - Warning icon () at end of highlighted line in `var(--danger)`
 - "Copy" button: Top-right of code block, `.btn-secondary` small with Lucide Copy icon
 - Max-height: 200px with scroll if needed

Remediation:

- Label: `--text-caption` , `var(--text-muted)` , uppercase, with shield icon
- Numbered list: `--text-body-sm` , `var(--text-secondary)`
- Each step: Number in `var(--accent)` + text

References:

- Label: `--text-caption` , `var(--text-muted)` , uppercase
- Links: `var(--accent)` , hover underline, `--text-body-sm`
- OWASP categories: Pill badges with `var(--info-bg)` bg


Data mapping to Convex schema:

- `finding.severity` → severity badge color
- `finding.title` → card title
- `finding.category` → category tag

- `finding.description` → expanded description
- `finding.recommendation` → remediation section
- `finding.cvssScore` → CVSS pill
- `finding.owaspCategory` → reference badges

DYNAMIC ANALYSIS TAB:

text



Terminal-style output blocks:

- Background: `#0d0d12` (slightly darker than `surface-0`)
- Font: `var(--font-mono)`, `var(--text-code)` size

- Border: `1px solid var(--border)` , `var(--radius-md)`
- Top bar: `var(--surface-2)` with three colored dots (● ● ● , 8px each) — terminal chrome
- Max-height: 400px with vertical scroll
- Timestamps in `var(--text-muted)` , warnings in `var(--warning)` , errors in `var(--danger)`

STATE C: FAILED (`status === "failed"`)

text


[Error State Illustration]	← Canva Asset 4
Analysis Failed	← <code>--text-h4</code>, <code>--danger</code>
Something went wrong during the security analysis.	← <code>--text-body</code>, <code>--text-secondary</code>
This could be due to an unsupported APK format or a temporary server issue.	
[ Retry Analysis] [← Back to Dashboard]	← <code>.btn-primary</code> + <code>.btn-secondary</code>
Centered, max-width: <code>var(--container-xs)</code>	

PAGE 7: SCAN HISTORY [REDESIGN]

Route: `/dashboard/reports` → `src/app/dashboard/reports/page.tsx`

Status: EXISTS — visual redesign

text



Stat Pills (top):

- Inline flex, gap `var(--space-sm)`
- Each: `var(--surface-2)` bg, `var(--radius-full)`, padding: `var(--space-xs)` `var(--space-md)`
- Label + value, `--text-caption`, label in `--text-muted`, value in `--text-primary`

Scan Row Design:

- Background: `var(--surface-2)`, `var(--radius-base)`, `border: 1px solid var(--border)`
- Margin between rows: `var(--space-sm)`
- Hover: `bg: var(--surface-3)`, `border-color: var(--border-strong)`, `cursor: pointer`
- Click → navigate to `/dashboard/scan/[id]`
- Layout: CSS Grid, 3 rows on mobile, 1 row on desktop
- Score: Same colored pill as dashboard table
- Severity mini-bar: Same as dashboard (6px height colored segments)
- Status badge: Pill with icon + text
 - Completed: `var(--success-bg)`, `var(--success-text)`, checkmark icon
 - Scanning: `var(--info-bg)`, `var(--info-text)`, spinner icon (animated)
 - Failed: `var(--danger-bg)`, `var(--danger-text)`, X icon
 - Pending: `var(--surface-3)`, `var(--text-muted)`, clock icon
- Arrow (→): Lucide `ChevronRight`, `var(--text-muted)`, hover → `var(--text-primary)`

Empty State: Same pattern as dashboard empty state (illustration + text + CTA)


Animation: Rows stagger in with `fadeInUp`, 40ms delay between each

PAGE 8: SETTINGS [REDESIGN]

Route: `/dashboard/settings` → `src/app/dashboard/settings/page.tsx`

Status: EXISTS — redesign to multi-section layout

text



Locked

Full Name

Alex Johnson

Email

alex@example.com 🔒

[Save Changes]

Vertical Tabs (left):

- Width: 220px
- Each tab: `padding: var(--space-sm) var(--space-md)`, `var(--radius-sm)`, full width
- Default: `var(--text-secondary)`, transparent bg
- Active: `var(--text-primary)`, bg: `var(--surface-3)`, left border `3px solid var(--accent)`
- Icon (20px) + label
- Mobile (< 768px): Switch to horizontal scrollable tabs at top

Profile Tab: As shown — avatar, name, email (read-only), save button

Security Tab: Change password form (current + new + confirm), 2FA toggle (future)

Notifications Tab: Toggle switches for email preferences

Appearance Tab: Theme info (dark only note), density option

Form inputs: Use existing `.input` class with `:focus` → `border-color: var(--accent)`, `box-shadow: var(--glow-sm)`

PAGE 9: PRICING [NEW]

Route: `/pricing` → `src/app/pricing/page.tsx`

Status: NEW FILE

Same design as Landing Page Section 1.6 (Pricing) but as a full standalone page:

- Top nav (public nav, not dashboard sidebar)
 - Hero: "Simple, Transparent Pricing" + "Start free, upgrade when you need more power"
 - Pricing cards (same as landing page spec)
 - Feature comparison table below cards (full matrix)
 - FAQ specific to billing
 - CTA section
 - Footer
-

PAGE 10: DOCS / HOW IT WORKS [NEW]

Route: `/docs` → `src/app/docs/page.tsx`

Status: NEW FILE — Simple initial version

- Top nav (public)
 - Sidebar (doc navigation) + content area
 - Sections:
 1. Getting Started (how to sign up, first scan)
 2. Understanding Your Report (what each section means)
 3. Vulnerability Categories (list of all check types)
 4. API Documentation (coming soon placeholder)
 - Style: Clean, readable, `max-width: var(--container-lg)` for content
 - Code blocks for any technical content
 - Future: MDX-based content
-