$\label{lem:com_solution} db.mycollection.insertMany([\{name:"ron",dob:"12-03-2002",phone:"9876545671",mail_id:"sdfff@gmail.com",place:"banglore"\}, \{name:"harry",dob:"13-04-2000",phone:"8765437891",mail_id:"fghutrr@gmail.com",place:"banglore"\}, \{name:"draco",dob:"13-04-2000",phone:"8881232477",mail_id:"oiuytr@gmail.com",place:"delhi"\}])$

```
db.mycollection.find().pretty()

"_id" : ObjectId("6287c7eeece9bf3891fb7a74"),
    "name" : "ron",
    "dob" : "12-03-2002",
    "phone" : "9876545671",
    "mail_id" : "sdfff@gmail.com",
    "place" : "banglore"

{
    "_id" : ObjectId("6287c7eeece9bf3891fb7a75"),
    "name" : "harry",
    "dob" : "13-04-2000",
    "phone" : "8765437891",
    "mail_id" : "fghutrn@gmail.com",
    "place" : "banglore"

}
{
    "_id" : ObjectId("6287c7eeece9bf3891fb7a76"),
    "name" : "draco",
    "dob" : "13-04-2000",
    "phone" : "8881232477",
    "mail_id" : "Oulytr@gmail.com",
    "phone" : "8881232477",
    "mail_id" : "Oulytr@gmail.com",
    "place" : "delhi"
```

Aggregate functions

1.count:

db.mycollection.aggregate([{\$match:{place:"banglore"}},{\$count:" members staying in banglore"}])

```
> db.mycollection.aggregate([{$match:{place:"banglore"}},{$count:" members staying in banglore"}])
{ " members staying in banglore" : 2 }
```

db.mycollection.updateMany({name:"harry"},{\$set:{age:"19"}}) db.mycollection.updateMany({name:"draco"},{\$set:{age:"21"}}) db.mycollection.updateMany({name:"ron"},{\$set:{age:"20"}})

db.mycollection.find().pretty()

```
db.mycollection.find().pretty()
{
    "_id" : ObjectId("6267c7eece9bf3891fb7a74"),
    "name" : "non",
    "dob' : "12-03-2002",
    "phone" : "987c545c71",
    "mail_id" : "sdfff@gmail.com",
    "place" : "banglore",
    "age" : "20"
}
{
    "_id" : ObjectId("6267c7eece9bf3891fb7a75"),
    "name" : "Narry",
    "dob' : "13-04-2000",
    "phone" : "8765437891",
    "mail_id" : "fghutrn@gmail.com",
    "place" : "banglore",
    "age" : "19"
}
{
    "_id" : ObjectId("6267c7eece9bf3891fb7a76"),
    "name" : "draco",
    "age" : "19"
}
{
    "_id" : ObjectId("6267c7eece9bf3891fb7a76"),
    "name" : "draco",
    "dob' : "13-04-2000",
    "phone" : "881232427",
    "mail_id" : "oiuytr@gmail.com",
    "place" : 'delhi",
    "age" : "21"
}
```

Row wise minimum:

db.mycollection.aggregate([{\$group:{_id:"\$name",minimumage:{\$min:"\$age"}}}])

```
> db.mycollection.aggregate([{$group:{_id:"$name",minimumage:{$min:"$age"}}}])
{ "_id" : "draco", "minimumage" : "21" }
{ "_id" : "ron", "minimumage" : "20" }
{ "_id" : "harry", "minimumage" : "19" }
```

Row wise maximum:

db.mycollection.aggregate([{\$group:{_id:"\$name",maximumage:{\$max:"\$age"}}}])

Column wise minimum:

db.mycollection.aggregate([{\$match:{}},{\$group:{_id:"age",min_age_of_all:{\$min:"\$age"}}}])

```
> db.mycollection.aggregate([{$match:{{}}},{$group:{_id:"age",min_age_of_all:{$min:"$age"}}}])
{ "_id" : "age", "min_age_of_all" : "19" }
```

Column wise maximum:

db.mycollection.aggregate([{\$match:{}},{\$group:{_id:"age",max_age_of_all:{\$max:"\$age"}}}])

```
> db.mycollection.aggregate([{$match:{}},,{$group:{_id:"age",max_age_of_all:{$max:"$age"}}}])
{ "_id" : "age", "max_age_of_all" : "21" }
```

First value:

db.mycollection.aggregate([{\$match:{}},{\$group:{_id:"age",first_age:{\$first:"\$age"}}}])

```
> db.mycollection.aggregate([{$match:{}},{$group:{_id:"age",first_age:{$first:"$age"}}}])
{ "_id" : "age", "first_age" : "20" }
```

Last value:

db.mycollection.aggregate([{\$match:{}},{\$group:{_id:"age",last_age:{\$last:"\$age"}}}])