Vidyavardhaka Sangha®, Mysore
VIDYAVARDHAKA COLLEGE OF ENGINEERING
Autonomous Institute, Affiliated to Visvesvaraya Technological University, Belagavi
(Approved by AICTE, New Delhi & Government of Karnataka)
Accredited by NBA | NAAC with 'A' Grade
Department of Computer Science & Engineering
Phone: +91 821-4276230, Email: hodcs@vvce.ac.in
Web: http://www.vvce.ac.in
@vvceofficial

DATABASE MANAGEMENT SYSTEM

ACTIVITY BASED ASSESSMENT

SUBJECT CODE : 20CS51

TOPIC : STUDENT GRADE DATABASE FOR COLLEGE.

PRESENTED BY :

1. AMRUTHASINDHU A 4VV20CS009
2. CHAITHANYA S 4VV20CS021
3. CHINMAYI H 4VV20CS024
4. DEEKSHA HOYSALA N 4VV20CS030

Consider the schema for College Database:

STUDENT (USN, SName, Address, Phone, Gender)

SEMSEC (SSID, Sem, Sec)

CLASS (USN, SSID)

SUBJECT (Subcode, Title, Sem, Credits)

IAMARKS (USN, Subcode, SSID, Test1, Test2, Test3, FinalIA)

Write SQL queries to

1. List all the student details studying in fourth semester 'C' section.

2. Compute the total number of male and female students in each semester and in each

section.

3. Create a view of Test1 marks of student USN '1BI15CS101' in all subjects.

4. Calculate the FinalIA (average of best two test marks) and update the

corresponding table for all students.

5. Categorize students based on the following criterion:

If FinalIA = 17 to 20 then CAT = 'Outstanding'

If FinalIA = 12 to 16 then CAT = 'Average'

If FinalIA< 12 then CAT = 'Weak'

Give these details only for 8th semester A, B, and C section students.

Entity - Relationship Diagram



Schema Diagram



Table Creation

```
CREATE TABLE STUDENT (
USN VARCHAR (10) PRIMARY KEY,
SNAME VARCHAR (25),
ADDRESS VARCHAR (25),
PHONE NUMBER (10),
GENDER CHAR (1));

CREATE TABLE SEMSEC (
SSID VARCHAR (5) PRIMARY KEY,
SEM NUMBER (2),
SEC CHAR (1));

CREATE TABLE CLASS (
USN VARCHAR (10),
SSID VARCHAR (5),
PRIMARY KEY (USN, SSID),
FOREIGN KEY (USN) REFERENCES STUDENT (USN),
FOREIGN KEY (SSID) REFERENCES SEMSEC (SSID));

CREATE TABLE SUBJECT (
SUBCODE VARCHAR (8),
TITLE VARCHAR (20),
SEM NUMBER (2),
CREDITS NUMBER (2),
PRIMARY KEY (SUBCODE));

CREATE TABLE IAMARKS (
USN VARCHAR (10),
SUBCODE VARCHAR (8),
SSID VARCHAR (5),
```

TEST1 NUMBER (2),

TEST2 NUMBER (2),

TEST3 NUMBER (2),

FINALIA NUMBER (2),

PRIMARY KEY (USN, SUBCODE, SSID),

FOREIGN KEY (USN) REFERENCES STUDENT (USN),

FOREIGN KEY (SUBCODE) REFERENCES SUBJECT (SUBCODE),

FOREIGN KEY (SSID) REFERENCES SEMSEC (SSID));

Table Descriptions

DESC STUDENT;

```
 Name
 ----------------------------------------------------------------------------------------------------
 USN
 SNAME
 ADDRESS
 PHONE
 GENDER
```

DESC SEMSEC;

```
SQL> DESC SEMSEC;
 Name
 ----------------------------------------------------------------------------------------------------
 SSID
 SEM
 SEC
```

DESC CLASS;

```
SQL> DESC CLASS;
 Name
 ----------------------------------------------
 USN
 SSID
```

DESC SUBJECT;

```
SQL> DESC SUBJECT1;
 Name
 ---------------------------------------
 SUBCODE
 TITLE
 SEM
 CREDITS
```

DESC IAMARKS;

```
SQL> DESC IAMARKS;
 Name
 ----------------------------------------------
 USN
 SUBCODE
 SSID
 TEST1
 TEST2
 TEST3
 FINALIA
```

Insertion of values to tables

INSERT INTO STUDENT VALUES (‘1RN13CS020’,’AKSHAY’,’BELAGAVI’, 8877881122,’M’);

INSERT INTO STUDENT VALUES (‘1RN13CS062’,’SANDHYA’,’BENGALURU’, 7722829912,’F’);

INSERT INTO STUDENT VALUES (‘1RN13CS091’,’TEESHA’,’BENGALURU’, 7712312312,’F’);

INSERT INTO STUDENT VALUES (‘1RN13CS066’,’SUPRIYA’,’MANGALURU’, 8877881122,’F’);

INSERT INTO STUDENT VALUES (‘1RN14CS010’,’ABHAY’,’BENGALURU’, 9900211201,’M’);

INSERT INTO STUDENT VALUES (‘1RN14CS032’,’BHASKAR’,’BENGALURU’, 9923211099,’M’);

INSERT INTO STUDENT VALUES (‘1RN14CS025’,’ASMI’,’BENGALURU’, 7894737377,’F’);

INSERT INTO STUDENT VALUES (‘1RN15CS011’,’AJAY’,’TUMKUR’, 9845091341,’M’);

INSERT INTO STUDENT VALUES (‘1RN15CS029’,’CHITRA’,’DAVANGERE’, 7696772121,’F’);

INSERT INTO STUDENT VALUES (‘1RN15CS045’,’JEEVA’,’BELLARY’, 9944850121,’M’);

INSERT INTO STUDENT VALUES (‘1RN15CS091','SANTOSH','MANGALURU', 8812332201,’M’);

INSERT INTO STUDENT VALUES (‘1RN16CS045’,’ISMAIL’,’KALBURGI’, 9900232201,’M’);

INSERT INTO STUDENT VALUES (‘1RN16CS088’,’SAMEERA’,’SHIMOGA’, 9905542212,’F’);

INSERT INTO STUDENT VALUES (‘1RN16CS122’,’VINAYAKA’,’CHIKAMAGALUR’, 8800880011,’M’);

INSERT INTO SEMSEC VALUES (‘CSE8A’, 8,’A’);

INSERT INTO SEMSEC VALUES (‘CSE8B’, 8,’B’);

INSERT INTO SEMSEC VALUES (‘CSE8C’, 8,’C’);

INSERT INTO SEMSEC VALUES (‘CSE7A’, 7,’A’);

```
INSERT INTO SEMSEC VALUES (‘CSE7B’, 7,'B’);
INSERT INTO SEMSEC VALUES (‘CSE7C’, 7,’C’);
INSERT INTO SEMSEC VALUES (‘CSE6A’, 6,’A’);
INSERT INTO SEMSEC VALUES (‘CSE6B’, 6,’B’);
INSERT INTO SEMSEC VALUES (‘CSE6C’, 6,’C’);
INSERT INTO SEMSEC VALUES (‘CSE5A’, 5,’A’);
INSERT INTO SEMSEC VALUES (‘CSE5B’, 5,’B’);
INSERT INTO SEMSEC VALUES (‘CSE5C’, 5,’C’);
INSERT INTO SEMSEC VALUES (‘CSE4A’, 4,’A’);
INSERT INTO SEMSEC VALUES (‘CSE4B’, 4,’B’);
INSERT INTO SEMSEC VALUES (‘CSE4C’, 4,’C’);
INSERT INTO SEMSEC VALUES (‘CSE3A’, 3,’A’);
INSERT INTO SEMSEC VALUES (‘CSE3B’, 3,’B’);
INSERT INTO SEMSEC VALUES (‘CSE3C’, 3,’C’);
INSERT INTO SEMSEC VALUES (‘CSE2A’, 2,’A’);
INSERT INTO SEMSEC VALUES (‘CSE2B’, 2,’B’);
INSERT INTO SEMSEC VALUES (‘CSE2C’, 2,’C’);
INSERT INTO SEMSEC VALUES (‘CSE1A’, 1,’A’);
INSERT INTO SEMSEC VALUES (‘CSE1B’, 1,’B’);
INSERT INTO SEMSEC VALUES (‘CSE1C’, 1,’C’);
INSERT INTO CLASS VALUES (‘1RN13CS020’,’CSE8A’);
INSERT INTO CLASS VALUES (‘1RN13CS062’,’CSE8A’);
INSERT INTO CLASS VALUES (‘1RN13CS066’,’CSE8B’);
INSERT INTO CLASS VALUES (‘1RN13CS091’,’CSE8C’);
INSERT INTO CLASS VALUES (‘1RN14CS010’,’CSE7A’);
INSERT INTO CLASS VALUES (‘1RN14CS025’,’CSE7A’);
INSERT INTO CLASS VALUES (‘1RN14CS032’,’CSE7A’);
INSERT INTO CLASS VALUES (‘1RN15CS011’,’CSE4A’);
INSERT INTO CLASS VALUES (‘1RN15CS029’,’CSE4A’);
INSERT INTO CLASS VALUES (‘1RN15CS045’,’CSE4B’);
INSERT INTO CLASS VALUES (‘1RN15CS091’,’CSE4C’);
```

```
INSERT INTO CLASS VALUES ('1RN16CS045','CSE3A');
INSERT INTO CLASS VALUES ('1RN16CS088','CSE3B');
INSERT INTO CLASS VALUES ('1RN16CS122','CSE3C');
INSERT INTO SUBJECT VALUES ('10CS81','ACA', 8, 4);
INSERT INTO SUBJECT VALUES ('10CS82','SSM', 8, 4);
INSERT INTO SUBJECT VALUES ('10CS83','NM', 8, 4);
INSERT INTO SUBJECT VALUES ('10CS84','CC', 8, 4);
INSERT INTO SUBJECT VALUES ('10CS85','PW', 8, 4);
INSERT INTO SUBJECT VALUES ('10CS71','OOAD', 7, 4);
INSERT INTO SUBJECT VALUES ('10CS72','ECS', 7, 4);
INSERT INTO SUBJECT VALUES ('10CS73','PTW', 7, 4);
INSERT INTO SUBJECT VALUES ('10CS74','DWDM', 7, 4);
INSERT INTO SUBJECT VALUES ('10CS75','JAVA', 7, 4);
INSERT INTO SUBJECT VALUES ('10CS76','SAN', 7, 4);
INSERT INTO SUBJECT VALUES ('15CS51', 'ME', 5, 4);
INSERT INTO SUBJECT VALUES ('15CS52','CN', 5, 4);
INSERT INTO SUBJECT VALUES ('15CS53','DBMS', 5, 4);
INSERT INTO SUBJECT VALUES ('15CS54','ATC', 5, 4);
INSERT INTO SUBJECT VALUES ('15CS55','JAVA', 5, 3);
INSERT INTO SUBJECT VALUES ('15CS56','AI', 5, 3);

INSERT INTO IAMARKS (USN, SUBCODE, SSID, TEST1, TEST2, TEST3) VALUES
('1RN13CS091','10CS81','CSE8C', 15, 16, 18);
INSERT INTO IAMARKS (USN, SUBCODE, SSID, TEST1, TEST2, TEST3) VALUES
('1RN13CS091','10CS82','CSE8C', 12, 19, 14);
INSERT INTO IAMARKS (USN, SUBCODE, SSID, TEST1, TEST2, TEST3) VALUES
('1RN13CS091','10CS83','CSE8C', 19, 15, 20);
INSERT INTO IAMARKS (USN, SUBCODE, SSID, TEST1, TEST2, TEST3) VALUES
('1RN13CS091','10CS84','CSE8C', 20, 16, 19);
INSERT INTO IAMARKS (USN, SUBCODE, SSID, TEST1, TEST2, TEST3) VALUES
('1RN13CS091','10CS85','CSE8C', 15, 15, 12);
```

SELECT * FROM STUDENT;

USN	SNAME	ADDRESS	PHONE	G
1RN13CS020	AKSHAY	BELAGAVI	8877881122	M
1RN13CS062	SANDHYA	BENGALURU	7722829912	F
1RN13CS091	TEESHA	BENGALURU	7712312312	F
1RN13CS066	SUPRIYA	MANGALURU	8877881122	F
1RN14CS010	ABHAY	BENGALURU	9900211201	M
1RN14CS032	BHASKAR	BENGALURU	9923211099	M
1RN15CS011	AJAY	TUMKUR	9845091341	M
1RN15CS029	CHITRA	DAVANGERE	7696772121	F
1RN15CS045	JEEVA	BELLARY	9944850121	M
1RN15CS091	SANTOSH	MANGALURU	8812332201	M
1RN16CS045	ISMAIL	KALBURGI	9900232201	M
1RN16CS088	SAMEERA	SHIMOGA	9905542212	F
1RN16CS122	VINAYAKA	CHIKAMAGALUR	8800880011	M
1RN14CS025	ASMI	BENGALURU	7894737377	F

SELECT * FROM SEMSEC;

```
SQL> SELECT * FROM SEMSEC;
```

SSID	SEM	S
CSE8A	8	A
CSE8B	8	B
CSE8C	8	C
CSE7A	7	A
CSE7B	7	B
CSE7C	7	C
CSE6A	6	A
CSE6B	6	B
CSE6C	6	C
CSE5A	5	A
CSE5B	5	B
CSE5C	5	C
CSE4A	4	A
CSE4B	4	B
CSE4C	4	C
CSE3A	3	A
CSE3B	3	B
CSE3C	3	C
CSE2A	2	A
CSE2C	2	C
CSE2B	2	B
CSE1A	1	A
CSE1B	1	B
CSE1C	1	C

SELECT * FROM CLASS;

```
SQL> SELECT * FROM CLASS;

USN         SSID
----------- -----
1RN13CS020 CSE8A
1RN13CS062 CSE8A
1RN13CS066 CSE8B
1RN13CS091 CSE8C
1RN14CS010 CSE7A
1RN14CS025 CSE7A
1RN14CS032 CSE7A
1RN15CS011 CSE4A
1RN15CS029 CSE4A
1RN15CS045 CSE4B
1RN15CS091 CSE4C
1RN16CS045 CSE3A
1RN16CS088 CSE3B
1RN16CS122 CSE3C

14 rows selected.
```

SELECT * FROM SUBJECT ;

SUBCODE	TITLE	SEM	CREDITS
10CS81	ACA	8	4
10CS82	SSM	8	4
10CS83	NM	8	4
10CS84	CC	8	4
10CS85	PW	8	4
10CS71	OOAD	7	4
10CS72	ECS	7	4
10CS73	PTW	7	4
10CS74	DWDM	7	4
10CS75	JAVA	7	4
10CS76	SAN	7	4
15CS51	ME	5	4
15CS52	CN	5	4
15CS53	DBMS	5	4
15CS54	ATC	5	4
15CS55	JAVA	5	3
15CS56	AI	5	3
15CS41	M4	4	4
15CS42	SE	4	4
15CS43	DAA	4	4
15CS44	MPMC	4	4
15CS45	OOC	4	3
15CS46	DC	4	3
15CS31	M3	3	4
15CS32	ADE	3	4
15CS33	DSA	3	4
15CS34	CO	3	4
15CS35	USP	3	3
15CS36	DMS	3	3

SELECT * FROM IAMARKS;

```
SQL> SELECT * FROM IAMARKS;

USN        SUBCODE  SSID       TEST1      TEST2      TEST3    FINALIA
---------- -------- ----- ---------- ---------- ---------- ----------
1RN13CS091 10CS81   CSE8C          15         16         18
1RN13CS091 10CS82   CSE8C          12         19         14
1RN13CS091 10CS83   CSE8C          19         15         20
1RN13CS091 10CS84   CSE8C          20         16         19
1RN13CS091 10CS85   CSE8C          15         15         12
```

Queries:

1. List all the student details studying in fourth semester 'C' section.

SELECT S.*, SS.SEM, SS.SEC

FROM STUDENT S, SEMSEC SS, CLASS C

WHERE S.USN = C.USN AND

SS.SSID = C.SSID AND

SS.SEM = 4 AND

SS.SEc='C';

```
USN        SNAME                ADDRESS                   PHONE G        SEM S
---------- -------------------- ------------------------- ---------- - ---------- -
1RN15CS091 SANTOSH              MANGALURU                 8812332201 M          4 C
```

2. Compute the total number of male and female students in each semester and in each section.

SELECT SS.SEM, SS.SEC, S.GENDER, COUNT (S.GENDER) AS COUNT

FROM STUDENT S, SEMSEC SS, CLASS C

WHERE S.USN = C.USN AND

SS.SSID = C.SSID

GROUP BY SS.SEM, SS.SEC, S.GENDER

ORDER BY SEM;

SEM	S	G	COUNT
3	A	M	1
3	B	F	1
3	C	M	1
4	A	F	1
4	A	M	1
4	B	M	1
4	C	M	1
7	A	F	1
7	A	M	2
8	A	F	1
8	A	M	1
8	B	F	1
8	C	F	1

3. Create a view of Test1 marks of student USN '1BI15CS101' in all subjects.

```
CREATE VIEW STU_TEST1_MARKS_VIEW
AS
SELECT TEST1, SUBCODE
FROM IAMARKS
WHERE USN = '1RN13CS091';
SELECT * FROM STU_TEST1_MARKS_VIEW;
```

TEST1	SUBCODE
15	10CS81
12	10CS82
19	10CS83
20	10CS84
15	10CS85

4. Calculate the FinalIA (average of best two test marks) and update the corresponding table for all students.

```
CREATE OR REPLACE PROCEDURE AVGMARKS
IS
CURSOR C_IAMARKS IS
SELECT GREATEST(TEST1,TEST2) AS A, GREATEST(TEST1,TEST3) AS B,
```

```
GREATEST(TEST3,TEST2) AS C
FROM IAMARKS
WHERE FINALIA IS NULL
FOR UPDATE;
C_A NUMBER;
C_B NUMBER;
C_C NUMBER;
C_SM NUMBER;
C_AV NUMBER;
BEGIN
OPEN C_IAMARKS;
LOOP
FETCH C_IAMARKS INTO C_A, C_B, C_C;
EXIT WHEN C_IAMARKS%NOTFOUND;
--DBMS_OUTPUT.PUT_LINE(C_A || ' ' || C_B || ' ' || C_C);
IF (C_A != C_B) THEN
C_SM:=C_A+C_B;
ELSE
C_SM:=C_A+C_C;
END IF;
C_AV:=C_SM/2;
--DBMS_OUTPUT.PUT_LINE('SUM = '||C_SM);
--DBMS_OUTPUT.PUT_LINE('AVERAGE = '||C_AV);
UPDATE IAMARKS SET FINALIA=C_AV WHERE CURRENT OF C_IAMARKS;
END LOOP;
CLOSE C_IAMARKS;
END;
/
```

Below SQL code is to invoke the PL/SQL stored procedure from the command line:

```
BEGIN
```

AVGMARKS;

END;

/

```
SQL> select * from IAMARks;

USN        SUBCODE  SSID       TEST1      TEST2      TEST3    FINALIA
---------- -------- ----- ---------- ---------- ---------- ----------
1RN13CS091 10CS81   CSE8C          15         16         18         17
1RN13CS091 10CS82   CSE8C          12         19         14         17
1RN13CS091 10CS83   CSE8C          19         15         20         20
1RN13CS091 10CS84   CSE8C          20         16         19         20
1RN13CS091 10CS85   CSE8C          15         15         12         15
```

5. Categorize students based on the following criterion:

If FinalIA = 17 to 20 then CAT = 'Outstanding'

If FinalIA = 12 to 16 then CAT = 'Average'

If FinalIA< 12 then CAT = 'Weak'

Give these details only for 8th semester A, B, and C section students.

SELECT S.USN,S.SNAME,S.ADDRESS,S.PHONE,S.GENDER,

(CASE

WHEN IA.FINALIA BETWEEN 17 AND 20 THEN 'OUTSTANDING'

WHEN IA.FINALIA BETWEEN 12 AND 16 THEN 'AVERAGE'

ELSE 'WEAK'

END) AS CAT

FROM STUDENT S, SEMSEC SS, IAMARKS IA, SUBJECT SUB

WHERE S.USN = IA.USN AND

SS.SSID = IA.SSID AND

SUB.SUBCODE = IA.SUBCODE AND

SUB.SEM = 8;

```
USN        SNAME                ADDRESS                   PHONE G CAT
---------- -------------------- ------------------------- ---------- - -----------
1RN13CS091 TEESHA               BENGALURU                 7712312312 F OutStanding
1RN13CS091 TEESHA               BENGALURU                 7712312312 F OutStanding
1RN13CS091 TEESHA               BENGALURU                 7712312312 F OutStanding
1RN13CS091 TEESHA               BENGALURU                 7712312312 F OutStanding
1RN13CS091 TEESHA               BENGALURU                 7712312312 F Average
```