

QUESTIONS 20 / 20 completed

Palindrome ▾

PALINDROME

Write a Java program to check if a given string is a palindrome or not.

PROGRAM EDITOR

Java ▾

Run

Save

```
1 public class Main {
2     public static void main(String[] args) {
3         String s = "madam";
4         s = s.toLowerCase();
5         int i = 0, j = s.length() - 1;
6         boolean palindrome = true;
7         while (i < j) {
8             if (s.charAt(i) != s.charAt(j)) {
9                 palindrome = false;
10                break;
11            }
12            i++;
13            j--;
14        }
15        System.out.println(palindrome ? "Palindrome" : "Not Palindrome");
16    }
17 }
```

OUTPUT

Palindrome

INPUT

Your IN
here!

QUESTIONS 20 / 20 completed

Palindrome

PALINDROME

Write a Java program to check if a given string is a palindrome or not.

PROGRAM EDITOR

Java

Run

Save

```
1 public class Main {  
2     public static void main(String[] args) {  
3         String s = "madam";  
4         s = s.toLowerCase();  
5         int i = 0, j = s.length() - 1;  
6         boolean palindrome = true;  
7         while (i < j) {  
8             if (s.charAt(i) != s.charAt(j)) {  
9                 palindrome = false;  
10                break;  
11            }  
12            i++;  
13            j--;  
14        }  
15        System.out.println(palindrome ? "Palindrome" : "Not Palindrome");  
16    }  
17 }
```

OUTPUT

Palindrome

INPUT

Your IN
here!

QUESTIONS 20 / 20 completed

Check

CHECK

Write a Java program to check if a given string contains only digits.

PROGRAM EDITOR

Java

Run

Save

```
1 public class Main {
2     public static void main(String[] args) {
3         String str1 = "12345";
4         String str2 = "123a45";
5         System.out.println("Is '" + str1 + "' only digits? " + isOnlyDigits(str1));
6         System.out.println("Is '" + str2 + "' only digits? " + isOnlyDigits(str2));
7     }
8     static boolean isOnlyDigits(String str) {
9         if (str == null || str.isEmpty()) return false;
10        for (char c : str.toCharArray()) {
11            if (!Character.isDigit(c)) {
12                return false;
13            }
14        }
15        return true;
16    }
17 }
```

OUTPUT

```
Is '12345' only digits? true
```

QUESTIONS 20 / 20 completed

Length

LENGTH

Write a Java program to find the length of the longest substring without repeating characters in a given string.

PROGRAM EDITOR

Java

Run

Save

```
1 import java.util.*;
2 public class Main {
3     public static void main(String[] args) {
4         String s = "abcabcbb";
5         System.out.println("Length of longest substring without repeating characters:");
6         String s2 = "bbbbbb";
7         System.out.println("Length of longest substring without repeating characters:");
8         String s3 = "pwwkew";
9         System.out.println("Length of longest substring without repeating characters:");
10    }
11    public static int lengthOfLongestSubstring(String s) {
12        int n = s.length();
13        int maxLength = 0;
14        Map<Character, Integer> map = new HashMap<>();
15        for (int right = 0, left = 0; right < n; right++) {
16            char currentChar = s.charAt(right);
17            if (map.containsKey(currentChar)) {
18                left = Math.max(map.get(currentChar) + 1, left);
19            }
20            map.put(currentChar, right);
21        }
22    }
23 }
```

OUTPUT

Length of longest substring without repeating characters: 3

QUESTIONS 20 / 20 completed

Lower ▾

LOWER

Write a Java program to convert a given string to lowercase.

PROGRAM EDITOR

Java ▾

Run

Save

```
1 public class Main {  
2     public static void main(String[] args) {  
3         String s = "Hello World!";  
4         String lower = s.toLowerCase();  
5         System.out.println(lower);  
6     }  
7 }
```

OUTPUT

INPUT

Your
here

QUESTIONS 20 / 20 completed

Remove

REMOVE

Write a Java program to remove all white spaces from a given string.

PROGRAM EDITOR

Java

Run

Save

```
1 public class Main {
2     public static void main(String[] args) {
3         String s = "Hello World ";
4         String noSpaces = s.replaceAll("\\s+", "");
5         System.out.println(noSpaces);
6     }
7 }
```

OUTPUT

HelloWorld

INPUT

Your INPUT goes here!

QUESTIONS 20 / 20 completed

Reverse

REVERSE

Write a Java program to reverse a given string.

PROGRAM EDITOR

Java

Run

Save

```
1 public class Main {  
2     public static void main(String[] args) {  
3         String s = "Hello";  
4         StringBuilder sb = new StringBuilder(s);  
5         System.out.println(sb.reverse().toString());  
6     }  
7 }
```

OUTPUT

olleH

INPUT

Your INPUT goes here!

QUESTIONS 20 / 20 completed

Concatenate

CONCATINATE

Write a Java program to concatenate two given strings.

PROGRAM EDITOR

Java

Run

Save

```
1 public class Main {  
2     public static void main(String[] args) {  
3         String a = "Hello";  
4         String b = "World";  
5         System.out.println(a + b);  
6     }  
7 }
```


QUESTIONS 20 / 20 completed

Repeat

REPEAT

Write a Java program to find the first non-repeated character in a given string.

PROGRAM EDITOR

Java

Run

```
1 import java.util.*;
2 public class Main {
3     public static void main(String[] args) {
4         String s = "swiss";
5         char result = findFirstNonRepeatedChar(s);
6         if (result != '\0') {
7             System.out.println("First non-repeated character: " + result);
8         } else {
9             System.out.println("No non-repeated character found.");
10        }
11    }
12    static char findFirstNonRepeatedChar(String s) {
13        Map<Character, Integer> counts = new LinkedHashMap<>();
14        for (char c : s.toCharArray()) {
15            counts.put(c, counts.getOrDefault(c, 0) + 1);
16        }
17        for (Map.Entry<Character, Integer> entry : counts.entrySet()) {
18            if (entry.getValue() == 1) {
19                return entry.getKey();
20            }
21        }
22    }
23 }
```

OUTPUT

First non-repeated character: s

QUESTIONS 20 / 20 completed

Frequent

FREQUENT

Write a Java program to find the most frequent word in a given string.

PROGRAM EDITOR

Java

Run

Save

```
1 import java.util.*;
2 public class Main {
3     public static void main(String[] args) {
4         String s = "this is a test this is only a test";
5         String word = mostFrequentWord(s);
6         System.out.println("Most frequent word: " + word);
7     }
8     static String mostFrequentWord(String s) {
9         s = s.toLowerCase().trim();
10        String[] words = s.split("\\s+");
11        Map<String, Integer> freq = new HashMap<>();
12        for (String w : words) {
13            freq.put(w, freq.getOrDefault(w, 0) + 1);
14        }
15        String bestWord = "";
16        int max = -1;
17        for (Map.Entry<String, Integer> e : freq.entrySet()) {
18            if (e.getValue() > max) {
19                max = e.getValue();
20                bestWord = e.getKey();
21            }
22        }
23    }
24 }
```

OUTPUT

Most frequent word: a

INPUT

Your INPUT
here!

Substring

SUBSTRING

Write a Java program to create a substring from a given string.

PROGRAM EDITOR

Java

Run

Save

```
1 public class Main {
2     public static void main(String[] args) {
3         String s = "Hello World";
4         String sub1 = s.substring(6);
5         String sub2 = s.substring(0, 5);
6         System.out.println("Original: " + s);
7         System.out.println("Substring 1: " + sub1);
8         System.out.println("Substring 2: " + sub2);
9     }
10 }
```

OUTPUT

Original: Hello World

INPUT

Your I
here!

QUESTIONS 20 / 20 completed

Compare

COMPARE

Write a Java program to compare two strings lexicographically.

PROGRAM EDITOR

Java

Run

Save

```
1 public class Main {  
2     public static void main(String[] args) {  
3         String s1 = "apple";  
4         String s2 = "banana";  
5         int result = s1.compareTo(s2);  
6         if (result < 0) {  
7             System.out.println(s1 + " comes before " + s2);  
8         } else if (result > 0) {  
9             System.out.println(s1 + " comes after " + s2);  
10        } else {  
11            System.out.println("Both strings are equal");  
12        }  
13    }  
14 }
```

OUTPUT

apple comes before banana

QUESTIONS 20 / 20 completed

Suffix

SUFFIX

Write a Java program to check if a given string ends with a specific suffix.

PROGRAM EDITOR

Java

Run

Save

```
1 public class Main {  
2     public static void main(String[] args) {  
3         String s1 = "programming.java";  
4         String s2 = "hello.txt";  
5         String suffix = ".java";  
6         System.out.println(s1 + " ends with " + suffix + " ? " + s1.endsWith(suffix));  
7         System.out.println(s2 + " ends with " + suffix + " ? " + s2.endsWith(suffix));  
8     }  
9 }
```

OUTPUT

```
programming.java ends with .java ? true  
hello.txt ends with .java ? false
```

QUESTIONS 20 / 20 completed

Find

FIND

Write a Java program to find the index of a given character or substring in a given string.

PROGRAM EDITOR

Java

Run

Save

```
1 public class Main {  
2     public static void main(String[] args) {  
3         String str = "Hello, welcome to the SIMATS Lab!";  
4         String sub = "welcome";  
5         int index = str.indexOf(sub);  
6         if (index != -1) {  
7             System.out.println("Substring found at index: " + index);  
8         } else {  
9             System.out.println("Substring not found.");  
10        }  
11    }  
12 }
```

OUTPUT

Substring found at index: 7

QUESTIONS 20 / 20 completed

Upper

UPPER

Write a Java program to convert a given string to uppercase.

PROGRAM EDITOR

Java

Run

Save

```
1 public class Main {  
2     public static void main(String[] args) {  
3         String s = "hello world";  
4         String upper = s.toUpperCase();  
5         System.out.println(upper);  
6     }  
7 }
```

OUTPUT

HELLO WORLD

INPUT

Your input
here!

QUESTIONS 20 / 20 completed

RM-Char

RM-CHAR

Write a Java program to remove a specified character from a given string.

PROGRAM EDITOR

Java

Run

Save

```
1 public class Main {  
2     public static void main(String[] args) {  
3         String s = "Hello World";  
4         char target = 'o';  
5         String result = String.valueOf(s).replace(String.valueOf(target), "");  
6         System.out.println("Original: " + s);  
7         System.out.println("After removing '" + target + "': " + result);  
8     }  
9 }
```

OUTPUT

```
Original: Hello World
```


QUESTIONS 20 / 20 completed

Replace

REPLACE

Write a Java program to replace a specified character with another character in a given string.

PROGRAM EDITOR

Java

Run

Save

```
1 public class Main {  
2     public static void main(String[] args) {  
3         String s = "Hello World";  
4         char oldCh = 'o';  
5         char newCh = 'a';  
6         String result = s.replace(oldCh, newCh);  
7         System.out.println(result);  
8     }  
9 }
```

OUTPUT

HeIIa World

QUESTIONS 20 / 20 completed

Split

SPLIT

Write a Java program to split a given string into an array of substrings based on a specified delimiter.

PROGRAM EDITOR

Java

Run

Save

```
1 public class Main {  
2     public static void main(String[] args) {  
3         String s = "Apple,Banana,Orange,Mango";  
4         String[] arr = s.split(",");  
5         System.out.println("Array elements:");  
6         for (String sub : arr) {  
7             System.out.println(sub);  
8         }  
9     }  
10 }
```

OUTPUT

```
Array elements:
```

QUESTIONS 20 / 20 completed

Trim

TRIM

Write a Java program to trim a given string and remove leading and trailing spaces.

PROGRAM EDITOR

Java

Run

Save

```
1 public class Main {  
2     public static void main(String[] args) {  
3         String s = "  Hello World!  ";  
4         String trimmed = s.trim();  
5         System.out.println("Original: " + s + "");  
6         System.out.println("Trimmed: " + trimmed + "");  
7     }  
8 }
```

OUTPUT

```
Original:  Hello World!    
Trimmed: Hello World!
```

QUESTIONS 20 / 20 completed

Convert

CONVERT

Write a Java program to convert a given string to a char array.

PROGRAM EDITOR

Java

Run

Save

```
1 public class Main {
2     public static void main(String[] args) {
3         String s = "Hello";
4         char[] charArray = s.toCharArray();
5         for (char c : charArray) {
6             System.out.print(c + " ");
7         }
8     }
9 }
```

OUTPUT

H e l l o