



MAHATMA GANDHI M EMORIAL COLLEGE

UDUPI-576102

Accredited by NAAC with “A+” Grade (CGPA 3.36)

2025-2026

PROJECT REPORT ON

“RIDEZO”

DEVELOPED BY

TRASHA PATGAR

Reg No: U05MG23SO282

BHOOMIKA BHAT

Reg No: U05MG23SO285

CHAITHRA

Reg No: U05MG23SO288

VIDYA

Reg No: U05MG23SO289

Under The Guidance Of

Asst Prof. Abhijna S S

Department of Computer Science

Submitted to the Mangalore University in partial fulfilment of the Award Bachelor in Computer Application.

MANGALORE UNIVERSITY

DEPARTMENT OF COMPUTER SCIENCE

MAHATMA GANDHI MEMORIAL COLLEGE

UDUPI-576102

2025-2026

MAHATMA GANDHI MEMORIAL COLLEGE UDUPI – 576102.

Accredited by NAAC with "A+" Grade (CGPA 3.36)



DEPARTMENT OF COMPUTER SCIENCE
CERTIFICATE

This is to certify that the Project entitled "RIDEZO" has been carried out by

TRASHA PATGAR	Reg No: U05MG23SO282
BHOOMIKA BHAT	Reg No: U05MG23SO285
CHAITHRA	Reg No: U05MG23SO288
VIDYA	Reg No: U05MG23SO289

Students of **B.C.A.** under the supervision and guidance of Abhijna ma'am Department of Computer Science, Mahatma Gandhi Memorial College, Udupi. This dissertation is submitted in partial fulfilment of the requirement for the award of Bachelor in Computer Application by Mangalore University during the academic year 2024-2025.

It is certified to the best of our knowledge that the matter embodied in this work has not been submitted for the award of any other degree.

Asst Prof. Abhijna S S	Dr. Rekha N Chandra	Dr. M Vishwanath Pai	Dr. Gayathri Pai
(Project Guide)	(HOD)	(Vice principal)	(Principal)

Submitted to the Mangalore University Practical Examination held on _____ Mahatma Gandhi Memorial College, Udupi.

Examiners:

1. _____
2. _____

ACKNOWLEDGEMENT

Behind every achievement, there is a sea of gratitude to those who have activated this project.

The magnitude of this project demanded the co-operation, guidance and help of many people. We have been fortunate enough to have this in the entire task of completion of our project on “**RIDEZO**”.

We would like to thank our principal **Dr. Gayathri Pai** for giving us opportunity to carry out our project.

We also thank our Vice Principal **Dr. M. Vishwanath Pai** for giving us a great support to carry out our project.

We thank **Dr. Rekha N Chandra**, a source of inspiration and encouragement, head of the Department of Computer Science, Mahatma Gandhi Memorial College, Udupi for having permitted us to carry out our project work.

We are extremely grateful to express our overwhelming gratitude to our guide **Asst Prof. Abhijna S S** , Lecturer of Computer Science Department, Mahatma Gandhi

Memorial College Udupi for giving us valuable guidance to undertake this project. Last but not the least, we are indebted to all teaching and non-teaching staff members, Mahatma Gandhi Memorial College Udupi for making this project successful.

Thank you,

TRASHA PATGAR

BHOOMIKA BHAT

CHAITHRA

VIDYA

Declaration

This project work entitled “Ridez0” has been successfully carried out by us Trasha Patgar (Reg No U05MG23S0282) Bhoomika Bhat (Reg No U05MG23S0285) Chaithra (Reg No U05MG23S0288) Vidya (Reg no U05MG23S0289) student of Final Year BCA, under the guidance and supervision of Asst Prof Abhijna S S , Department of Computer Science.

This project is submitted in partial fulfilment for the award of the degree of Bachelor of Computer Applications (BCA) during the academic year 2025–2026.

Trasha Patgar

Registration No: U05MG23S0282

Final Year BCA

Mahatma Gandhi Memorial College

Udupi

Bhoomika Bhat

Registration No: U05MG23S0285

Final Year BCA

Mahatma Gandhi Memorial College

Udupi

Chaithra

Registration No: U05MG23S0288

Final Year BCA

Mahatma Gandhi Memorial College

Udupi

Vidya

Registration No: U05MG23S0289

Final Year BCA

Mahatma Gandhi Memorial College

Udupi

Index of the project

Chapter No	Title	P. No
	Introduction	1-4
1	i) Introduction of the System	
	a) Project Title	
	b) Category	
	ii) Importance of the system	
	iii) Methodology of system	
	iv) Objectives of the system	
	v) Structure of the system	
	vi) System architecture	
	vii) Software/Hardware used for the developments	
2	SRS	5-9
	i) Functional Requirements	
	a) Front End	
	b) Back End	
	ii) Design Constraints	
	iii) System Attributes	
	iv) Other Requirements	
3	System Design	10-11
	i) Context Flow Diagram	
	ii) Data Flow Diagram	
4	Database Design	14-18
	i) ER Diagram	
	ii) Table Structure	
5	Program Code Listing	19-33
6	User Interface	34-41
	i) Login	
	ii) Main screen/Home page	
	iii) View	
7	Testing	42-48
	i) Introduction	
	ii) Test Reports	
	a) Unit Testing	
	b) Integrate Testing	
	c) System Testing	
	Limitations	
	Scope for enhancement	
	Conclusion	
	Abbreviations and Acronyms	
	Bibliography / References	

1. INTRODUCTION

i. INTRODUCTION OF THE SYSTEM:

“Ridezo” is a web-based Rental Vehicle Management System developed to simplify and modernize the process of renting vehicles online. The platform provides users with an easy and convenient way to search, view, and book vehicles according to their needs. The main objective of Ridezo is to create a user-friendly system where customers can access detailed information about available vehicles, including vehicle type, model, price, availability, and booking details. The system also enables administrators to manage vehicles, customer records, bookings, and payments effectively through a centralized platform. In today’s fast-paced world, online rental services have become increasingly popular due to their convenience and accessibility.

Project Title:

“RIDEZO”

a. Category:

Web based application

b. Overview:

Ridezo is an interactive, smart mobility platform designed to help users seamlessly plan, schedule, and book reliable transportation services for daily office commutes, city travel, and outstation journeys. The website offers a variety of service categories tailored to core travel needs, ranging from daily recurring office rides to flexible outstation trip management. The platform provides users with a structured, user-friendly environment to browse fleet options.

By eliminating surge pricing and offering transparent, fixed-rate structures, the website simulates a highly efficient, real-time marketplace environment. This helps users make informed booking decisions with complete clarity regarding pricing, and service quality before they ever begin their journey.

i. IMPORTANCE

Vehicle rental and marketplace platforms play a vital role in academic and career preparation, especially for students and developers aiming to succeed in the software engineering and logistics industry. The "**Ridezo**" platform offers numerous benefits that contribute significantly to personal and professional growth:

Skill Assessment:

The platform helps individuals evaluate their backend and database management proficiency in areas such as transactional calculation (handling the 15% admin commission and 85% seller split) and user role management, providing a clear picture of their current technical skill level.

Familiarity with Service Patterns:

Regular practice through the platform allows users to become comfortable with the structure, pricing models, vehicle availability states, and approval workflows of actual vehicle rental services.

Confidence Building:

Building and testing features frequently through the platform reduces anxiety and builds confidence, making users better prepared for deploying real-life, multi-user marketplace applications.

Identifying Strengths and Weaknesses:

Detailed audit logs, booking histories, and system notifications help users pinpoint bugs or structural gaps that require more focus, enabling targeted learning and efficient development preparation.

ii. METHODOLOGY

The platform enables users to register and log in securely based on their role (Admin, Seller, and Customer). Customers can browse various vehicle types, viewing details like brand, model, and daily rental pricing. Sellers can list vehicles by uploading documentation, which Admins review and approve via an admin panel.

When a customer books a vehicle added by the seller system automatically calculates the 15% admin commission and 85% seller split, generating a detailed confirmation with specific rental dates. Users can track booking histories, receive notifications, and communicate directly through an internal messaging system.

a. Requirement Analysis:

The vehicle rental platform should enable users to register and log in securely to access personalized features based on their role as an Admin, Seller, or Customer. Users must be able to choose from various vehicle types, browse available brands and models.

b. Implementation:

1. User Registration and Authentication:

- Users create an account on the platform by providing basic details like name, email, and phone number.
- Secure login is enabled using email and password, granting personalized access to vehicle listings, booking history, and profile management.

2. Vehicle Selection:

- The platform offers categorized vehicles (e.g., Petrol, Diesel, Electric, and Hybrid types).
- Users select a specific category based on their travel needs or seating requirements.

3. Vehicle Browsing and Filtering:

- Each vehicle is displayed with detailed specs including brand, model, daily rental price, and transmission type
- Users can filter vehicles based on price range, seat count, or fuel type to find the best match.

4. Booking and Payment:

- After submitting the booking, the system processes the payment and automatically calculates the 15% admin commission and 85% seller earning split.

5. Result Display:

- Users receive an instant booking confirmation including a unique booking ID, vehicle details, rental dates, and the total amount paid.

c. Testing:

Testing for the **Ridezo** platform involves several key phases to ensure reliability, security, and a smooth user experience.

- **Unit Testing** is first conducted to verify individual components such as user login, vehicle data loading, booking math (commission splits), and password reset OTPs.
- **Integration Testing** checks whether modules like seller vehicle uploads, admin approval workflows, and customer booking generations work seamlessly together.
- **Functional Testing** ensures that core features—such as browsing available cars, document uploads, submitting bookings, and viewing payment status—operate correctly according to the system logic.

ii. **OBJECTIVES:**

The following are the primary objectives of developing the "**Ridezo**" vehicle rental platform:

- **To provide an intuitive, centralized platform** for vehicle rentals and marketplace services within the Udupi district.
- ☐ **To streamline the vehicle listing process**, allowing independent sellers to securely upload vehicle details and required documentation for admin verification.
- **To automate financial splits**, ensuring that when a customer books a vehicle, the system instantly processes the payment and calculates the 15% admin commission and 85% seller earning split.. .

- **To ensure safe and reliable transactions** through secure user authentication, role-based access, and transparent audit logs for all platform activities.

iii. STRUCTURE OF THE SYSTEM:

Modules Used:

a. ADMIN

- Secure Login
- Manage users and vehicles
- Vehicle Verification
- Manage Bookings
- Manage payment
- Vehicle tracking

b. SELLER

- Secure login
- Manage Vehicles
- Earnings Dashboard
- Vehicle tracking

c. CUSTOMER

- Registration & Profile
- Explore Vehicles
- Secure Booking

SYSTEM ARCHITECTURE:

d. ADMIN :

- Manage users, service listings, and categories.
- View all registered users and booking records.
- Monitor payment transactions.
- Moderate user reviews (approve/reject).
- Generate operational and financial reports.

e. USER :

- Register, login, and manage profile.
- Browse and filter services by category and budget.
- Check real-time availability and book services.
- Make secure online payments and receive confirmations.
- View booking history.
- Submit reviews and ratings for availed services.

vii.) SOFTWARE/HARDWARE USED FOR THE DEVELOPMENT:

a. HARDWARE REQUIREMENTS:

- **Processor:** Intel Core i5 (sufficient for development and testing)
- **RAM:** 8 GB (recommended for smooth multitasking)
- **Storage:** 256 GB SSD or higher (faster load and compile times)
- **Display:** 14" or 15.6" HD/Full HD (comfortable for coding and testing)
- **Internet:** Wi-Fi
- **OS:** Microsoft windows7 or later.

b. SOFTWARE REQUIREMENTS:

- **XAMPP:** To run Apache, PHP
- **Visual Studio Code (VS Code):** Lightweight and powerful code editor
- **Google Chrome:** For testing frontend UI
- **Database:** XAMPP

2.SRS

i) Functional Requirements

Functional requirements describe the main functions and services provided by the Ridezo software. The system should perform the following operations:

a) Front End

The front end is the user interface part of the system through which users interact with the platform.

Features of Front End:

- User registration and login page.
- Home page displaying featured Vehicles categories and services.
- Service browsing and searching functionality.
- Budget-based filtering for services.
- Service details page with pricing, availability, and reviews.
- Booking form for vehicles booking.
- Online payment page.
- User profile management page.
- Booking history and status tracking.
- Review and rating submission page.
- Responsive interface compatible with mobile and desktop browsers.

➤ Technologies Used:

- HTML5
- CSS3
- JavaScript

➤ Purpose:

The front end provides an attractive, user-friendly, and interactive interface for customers to easily browse and vehicles online.

b) Back End

The back end handles server-side processing, business logic, and database communication.

Features of Back End:

- User authentication and session management.
- Admin authentication and access control.
- Service management operations.
- Booking processing and validation.
- Payment processing and transaction handling.
- Review moderation and approval.
- Availability checking and conflict prevention.
- Report generation and data management.
- Database interaction using SQL queries.

➤ Technologies Used:

- PHP
- MySQL
- Apache Server (XAMPP/WAMP)

➤ Purpose:

The back end ensures secure processing of data, manages system operations, and connects the front end with the database.

ii) Design Constraints

Design constraints are limitations or conditions considered during system development.

The following constraints were considered:

- The system is developed as a web-based application only.
- The platform currently supports only the karnataka district region.
- Internet connection is required for accessing the system.
- The system depends on PHP and MySQL server environment.
- Mobile application support is not included in the current version.
- Seller self-registration functionality is implemented.
- In-app messaging between users and supplier is not available.

- AI-based recommendations are outside the present scope.
- The application must support major browsers such as Chrome, Firefox, and Edge.
- The database must maintain data consistency and integrity.

➤ **Technical Constraints:**

- **Frontend technologies:** HTML, CSS, JavaScript
- **Backend technology:** PHP
- **Database:** MySQL
- **Web server:** Apache

➤ **Security Constraints:**

- Passwords must be encrypted using hashing techniques.
- Payment data must be processed securely through HTTPS.
- User sessions must be protected from unauthorized access.

iii) System Attributes

System attributes define the quality and performance characteristics of Ridezo.

1. Performance

- System pages should load within 3 seconds under normal conditions.
- Booking and payment operations should be processed efficiently.

2. Security

- Passwords are stored in encrypted format for security purposes..
- Payment transactions are secured through HTTPS.
- User authentication and session management are implemented securely.

3. Reliability

- The system should provide continuous availability during business hours.
- Booking and payment records should remain accurate and consistent.

4. Usability

- The interface is designed to be simple and user-friendly.
- Users can navigate the platform without technical knowledge.

5. Scalability

- The system architecture supports future expansion to additional districts and categories.

6. Compatibility

The platform supports:

- Google Chrome
- Mozilla Firefox
- Microsoft Edge

7. Maintainability

- The code structure is modular and well-organized.
- Database tables follow normalization principles.

iv) Other Requirements

➤ Hardware Requirements

- **Processor:** Intel Core i3 or higher
- **RAM:** Minimum 4 GB
- **Storage:** Minimum 20 GB free space
- Internet connection required

➤ Software Requirements

- **Operating System:** Windows 10 / Ubuntu 20.04 or above
- **Frontend:** HTML5, CSS3, JavaScript
- **Backend:** PHP

- **Database:** MySQL
- **Web Server:** Apache (XAMPP/WAMP)
- **IDE:** Visual Studio Code
- **Database Tool:** phpMyAdmin

➤ **Database Requirements**

The database contains the following tables:

- users
- vehicles
- bookings
- feedbacks
- audit_logs

➤ **User Requirements**

Users should be able to:

- Register and login.
- Browse and search services.
- Book vehicle services.
- Make online payments.
- Submit reviews and ratings.

➤ **Admin Requirements**

Admin should be able to:

- Manage users and sellers.
- Manage services and categories.
- Monitor bookings and payments.
- Moderate reviews.
- Generate reports.

3.SYSTEM DESIGN:

Introduction:

System design is the process of defining elements of a system like modules, architecture, components and their interface and data for a system based on specified requirements. It is the process of defining, developing and designing systems which satisfies the specific needs and requirements of a business or organization.

i.) Context flow Diagram:

CFD is one in which the entire system is treated as a single process and all its inputs, outputs, sinks and sources are identified. A context diagram, sometimes called a level 0 data-flow diagram, is drawn in order to define and clarify the boundaries of the software system. It identifies the flows of the information between the system and external entities. The entire software system is shown as a single process. It is used to establish the context and boundaries of the system to be modelled and identify the relationship of the system with the external entities.




Figure 3.1

ii. Data Flow Diagram (DFD):

A data-flow diagram is a way of representing a flow through a process or a system (usually an information system). The DFD also provides information about the outputs and inputs of each entity and the process itself. A data flow diagram has no control flow; there are no decision rules and no loops. Levels in DFD are numbered 0, 1, 2 and beyond.

The DFD server two purposes:

- To provide an indication of flow of data are transformed as they move through the system.
- To depict the function that transforms the data flow.




Notations	Description
	A circle represents a process that performs some transformation of input data to yield output data.
	A rectangle is used to represent an external entity example: a source and a sink. System that produces information by the software is a source and a system that receives or stores information produced by the system is a sink.
	The open box represents a repository of a data stored that is used by the software.
	An arrow represents one or more data items or data objects and is used to connect processes to each other or to sources and sinks. The arrow head indicates direction of data flow.

Table 3.1

a. User




Figure 3.2

b. Seller





Figure 3.3

c. Admin

Figure 3.4



4.Database design

i. Entity Relationship Diagram [ERD]:

The Entity Relationship Diagram ERD is popular high level conceptual model. This model and its variation are frequently used for the conceptual design of database application and many database design tools employ its concepts. We describe the basic structuring concepts and constraints of ER model and discuss their use in the design of conceptual schemes for database application. We also present the diagrammatic notation known as ER-Diagram. The main focus of ER-Modeling is data items in the system and relationship between them its main aim is to create an Er-Model for the data and user perspective. The sentence can be used during the development of the database and there are methods that use Er-Model to design the database for different database modules are frequently representing as Er diagram through the model can also be represented in mathematical forms.

An entity types defines the collection of entries that have same attributes. Each entity type in database is described by its name and attributes. The collection of all entries of a particular entity types in the database at any point in the time is called as entity set. An entity describes the schema or intention for the set of entries that share same structure. The collection of entities of particular entity type is grouped into an entity set, which is also called extensions of entity type. An important constraint on the entities of an entity type is the key constraints on the attributes.

An Entity is usually has an attribute whose values are distinct for each individual entity in entity set.

Such attribute is called key attribute and its value can be used to identify each entity uniquely.

➤ Summary of Notations of ERD:

Entity types are shown in rectangles boxes. Relationship-types are shown in diamond shape boxes attached to the participating entity types with straight lines. Attributes are shown in ovals, straight line to its entity type or relationship type attaches each attribute.

Component attributes of a composite attributes are attached to a oval representing the composite attributes, multi values attribute are shown in the double ovals. Key attributes have their names underlined. Derived attributes are shown in the dotted oval.

Basic of Entity Relationship Notation:-



SYMBOL	MEAN
	Entity
	Relationship
	Represent Attributes
	Line represent flow

Table 4.1




Figure 4.1

ii. Table Structure

Audit logs Table:

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
☐	1 id	int(11)			No	None		AUTO_INCREMENT	Change Drop More
☐	2 customer_id	int(11)			No	None			Change Drop More
☐	3 vehicle_id	int(11)			No	None			Change Drop More
☐	4 created_at	timestamp			No	current_timestamp()			Change Drop More

User Table:

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
☐	1 user_id	int(11)			No	None		AUTO_INCREMENT	Change Drop More
☐	2 name	varchar(100)	utf8mb4_general_ci		No	None			Change Drop More
☐	3 email	varchar(100)	utf8mb4_general_ci		No	None			Change Drop More
☐	4 password	varchar(255)	utf8mb4_general_ci		No	None			Change Drop More
☐	5 date_of_birth	date			Yes	NULL			Change Drop More
☐	6 role	enum('Admin', 'Seller', 'Customer')	utf8mb4_general_ci		No	None			Change Drop More
☐	7 is_active	tinyint(1)			Yes	1			Change Drop More
☐	8 profile_photo	varchar(255)	utf8mb4_general_ci		Yes	NULL			Change Drop More
☐	9 license_number	varchar(50)	utf8mb4_general_ci		Yes	NULL			Change Drop More
☐	10 license_expiry_date	date			Yes	NULL			Change Drop More
☐	11 phone	varchar(20)	utf8mb4_general_ci		Yes	NULL			Change Drop More
☐	12 address	text	utf8mb4_general_ci		Yes	NULL			Change Drop More
☐	13 city	varchar(50)	utf8mb4_general_ci		Yes	NULL			Change Drop More
☐	14 state	varchar(50)	utf8mb4_general_ci		Yes	NULL			Change Drop More
☐	15 pincode	varchar(10)	utf8mb4_general_ci		Yes	NULL			Change Drop More
☐	16 emergency_contact_name	varchar(100)	utf8mb4_general_ci		Yes	NULL			Change Drop More
☐	17 emergency_contact_phone	varchar(20)	utf8mb4_general_ci		Yes	NULL			Change Drop More
☐	18 created_at	timestamp			No	current_timestamp()			Change Drop More

Booking Table:

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
☐	1 booking_id	int(11)			No	None		AUTO_INCREMENT	Change Drop More
☐	2 vehicle_id	int(11)			No	None			Change Drop More
☐	3 seller_id	int(11)			No	None			Change Drop More
☐	4 customer_id	int(11)			No	None			Change Drop More
☐	5 start_datetime	datetime			No	None			Change Drop More
☐	6 end_datetime	datetime			No	None			Change Drop More
☐	7 total_amount	decimal(10,2)			No	None			Change Drop More
☐	8 commission	decimal(10,2)			No	None			Change Drop More
☐	9 seller_earning	decimal(10,2)			No	None			Change Drop More
☐	10 status	enum('Pending', 'Confirmed', 'Active', 'Completed', ...)	utf8mb4_general_ci		Yes	Pending			Change Drop More
☐	11 payment_status	enum('Unpaid', 'Paid', 'Refunded')	utf8mb4_general_ci		Yes	Unpaid			Change Drop More
☐	12 created_at	timestamp			No	current_timestamp()			Change Drop More
☐	13 tracking_active	tinyint(1)			Yes	0			Change Drop More
☐	14 latitude	decimal(10,8)			Yes	NULL			Change Drop More
☐	15 longitude	decimal(11,8)			Yes	NULL			Change Drop More

Feedback Table:

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
☐	1 id	int(11)			No	None		AUTO_INCREMENT	Change Drop More
☐	2 customer_id	int(11)			No	None			Change Drop More
☐	3 vehicle_id	int(11)			No	None			Change Drop More
☐	4 created_at	timestamp			No	current_timestamp()			Change Drop More

Vehicle Table:

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
☐	1 vehicle_id	int(11)			No	None		AUTO_INCREMENT	Change Drop More
☐	2 seller_id	int(11)			No	None			Change Drop More
☐	3 brand	varchar(50)	utf8mb4_general_ci		No	None			Change Drop More
☐	4 model	varchar(50)	utf8mb4_general_ci		No	None			Change Drop More
☐	5 year	int(11)			No	None			Change Drop More
☐	6 vehicle_type	varchar(50)	utf8mb4_general_ci		No	None			Change Drop More
☐	7 license_plate	varchar(20)	utf8mb4_general_ci		No	None			Change Drop More
☐	8 transmission	enum('Automatic', 'Manual')	utf8mb4_general_ci		No	None			Change Drop More
☐	9 fuel_type	enum('Petrol', 'Diesel', 'Electric', 'Hybrid')	utf8mb4_general_ci		No	None			Change Drop More
☐	10 seats	int(11)			No	None			Change Drop More
☐	11 rental_price_per_day	decimal(10,2)			No	None			Change Drop More
☐	12 description	text	utf8mb4_general_ci		Yes	NULL			Change Drop More
☐	13 image_url	varchar(255)	utf8mb4_general_ci		Yes	NULL			Change Drop More
☐	14 registration_doc_url	varchar(255)	utf8mb4_general_ci		Yes	NULL			Change Drop More
☐	15 insurance_doc_url	varchar(255)	utf8mb4_general_ci		Yes	NULL			Change Drop More
☐	16 status	enum('Pending', 'Available', 'Inspected', 'Maintenance...')	utf8mb4_general_ci		Yes	Pending			Change Drop More
☐	17 rejection_reason	text	utf8mb4_general_ci		Yes	NULL			Change Drop More
☐	18 created_at	timestamp			No	current_timestamp()			Change Drop More
☐	19 state	varchar(100)	utf8mb4_general_ci		Yes	NULL			Change Drop More
☐	20 area	varchar(100)	utf8mb4_general_ci		Yes	NULL			Change Drop More
☐	21 pincode	varchar(20)	utf8mb4_general_ci		Yes	NULL			Change Drop More
☐	22 pickup_location	varchar(255)	utf8mb4_general_ci		Yes	NULL			Change Drop More
☐	23 available_from	date			Yes	NULL			Change Drop More
☐	24 available_until	date			Yes	NULL			Change Drop More

Saved vehicles Table:

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
☐	1 id	int(11)			No	None		AUTO_INCREMENT	Change Drop More
☐	2 customer_id	int(11)			No	None			Change Drop More
☐	3 vehicle_id	int(11)			No	None			Change Drop More
☐	4 created_at	timestamp			No	current_timestamp()			Change Drop More

5.Program Code Listing

Home page

```
<?php

header("Cache-Control: no-store, no-cache, must-revalidate, max-age=0");
header("Cache-Control: post-check=0, pre-check=0", false);
header("Pragma: no-cache");
require '../app/config.php';

$alert = null;

if ($_SERVER['REQUEST_METHOD'] == 'POST' && isset($_POST['submit_feedback'])) {
    $name = sanitize($_POST['name']);
    $email = sanitize($_POST['email']);
    $message = sanitize($_POST['message']);

    // Create table if not exists

    $conn->query("CREATE TABLE IF NOT EXISTS feedbacks (
        id INT AUTO_INCREMENT PRIMARY KEY,
        name VARCHAR(100) NOT NULL,
        email VARCHAR(100) NOT NULL,
        message TEXT NOT NULL,
        created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP
    )");

    $stmt = $conn->prepare("INSERT INTO feedbacks (name, email, message) VALUES (?, ?, ?)");
    $stmt->bind_param("sss", $name, $email, $message);
    if ($stmt->execute()) {
        $alert = ['message' => 'Thank you for your feedback!', 'type' => 'success'];
    } else {
        $alert = ['message' => 'Failed to submit feedback. Please try again.', 'type' => 'error'];
    }
    $stmt->close();
}
```

```

}

$is_logged_in = isset($_SESSION['user_id']);

$user_name = $_SESSION['name'] ?? $_SESSION['user_name'] ?? 'Guest';

$user_role = $_SESSION['role'] ?? $_SESSION['user_role'] ?? null;

$user_photo = $_SESSION['profile_photo'] ?? $_SESSION['user_photo'] ?? null;


// Determine dashboard link

$dashboard_link = "../app/login.php?msg=unauthorized";

if ($is_logged_in) {
    if ($user_role === 'Admin') $dashboard_link = "../admin/dashboard.php";
    elseif ($user_role === 'Seller') $dashboard_link = "../app/seller/dashboard.php";
    else $dashboard_link = "../app/customer/dashboard.php";
}


$bookings_link = $is_logged_in ? ($user_role === 'Customer' ? '../app/customer/bookings.php' :
($user_role === 'Seller' ? '../app/seller/bookings.php' : '../admin/bookings.php')) :
'../app/login.php?msg=unauthorized';


// Fetch Vehicles by Category

$featured_cars = $conn->query("SELECT v.*, u.name as seller_name FROM vehicles v JOIN users u
ON v.seller_id = u.user_id WHERE v.status = 'Available' AND (v.vehicle_type = 'Car' OR
v.vehicle_type = 'Sedan' OR v.vehicle_type = 'Hatchback') ORDER BY v.created_at DESC LIMIT 4");

$jeeps = $conn->query("SELECT v.*, u.name as seller_name FROM vehicles v JOIN users u ON
v.seller_id = u.user_id WHERE v.status = 'Available' AND (v.vehicle_type = 'Jeep' OR v.vehicle_type =
'SUV') ORDER BY v.created_at DESC LIMIT 4");

$bikes = $conn->query("SELECT v.*, u.name as seller_name FROM vehicles v JOIN users u ON
v.seller_id = u.user_id WHERE v.status = 'Available' AND v.vehicle_type = 'Bike' ORDER BY
v.created_at DESC LIMIT 4");


// Fetch Featured Vehicles (all Available, from both admin & sellers)

$featured_vehicles = $conn->query("SELECT v.*, u.name as seller_name FROM vehicles v JOIN users
u ON v.seller_id = u.user_id WHERE v.status = 'Available' ORDER BY v.created_at DESC LIMIT
10");

?>

<!DOCTYPE html>

```

```

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Ridezo | Home</title>

  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.0.0/css/all.min.css">

  <link rel="stylesheet" href="style.css?v=<?php echo time(); ?>">

</head>

<body>


<!-- TOP NAVIGATION -->

<nav class="top-nav">

  <div class="nav-container">

    <div class="nav-left">

      <a href="index.php" class="logo">

        <i class="fas fa-car-side"></i>

        <span>Ridezo</span>

      </a>

    </div>

    <div class="nav-right">

      <a href="explore.php" class="nav-link">Explore Vehicles</a>

      <a href="<?php echo $bookings_link; ?>" class="nav-link">My Bookings</a>

      <a href="<?php echo $dashboard_link; ?>" class="nav-link">Dashboard</a>

      <?php if ($is_logged_in): ?>

        <div style="display: flex; align-items: center; gap: 16px; margin-left: 10px; background:
rgba(255,255,255,0.03); padding: 6px 12px; border-radius: 100px; border: 1px solid var(--border);">

          <a href="../app/profile.php" style="display: flex; align-items: center; gap: 8px; text-
decoration: none;">

            <div style="width: 8px; height: 8px; background: var(--accent); border-radius: 50%;
box-shadow: 0 0 10px var(--accent-glow);"></div>

            <span style="font-weight: 700; color: #fff; font-size: 0.85rem; letter-spacing:
0.5px;"><?php echo explode(' ', $user_name)[0]; ?></span>

          </a>

          <div style="width: 1px; height: 20px; background: var(--border);"></div>

```

<p class="review-text">"Rented a scooty for my weekend trip. Very affordable and well-maintained. 5 stars!"</p>

<div class="reviewer">

<div class="reviewer-info">

<div class="name">Rahul Verma</div>

<div class="status">Verified Customer</div>

</div>

</div>

</div>

<div class="review-card">

<div class="stars"><i class="fas fa-star"></i><i class="fas fa-star"></i><i class="fas fa-star"></i><i class="fas fa-star"></i><i class="fas fa-star"></i></div>

<p class="review-text">"The premium sedan I booked for the event was perfect. Excellent service by the team."</p>

<div class="reviewer">

<div class="reviewer-info">

<div class="name">Anjali Gupta</div>

<div class="status">Verified Customer</div>

</div>

</div>

</div>

</div>

</section>

</div>

<!-- FEEDBACK & CONTACT FORM SECTION -->

<section style="padding: 100px 40px; background: linear-gradient(to bottom, var(--bg), #0f172a); border-top: 1px solid var(--border); position: relative; overflow: hidden;">

<div style="position: absolute; top: 0; left: 50%; transform: translateX(-50%); width: 100%; height: 100%; background: radial-gradient(circle at 50% 50%, rgba(34, 197, 94, 0.05) 0%, transparent 70%); pointer-events: none;"></div>

```
<div style="max-width: 1400px; margin: 0 auto; display: grid; grid-template-columns: 1fr 1fr; gap: 80px; align-items: center;">
```

```
<!-- Left Side: Content -->
```

```
<div class="reveal reveal-left">
```

```
<div style="display: inline-flex; align-items: center; gap: 10px; background: var(--accent-soft); padding: 8px 20px; border-radius: 100px; margin-bottom: 24px; border: 1px solid rgba(34, 197, 94, 0.2);">
```

```
<i class="fas fa-comment-dots" style="color: var(--accent);"></i>
```

```
<span style="font-size: 0.8rem; font-weight: 800; color: var(--accent); text-transform: uppercase;">Get in Touch</span>
```

```
</div>
```

```
<h2 style="font-size: 3rem; font-weight: 850; color: #fff; letter-spacing: -1.5px; line-height: 1.1; margin-bottom: 24px;">Have questions? <br><span class="text-gradient-anim">We're here to help.</span></h2>
```

```
<p style="color: var(--text-muted); font-size: 1.05rem; line-height: 1.7; font-weight: 500; margin-bottom: 40px;">Whether you're a partner looking to list your fleet or a traveler seeking the perfect ride, our support team is available 24/7 to ensure your Ridezo experience is flawless.</p>
```

```
<div style="display: grid; gap: 24px;">
```

```
<div style="display: flex; align-items: center; gap: 20px; background: rgba(255,255,255,0.02); padding: 20px; border-radius: 20px; border: 1px solid var(--border);" class="hover-lift">
```

```
<div style="width: 50px; height: 50px; background: var(--accent-soft); border-radius: 14px; display: flex; align-items: center; justify-content: center; color: var(--accent); font-size: 1.2rem;"><i class="fas fa-headset"></i></div>
```

```
<div><h4 style="color: #fff; font-weight: 800; font-size: 1rem; margin-bottom: 4px;">Premium Support</h4><p style="color: var(--text-muted); font-size: 0.85rem; font-weight: 600;">Avg. response time: 15 minutes</p></div>
```

```
</div>
```

```
<div style="display: flex; align-items: center; gap: 20px; background: rgba(255,255,255,0.02); padding: 20px; border-radius: 20px; border: 1px solid var(--border);" class="hover-lift">
```

```
<div style="width: 50px; height: 50px; background: var(--accent-soft); border-radius: 14px; display: flex; align-items: center; justify-content: center; color: var(--accent); font-size: 1.2rem;"><i class="fas fa-shield-alt"></i></div>
```

```
<div><h4 style="color: #fff; font-weight: 800; font-size: 1rem; margin-bottom: 4px;">Verified Safety</h4><p style="color: var(--text-muted); font-size: 0.85rem; font-weight: 600;">Every vehicle & host is pre-screened</p></div>
```

```

        </div>

    </div>

</div>

<!-- Right Side: Feedback Form -->

<div class="reveal reveal-right">

    <?php if ($alert): ?>

        <div style="margin-bottom: 24px; padding: 16px; border-radius: 12px; background:
        <?php echo $alert['type'] == 'success' ? 'rgba(34, 197, 94, 0.1)' : 'rgba(239, 68, 68, 0.1)'; ?>; border: 1px
        solid <?php echo $alert['type'] == 'success' ? 'rgba(34, 197, 94, 0.3)' : 'rgba(239, 68, 68, 0.3)'; ?>; color:
        <?php echo $alert['type'] == 'success' ? '#22c55e' : '#ef4444'; ?>; font-weight: 700; text-align: center;">

            <?php echo $alert['message']; ?>

        </div>

    <?php endif; ?>

    <div style="background: rgba(15, 23, 42, 0.4); backdrop-filter: blur(20px); border: 1px
    solid var(--border); padding: 40px; border-radius: 32px; box-shadow: 0 30px 60px rgba(0,0,0,0.5);">

        <form action="index.php" method="POST" class="reveal-stagger" style="display:
        grid; gap: 20px;">

            <div class="input-group-premium">

                <label>Full Name</label>

                <div class="input-wrapper-premium"><i class="fas fa-user"></i><input
                type="text" name="name" placeholder="John Doe" required></div>

            </div>

            <div class="input-group-premium">

                <label>Email Address</label>

                <div class="input-wrapper-premium"><i class="fas fa-envelope"></i><input
                type="email" name="email" placeholder="john@example.com" required></div>

            </div>

            <div class="input-group-premium">

                <label>Your Message / Feedback</label>

                <textarea name="message" placeholder="Tell us how we can help..." required
                style="width: 100%; height: 120px; background: var(--input-bg); border: 1px solid var(--border);
                border-radius: 14px; padding: 16px; color: var(--text); font-family: inherit; font-weight: 600; font-size:
                0.95rem; resize: none; outline: none; transition: var(--transition);"
                onfocus="this.style.borderColor='var(--accent)'; this.style.boxShadow='0 0 4px var(--accent-soft)'"
                onblur="this.style.borderColor='var(--border)'; this.style.boxShadow='none'"></textarea>

```

```

        </div>

        <input type="hidden" name="submit_feedback" value="1">

        <button type="submit" class="btn-search-premium hover-glow" style="margin-top:
10px; height: 56px;">Send Message <i class="fas fa-paper-plane" style="margin-left:
8px;"></i></button>

    </form>

</div>

</div>

</div>

</section>

</div>

<!-- PREMIUM FOOTER -->

<footer style="background: rgba(15, 23, 42, 0.95); border-top: 1px solid var(--border); padding:
80px 40px 40px; margin-top: 60px; position: relative; z-index: 10; backdrop-filter: blur(25px);">

    <div style="max-width: 1200px; margin: 0 auto; display: grid; grid-template-columns:
repeat(auto-fit, minmax(220px, 1fr)); gap: 48px; margin-bottom: 60px;">

        <!-- Column 1: Brand Info -->

        <div style="display: flex; flex-direction: column; gap: 20px;">

            <a href="index.php" style="display: flex; align-items: center; gap: 10px; text-decoration:
none; color: #fff;">

                <i class="fas fa-car-side" style="color: var(--accent); font-size: 1.8rem; filter: drop-
shadow(0 0 8px var(--accent-glow));"></i>

                <span style="font-size: 1.6rem; font-weight: 800; letter-spacing: -1.2px; color:
#fff;">Ridezo</span>

            </a>

            <p style="color: var(--text-muted); font-size: 0.85rem; line-height: 1.6; font-weight: 500;">

                Vehicle rental simplified. Connecting verified vehicle owners and renters across India
                with state-of-the-art telemetry and zero hidden costs.

            </p>

            <div style="display: flex; gap: 12px; margin-top: 10px;">

                <a href="#" style="width: 38px; height: 38px; display: flex; align-items: center; justify-
content: center; background: rgba(255,255,255,0.03); border: 1px solid var(--border); border-radius:
50%; color: var(--text-muted); text-decoration: none; transition: all 0.3s ease;"
onmouseover="this.style.borderColor='var(--accent)'; this.style.color='var(--accent)';
this.style.background='var(--accent-soft)'; this.style.transform='translateY(-3px)';"

```



```
onmouseout="this.style.borderColor='var(--border)'; this.style.color='var(--text-muted)';
this.style.background='rgba(255,255,255,0.03)'; this.style.transform='none';"><i class="fab fa-
facebook-f"></i></a>
```

```
<a href="#" style="width: 38px; height: 38px; display: flex; align-items: center; justify-
content: center; background: rgba(255,255,255,0.03); border: 1px solid var(--border); border-radius:
50%; color: var(--text-muted); text-decoration: none; transition: all 0.3s ease;"
onmouseover="this.style.borderColor='var(--accent)'; this.style.color='var(--accent)';
this.style.background='var(--accent-soft)'; this.style.transform='translateY(-3px)';"
onmouseout="this.style.borderColor='var(--border)'; this.style.color='var(--text-muted)';
this.style.background='rgba(255,255,255,0.03)'; this.style.transform='none';"><i class="fab fa-
twitter"></i></a>
```

```
<span style="color: var(--text-muted); font-size: 0.85rem; font-weight:
600;">support@ridezo.com</span>
```

```
</div>
```

```
<div style="display: flex; align-items: center; gap: 10px;">
```

```
<i class="fas fa-map-marker-alt" style="color: var(--accent); font-size: 0.95rem;
width: 20px;"></i>
```

```
<span style="color: var(--text-muted); font-size: 0.85rem; font-weight:
600;">Mumbai, Maharashtra, India</span>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<!-- Divider -->
```

```
<div style="width: 100%; height: 1px; background: var(--border); margin-bottom:
30px;"></div>
```

```
<!-- Footer Bottom -->
```

```
<div style="max-width: 1200px; margin: 0 auto; display: flex; justify-content: space-between;
align-items: center; flex-wrap: wrap; gap: 20px;">
```

```
<p style="color: var(--text-muted); font-size: 0.75rem; font-weight: 600;">
```

```
&copy; <?php echo date('Y'); ?> Ridezo Premium. All rights reserved.
```

```
</p>
```

```
<div style="display: flex; gap: 24px;">
```

```
    <a href="policies.php?tab=privacy" style="color: var(--text-muted); font-size: 0.75rem;
font-weight: 600; text-decoration: none; transition: var(--transition);"
onmouseover="this.style.color='var(--accent)';" onmouseout="this.style.color='var(--text-
muted)';">Privacy Policy</a>
```

```
    <a href="policies.php?tab=terms" style="color: var(--text-muted); font-size: 0.75rem; font-
weight: 600; text-decoration: none; transition: var(--transition);" onmouseover="this.style.color='var(--
accent)';" onmouseout="this.style.color='var(--text-muted)';">Terms of Service</a>
```

```
  </div>
```

```
</div>
```

```
</footer>
```

```
</div>
```

```
</main>
```

```
<script>
```

```
  // Slideshow Logic
```

```
  const slides = document.querySelectorAll('.slide');
```

```
  if (slides.length > 1) {
```

```
    let currentSlide = 0;
```

```
    function nextSlide() {
```

```
      slides[currentSlide].classList.remove('active');
```

```
      currentSlide = (currentSlide + 1) % slides.length;
```

```
      slides[currentSlide].classList.add('active');
```

```
    }
```

```
    setInterval(nextSlide, 3500);
```

```
  }
```

```
  // Advanced Reveal Animation
```

```
  function reveal() {
```

```
    // Navbar Scroll Logic
```

```
    const nav = document.querySelector('.top-nav');
```

```
    if (window.scrollY > 50) {
```

```
      nav.classList.add('scrolled');
```

```
    } else {
```

```
      nav.classList.remove('scrolled');
```

```

    }

    var reveals = document.querySelectorAll(".reveal, .reveal-stagger");
    for (var i = 0; i < reveals.length; i++) {
        var windowHeight = window.innerHeight;
        var elementTop = reveals[i].getBoundingClientRect().top;
        var elementVisible = 50;

        if (elementTop < windowHeight - elementVisible) {
            reveals[i].classList.add("active");
        } else if (elementTop > windowHeight) {
            // Optional: Remove active class if user scrolls back up significantly
            // reveals[i].classList.remove("active");
        }
    }
}

window.addEventListener("scroll", reveal);
document.addEventListener("DOMContentLoaded", reveal);
</script>
</body>
</html>

```

```

<?php
session_start();
require '../app/config.php';

if (!isset($_GET['id']) || empty($_GET['id'])) {
    header("Location: ../main/index.php");
    exit();
}

```

```

$is_logged_in = isset($_SESSION['user_id']);

```

```

$user_name = $_SESSION['name'] ?? $_SESSION['user_name'] ?? 'Guest';

$user_role = $_SESSION['role'] ?? $_SESSION['user_role'] ?? null;


$dashboard_link = "../app/login.php?msg=unauthorized";

if ($is_logged_in) {
    if ($user_role === 'Admin') $dashboard_link = "../admin/dashboard.php";
    elseif ($user_role === 'Seller') $dashboard_link = "../app/seller/dashboard.php";
    else $dashboard_link = "../app/customer/dashboard.php";
}


$bookings_link = $is_logged_in ? ($user_role === 'Customer' ? '../app/customer/bookings.php' :
($user_role === 'Seller' ? '../app/seller/bookings.php' : '../admin/bookings.php')) :
'../app/login.php?msg=unauthorized';


$vehicle_id = intval($_GET['id']);

$stmt = $conn->prepare("SELECT v.*, u.name as seller_name FROM vehicles v JOIN users u ON
v.seller_id = u.user_id WHERE v.vehicle_id = ?");

$stmt->bind_param("i", $vehicle_id);

$stmt->execute();

$result = $stmt->get_result();

if ($result->num_rows === 0) {
    header("Location: ../main/index.php");
    exit();
}

$vehicle = $result->fetch_assoc();

$stmt->close();


$image_path = strpos($vehicle['image_url'], 'http') === 0 ? $vehicle['image_url'] : '../app/' .
$vehicle['image_url'];


$image_path = strpos($vehicle['image_url'], 'http') === 0 ? $vehicle['image_url'] : '../app/' .
$vehicle['image_url'];

// Check if saved

```

```

$is_saved = false;

if ($is_logged_in && $user_role === 'Customer') {

    $check_saved = $conn->prepare("SELECT id FROM saved_vehicles WHERE customer_id = ? AND
vehicle_id = ?");

    $check_saved->bind_param("ii", $_SESSION['user_id'], $vehicle_id);

    $check_saved->execute();

    if ($check_saved->get_result()->num_rows > 0) {

        $is_saved = true;
    }

}

.product-info::before {

    content: ""; position: absolute; top: 0; left: 0; right: 0; height: 3px;

    background: linear-gradient(90deg, transparent, var(--accent), transparent); opacity: 0.8;

}

.vehicle-title { font-size: 2.2rem; font-weight: 800; color: #fff; margin: 0 0 10px 0; line-height: 1.2;
letter-spacing: -0.5px; }

.price-display { font-size: 2.5rem; font-weight: 800; color: var(--accent); display: flex; align-items:
baseline; gap: 5px; margin: 10px 0 20px 0; padding-bottom: 20px; border-bottom: 1px solid
rgba(255,255,255,0.05); text-shadow: 0 0 20px rgba(34,197,94,0.3); }

.price-display span { font-size: 1rem; color: var(--text-muted); font-weight: 600; text-shadow:
none; }

.description-box {

    margin-top: 30px;

    background: linear-gradient(145deg, rgba(15,23,42,0.8), rgba(2,6,23,0.9));

    backdrop-filter: blur(10px);

    border-radius: 24px; padding: 30px;

    box-shadow: 0 10px 30px rgba(0,0,0,0.3);

    border: 1px solid rgba(255,255,255,0.05);

}

.product-container {

    max-width: 1200px;

    margin: 140px auto 40px;

```

```
padding: 0 20px;

display: grid;

grid-template-columns: 1fr 400px;

gap: 30px;

}
```

```
.specs-grid { display: grid; grid-template-columns: repeat(4, 1fr); gap: 15px; margin: 30px 0; }

.spec-item {

    display: flex; flex-direction: column; align-items: center; justify-content: center; text-align: center;

    padding: 18px 10px; background: rgba(2,6,23,0.5); border-radius: 16px; border: 1px solid rgba(255,255,255,0.05);

    <a href="../main/explore.php" class="nav-link" style="text-decoration: none; font-weight: 600; font-size: 0.95rem; color: var(--text-muted); transition: all 0.4s;">Explore Vehicles</a>

    <a href="<?php echo $bookings_link; ?>" class="nav-link" style="text-decoration: none; font-weight: 600; font-size: 0.95rem; color: var(--text-muted); transition: all 0.4s;">My Bookings</a>

    <a href="<?php echo $dashboard_link; ?>" class="nav-link" style="text-decoration: none; font-weight: 600; font-size: 0.95rem; color: var(--text-muted); transition: all 0.4s;">Dashboard</a>

    <a href="../main/vehicle-details.php?id=<?php echo $vehicle_id; ?>" class="nav-link" style="text-decoration: none; font-weight: 600; font-size: 0.95rem; color: var(--accent); transition: all 0.4s;"><i class="fas fa-arrow-left"></i> Back to Details</a>

    <?php if ($is_logged_in): ?>

        <div style="display: flex; align-items: center; gap: 16px; margin-left: 10px; background: rgba(255,255,255,0.03); padding: 6px 12px; border-radius: 100px; border: 1px solid var(--border);">

            <div style="display: flex; align-items: center; gap: 8px;">

                <div style="width: 8px; height: 8px; background: var(--accent); border-radius: 50%; box-shadow: 0 0 10px var(--accent-glow);"></div>

                <span style="font-weight: 700; color: #fff; font-size: 0.85rem; letter-spacing: 0.5px;"><?php echo explode(' ', $user_name)[0]; ?></span>

            </div>

            <div style="width: 1px; height: 20px; background: var(--border);"></div>

            <a href="../app/logout.php" class="nav-link" style="text-decoration: none; color: var(--accent); font-weight: 800; font-size: 0.8rem; text-transform: uppercase;">Logout</a>

        </div>

    <?php else: ?>
```

```

        <a href="../app/login.php" class="nav-link btn-login" style="text-decoration: none;
padding: 10px 24px; background: var(--accent); color: var(--primary) !important; border-radius: 14px;
font-weight: 800; transition: all 0.4s; box-shadow: 0 8px 20px rgba(34, 197, 94, 0.2);">Login</a>

```

```

    <?php endif; ?>

```

```

</div>

```

```

</div>

```

```

</nav>

```

```

<div class="product-container">

```

```

    <!-- Left Side: Images & Details -->

```

```

    <div>

```

```

        <div class="product-gallery anim-1">

```

```

            " class="main-image">

```

```

        </div>

```

```

    <div class="description-box anim-2">

```

```

        <h1 class="vehicle-title"><?php echo htmlspecialchars($vehicle['brand']) . ' ' .
$vehicle['model']; ?></h1>

```

```

        <p style="color: var(--text-muted); font-size: 1.1rem; margin-bottom: 30px;"><i class="far fa-
calendar-alt"></i> Model Year: <?php echo htmlspecialchars($vehicle['year']); ?> &bull; <?php echo
htmlspecialchars($vehicle['vehicle_type']); ?></p>

```

```

    <div class="specs-grid">

```

```

        <div class="spec-item">

```

```

            <i class="fas fa-users"></i>

```

```

            <span class="spec-value"><?php echo htmlspecialchars($vehicle['seats']) ?? 4); ?>
Seats</span>

```

```

        </div>

```

```

        <div class="spec-item">

```

```

            <i class="fas fa-gas-pump"></i>

```

```

            <span class="spec-value"><?php echo htmlspecialchars($vehicle['fuel_type']) ?? 'Petrol';
?></span>

```

```

        </div>

```

```

        <div class="spec-item">

```

```

            <i class="fas fa-cog"></i>

```

```

        <span class="spec-value"><?php echo htmlspecialchars($vehicle['transmission'] ??
'Automatic'); ?></span>

    </div>

    <div class="spec-item">

        <i class="fas fa-map-marker-alt"></i>

        <span class="spec-value"><?php echo htmlspecialchars($vehicle['area'] ?? 'City');
?></span>

    </div>

</p>

<script>

    const pickupInput = document.getElementById('pickup');
    const returnInput = document.getElementById('return_date');
    const form = document.getElementById('bookingForm');
    const errorMsg = document.getElementById('dateError');


    // Navbar scroll effect

    window.addEventListener('scroll', () => {

        const nav = document.querySelector('.top-nav');

        if (window.scrollY > 50) {

            nav.classList.add('scrolled');

        } else {

            nav.classList.remove('scrolled');

        }

    });

</script>

</div>

</div>

</body>

</html>

```


6.User Interface

Output Screen Of Project

HOME PAGE:




Figure 6.1





Figure 6.1.2


SIGNUP:



The image shows a login screen for Ridezo. At the top left is the Ridezo logo, which consists of a green car icon and the word "Ridezo". Below the logo, the text "Welcome Back" is displayed in a large, bold, white font. Underneath, in a smaller white font, is the instruction "Log in to manage your rentals". There are two input fields: "Email Address" and "Password", both with white text labels and dark input boxes. Below the password field are two buttons: a white button with a left arrow and the text "Back", and a green button with the text "Sign In" and a right arrow. At the bottom, there is a link "New to Ridezo? Create an account" and another link "Forgot Password?".

Figure 6.2.1

SIGN IN:



The image shows a sign-up screen for Ridezo. At the top, there is a "Profile Photo" section with a camera icon and the text "Click to upload profile photo". Below this is a "Join as:" section with two buttons: "Customer" (highlighted in green) and "Seller". The form then has several input fields: "Full Name", "Email Address", "Phone Number" (with a dropdown menu showing "+91 (IN)"), "Date of Birth" (with a date picker showing "dd-mm-yyyy"), and "License Number" (with a text input showing "E.G. KA-01-2023-12345"). There are also "Password" and "Confirm Password" fields. At the bottom, there are two buttons: a white button with a left arrow and the text "Back", and a green button with the text "Create Account" and a person icon. At the very bottom, there is a link "Already have an account? Sign In".

Figure 6.2.2

EXPLORE PAGE:




Figure 6.3.1




Figure 6.3.2

BOOKING DETAILS:



Maruti suzuki Dzire

Model Year: 2023 • Sedan

4 Seats

Electric

Automatic

Udupi

Description

Maruti Suzuki Dzire

Car Type: Compact Sedan

Description: India's most popular compact sedan. It essentially takes the efficiency of a hatchback and adds a proper, elegant boot space, making it perfect for family trips.

Reserve Your Ride

₹2,000 / day

Pickup Date
dd-mm-yyyy

Return Date
dd-mm-yyyy

[Book Now](#)

[Save Vehicle](#)

Secure checkout powered by Ridezo

Figure 6.3.3

PAYMENT PAGE

BOOKING SUMMARY

Available



Maruti suzuki Dzire
Sedan • 2023

Pickup Location
Udupi

Pick-up
Jun 02, 2026

Return
Jun 05, 2026

Rental Rate	₹2,000 × 3 days
Subtotal	₹6,000.00
GST (18%)	₹1,080.00
Total Amount	₹7,080.00

SSL Secure

Instant Confirm

24/7 Support

CHOOSE PAYMENT METHOD

Card

UPI

Cash

VISA

####

CARD HOLDER
FULL NAME

EXPIRES
MM/YY

CARD HOLDER NAME

e.g. John Doe

CARD NUMBER

0000 0000 0000 0000

EXPIRY
MM/YY

CVV
000

[Pay ₹7,080.00 Securely](#)

Figure 6.3.4

37

BOOKING CONFIRMED:




Figure 6.3.5

PAYMENT RECIEPT




Figure 6.3.6

ADMIN PANEL

DASHBOARD:




Figure 6.3.7

VEHICLES:




Figure 6.3.8

ADDING VEHICLES:

The screenshot shows the 'Add New Vehicle' form in the Ridezo application, specifically the 'Images & Documents' section. The left sidebar contains navigation links: Back, Home, System Dashboard, All Vehicles, Add New Vehicle (highlighted), User Management, Booking Logs, Transactions, and Customer Feedback. The main content area is titled 'Images & Documents' and includes a 'VEHICLE IMAGE (PRIMARY) *' field with a 'Click or drag image here' instruction and a 'Max size: 5MB (JPG, PNG, WebP)' note. To the right of this field are two 'Choose File' buttons, one for 'REGISTRATION DOC (RC) *' and one for 'INSURANCE POLICY *', both with 'No file chosen' text. Below these fields is the 'Basic Information' section, which contains several input fields: 'BRAND *' (with 'e.g. Toyota' as a placeholder), 'MODEL *' (with 'e.g. Fortuner' as a placeholder), 'MANUFACTURING YEAR *' (with '2024' as a placeholder), 'VEHICLE TYPE *' (a dropdown menu with 'Select Type' as the placeholder), 'LICENSE PLATE *' (with 'E.G. MH12AB1234' as a placeholder), and 'SEATING CAPACITY *' (with '5' as a placeholder). At the bottom left of the sidebar is a 'Sign Out' link.

Figure 6.3.9

The screenshot shows the 'Add New Vehicle' form in the Ridezo application, specifically the 'Specifications' section. The left sidebar is identical to the previous screenshot, with 'Add New Vehicle' highlighted. The main content area is titled 'Specifications' and includes two date pickers for 'Availability Range': 'AVAILABLE FROM *' and 'AVAILABLE UNTIL *', both with 'dd-mm-yyyy' as a placeholder. Below these are two dropdown menus for 'FUEL TYPE *' and 'TRANSMISSION *', both with 'Select Fuel Type' and 'Select Transmission' as placeholders. The 'RENTAL PRICE PER DAY (₹) *' field has a placeholder of '1500'. The 'DESCRIPTION *' field has a placeholder of 'Describe your vehicle...'. At the bottom of the form are two buttons: a 'Back' button and a green '+ Add Vehicle Directly' button. The 'Sign Out' link is also present at the bottom left of the sidebar.

Figure 6.3.10

SELLER PANEL

SELLER HOMEPAGE:




Figure 6.3.11

SELLER PROFILE:




Figure 6.3.12

7. Testing

i. Introduction

Testing and implementation is the process, which tells the reality efficiency and the flexibility of the system design. Reliability means how much the user is expecting from the system. Flexibility tells how much the user is comfortable and hopes additional facilities with the system.

Testing: Testing is vital to the success of the system. System testing makes a logical assumption that if all the part of the system is correct, the goal will be successively achieved. It is a critical element of software quality assurance and represents the ultimate review of specification design and coding. Testing presents interesting anomaly of the software. The testing phase involves testing of system using various test data. The first test of system to see whether it produces the correct output. When the software is tested the actual output is tested with the expected output. If there is a discrepancy the sequence of instruction must be traced to determine the problem. Breaking the program down into self-contained portions, each of which can be checked at certain key points facilitates the process. The best program is worthless if it does not meet needs. The first step in system testing is to prepare a plan that will test all aspects of the system in a way that promotes its credibility among potential users. The design phase focuses on the detail implementation of the system recommended in the feasibility study. Emphasis is on translating performance specification into design specification. The design phase is a transition from a user-oriented document to document oriented to the programmers or database personnel. System design goes through two phases of development, logical and physical design. The logical design describes the input, output, database and procedures. Example: Dataflow Diagram. The physical design procures the working system by defining specification that tells the programmers exactly that what the candidate's system must do. The development of software system involves a series of production activities where opportunities for injunction of human error are enormous. Error may occur at the very imperfectly specified as well as later design and development stages. Because of human inability to perform and perfection, software development is followed by a quantity assurance activity. Quantity assurance also places a vital role in the whole development of the system. The quantity assurance whole of the testing phase is the testing phase is to assure that completeness accuracy of the system and minimize the testing process. In the implementation phase, the goal is to provide a logical order of the testing the common view is to eliminate program errors. This is extremely difficult and time consuming since designer cannot prove 100% accuracy. Therefore, all that can be one is to put system through a "fail test" cycle-determine what will make it fail. A successful, then is one that find errors.

ii. Test Reports

a. Unit Testing:

Unit testing focuses on verification efforts on the smallest unit of software design module. Using the unit test plans, prepared in the design phase of the system as guide important control paths are tested to uncover error within the boundary of the module. The interfaces of the each of the module under consideration are tested. Boundary condition was checked. All independent phases were exercised to ensure error handling path was tested. Each unit was thoroughly tested to check if it might fail in any possible situation. This testing was carried out during the programming itself. At the end of the testing phase, each unit was found to be working satisfactorily, as regarded to the expected output from the module.

b. Integration Testing:

Data can lose across an interface one module can have an adverse effect on another's sub function, when combined may not produce the desired major function. Global data structure can present problems. Integration testing is a symmetric testing for constructing tests to unrecovered error associated with the interface .all modules are combined in these testing steps. Then the entire program was tested as a whole.

c. System Testing:

Software testing is a critical element of software quantity assurance and represents the ultimate review of specifications, design and coding. The testing phase involves the testing of testing system using various test data. Preparation of test data plays a vital role in the system testing. After preparing the test data, the system under study is tested. Those test data, error was found and corrected by following testing steps and corrections were recorded for future reference. Thus, a series testing is performed on the system before it is ready for implementation.

The various type of testing on system is:

- Unit testing
- Integrated testing
- Validation testing
- Output testing
- User acceptance testing

Validation Testing:

At the Culmination of the integration testing the software has completely assembled as a package interfacing error have been uncovered and corrected and a final series of software validation testing begins. Here we test the system n a manner that can be reasonably expected by the customer, the system is tested against the system requirement specification.

Output Testing:

After performing validation test the next phase is output test the system, since no system could be useful if it does not produce the desired output in the desired format. By considering the format of the report/output format is considered in two ways: one is the screen and the other is on the printed form.

User-Acceptance Testing:

User acceptance test of the system is factor for the success of the system. The system under Consideration was listed for the user acceptance by keeping constant touch with the perspective user of the system at the time of design, development and making changes.

Test case:1

Objectives: Test for incorrect email or password in login page.

Test data :

Valid – Correct email and correct password should allow user login.

Invalid – Incorrect email or incorrect password should not allow login.

Output:

Valid – User is redirected to the home page/dashboard.

Invalid – Show alert message “Invalid email or password”.

Result:

Valid – User login is successful.

Invalid – User login fails and access is denied.

Conclusion: Both the valid and invalid results are tested. Output matches with the required results hence the test case is successful.

Test case:2

Objectives: Test for creating strong password.

Test data :

Valid – Password must contain atleast 6 characters including at least one special character, one number,one uppercase letter and lowercase letter.

Invalid – Password l than 6 characters or without special character.

Output:

Valid – Password is accepted and account can be created.

Invalid – Show validation message for weak password.

Result:

Valid – Strong password is stored successfully.

Invalid – Weak password is rejected.

Conclusion: Both the valid and invalid results are tested. Output matches with the required results hence the test case is successful.

Test case:3

Objectives: Test for entering mobile number.

Test data :

Valid – Only numbers are allowed and must contain exactly 10 digits.

Invalid – Non-numeric characters or less/more than 10 digits.

Output:

Valid – Allows record to be added to the database.

Invalid – Show alert message.

Result:

Valid – Record will be saved successfully.

Invalid – Record will not be saved.

Conclusion: Both the valid and invalid results are tested. Output matches with the required results hence the test case is successful.

Test case:4

Objectives: Test for incorrect OTP verification.

Test data :

Valid – Correct OTP entered within valid time period.

Invalid – Incorrect or expired OTP entered.

Output:

Valid – OTP verification successful and process continues.

Invalid – Show alert message “Invalid OTP”.

Result:

Valid – User verification completed successfully.

Invalid – Verification fails and access is denied.

Conclusion: Both the valid and invalid results are tested. Output matches with the required results hence the test case is successful.

Limitations:

1. Limited to local hosting (XAMPP) - not deployed on cloud.
2. Geographic scope limited to karnataka only.
3. No mobile application support (web-only access).
- 4.No seller and customer messaging.

Scope for Enhancement:

The Vehicle rental system can be further improved by adding advanced features and expanding platform capabilities in future versions.

Future Enhancements

1. Mobile Application Development
2. Seller customer messaging
3. AI-Based Recommendations
4. Geographic Expansion
5. Real-Time Notifications

Conclusion:

The Ridezo– Smart Vehicle rental System was successfully developed and tested using modern web technologies such as HTML, CSS, JavaScript, PHP, and MySQL. The system effectively simplifies the process of searching, booking, and managing vehicles services through a centralized online platform. Features such as vehicle browsing, booking management, online payment, review system, and admin management were implemented successfully. The testing results confirmed that all modules function correctly, securely, and efficiently without major errors.

The project helped in gaining practical knowledge in full-stack web development, database management, system design, and software testing. The platform provides a user-friendly and reliable solution for event planning and service booking. Future enhancements such as mobile application support, AI-based recommendations, real-time notifications, and seller and customer messaging can further improve the system and increase its usability on a larger scale.

Abbreviations and Acronyms:

Abbreviation	Full Form
SRS	Software Requirement Specification
DFD	Data Flow Diagram
ER Diagram	Entity Relationship Diagram
UI	User Interface
DBMS	Database Management System
HTML	Hyper Text Markup Language
CSS	Cascading Style Sheets
PHP	Hypertext Preprocessor
SQL	Structured Query Language
MySQL	My Structured Query Language
IDE	Integrated Development Environment
API	Application Programming Interface
HTTP	Hyper Text Transfer Protocol
HTTPS	Hyper Text Transfer Protocol Secure
OTP	One Time Password
RAM	Random Access Memory
OS	Operating System
URL	Uniform Resource Locator

Bibliography / References:

References

1. Duckett, J. (2011). *HTML and CSS: Design and Build Websites*. John Wiley & Sons.
2. Duckett, J. (2014). *JavaScript and jQuery: Interactive Front-End Web Development*. John Wiley & Sons.
3. W3Schools. (2024). PHP Tutorial. Available at:
<https://www.w3schools.com/php/>
4. PHP.net. (2024). PHP Official Documentation. Available at:
<https://www.php.net/docs.php>
5. MySQL Documentation. (2024). MySQL 8.0 Reference Manual. Available at:
<https://dev.mysql.com/doc/>
6. OpenAI. (2024). ChatGPT (GPT-4). AI language model reference tool. Available at:
<https://chat.openai.com/>

