EXPLORER
USER-STORY-TO-TESTS
backend
frontend
node_modules
.env
.gitignore
package-lock.json
package.json

Open Chat Ctrl + Alt + I
Show All Commands Ctrl + Shift + P
Open Settings Ctrl + ,

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

```
PS C:\Users\chait\OneDrive\Documents\GenAI\Notes\Week3Day2\user-story-to-tests (2)\user-story-to-tests\frontend>
```

CHAT
JIRA INTEGRATION IMPLEMENTATION STEPS FOR CODEBASE

autopopulated
as dropdown)

REFER MY POSTMAN COLLECTION

JiraCollection.postman_collection.json

Reviewed 4 files

Continue to iterate?

Copilot has been working on this problem for a while. It can continue to iterate, or you can send a new message to refine your prompt. Configure max requests.

Selected "Continue"

Read App.tsx, lines 1 to 50
Read generate.ts, lines 1 to 50
Read .env
Read server.ts, lines 1 to 50
Read App.tsx, lines 1 to 50
Analyzing

Ask a question about your code or project

Ask Auto

EXPLORER
OPEN EDITORS
.env (changes from chat)
USER-STORY-TO-TESTS
backend
frontend
node_modules
.env
.gitignore
package-lock.json
package.json

.env (changes from chat)

```
PORT=8091
CORS_ORIGIN=http://localhost:5173
groq_API_BASE=https://api.groq.com/openai/v1
groq_API_KEY=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
groq_MODEL=meta-llama/llama-4-scout-17b-16e-instruct

# Jira Configuration
JIRA_EMAIL=your-jira-email@example.com
JIRA_API_KEY=your-jira-api-key
JIRA_BASE_URL=https://your-domain.atlassian.net
```

Keep Undo 4 of 5

PROBLEMS OUTPUT TERMINAL PORTS DEBUG CONSOLE

```
PS C:\Users\chait\OneDrive\Documents\GenAI\Notes\Week3Day2\user-story-to-tests (2)\user-story-to-tests\frontend>
```

CHAT
JIRA INTEGRATION IMPLEMENTATION STEPS FOR CODEBASE

configurable
[CRITICAL] Fetch the Projects from Jira (Projects should be autopopulated as dropdown)
[CRITICAL] Fetch User stories for the project (user stories should be autopulated
as dropdown)

REFER MY POSTMAN COLLECTION

JiraCollection.postman_collection.json

Reviewed 6 files and created jira.ts +10 -0

Run pwsh command within
C:\Users\chait\OneDrive\Documents\GenAI\Notes\Week3Day2\user-story-to-tests (2)\user-story-to-tests\backend ?

```
npm run typecheck
```

Allow Skip

3 files changed +116 -1 Keep Undo
.env +5 -0
jira.ts backend\src\routes +106 -1
server.ts backend\src +5 -0

Describe what to build

Agent Auto

EXPLORER
OPEN EDITORS
jira.ts (changes from chat)
USER-STORY-TO-TESTS
backend
src
llm
routes
generate.ts
jira.ts
prompt.ts
schemas.ts
server.ts
package.json
tsconfig.json
frontend
node_modules
.env
.gitignore
package-lock.json
package.json

jira.ts (changes from chat)
backend > src > routes > jira.ts > jiraRouter

Keep Undo

```
import express from 'express'
import axios from 'axios'

export const jiraRouter = express.Router()

// Fetch all projects
jiraRouter.get('/projects', async (req: express.Request, res: express.Response):
  try {
    const jiraEmail = process.env.JIRA_EMAIL
    const jiraApiKey = process.env.JIRA_API_KEY
    const jiraBaseUrl = process.env.JIRA_BASE_URL

    if (!jiraEmail || !jiraApiKey || !jiraBaseUrl) {
      res.status(500).json({
        error: 'Jira configuration missing. Please set JIRA_EMAIL, JIRA_API_KEY,
      })
      return
    }

    const auth = Buffer.from(`${jiraEmail}:${jiraApiKey}`).toString('base64')

    const response = await axios.get(`${jiraBaseUrl}/rest/api/3/project`, {
      headers: {
```

Keep Undo 5 of 5

PROBLEMS 39 OUTPUT TERMINAL PORTS DEBUG CONSOLE

```
PS C:\Users\chait\OneDrive\Documents\GenAI\Notes\Week3Day2\user-story-to-tests (2)\user-story-to-tests\frontend>
```

CHAT
JIRA INTEGRATION IMPLEMENTATION STEPS FOR CODEBASE

configurable
[CRITICAL] Fetch the Projects from Jira (Projects should be autopopulated as dropdown)
[CRITICAL] Fetch User stories for the project (user stories should be autopulated
as dropdown)

REFER MY POSTMAN COLLECTION

JiraCollection.postman_collection.json

Reviewed 6 files and created jira.ts +10 -0

Ran cd backend ; npm run typecheck

Run pwsh command within
C:\Users\chait\OneDrive\Documents\GenAI\Notes\Week3Day2\user-story-to-tests (2)\user-story-to-tests\backend ?

```
npm run typecheck
```

Allow Skip

3 files changed +116 -1 Keep Undo
.env +5 -0
jira.ts backend\src\routes +106 -1
server.ts backend\src +5 -0

jira.ts

Describe what to build

Agent Auto

```
import path from 'path'
import { generateRouter } from './routes/generate'
import { jiraRouter } from './routes/jira'

// Load environment variables from root directory
const envPath = path.join(__dirname, '../../.env')
console.log(`Loading .env from: ${envPath}`)
dotenv.config({ path: envPath })

// Debug environment variables
console.log('Environment variables loaded:')
console.log(`PORT: ${process.env.PORT}`)
console.log(`CORS_ORIGIN: ${process.env.CORS_ORIGIN}`)
console.log(`groq_API_BASE: ${process.env.groq_API_BASE}`)
console.log(`groq_API_KEY: ${process.env.groq_API_KEY ? 'SET' : 'NOT SET'}`)
console.log(`groq_MODEL: ${process.env.groq_MODEL}`)
console.log(`JIRA_EMAIL: ${process.env.JIRA_EMAIL}`)
console.log(`JIRA_API_KEY: ${process.env.JIRA_API_KEY ? 'SET' : 'NOT SET'}`)
console.log(`JIRA_BASE_URL: ${process.env.JIRA_BASE_URL}`)

const app = express()
const PORT = process.env.PORT || 8080
```

```
PS C:\Users\chait\OneDrive\Documents\GenAI\Notes\Week3Day2\user-story-to-tests (2)\user-story-to-tests\frontend>
```

```
npm error Lifecycle script `typecheck` failed with er
npm error code 2
npm error path C:\Users\chait\OneDrive\Documents\GenA
y-to-tests (2)\user-story-to-tests\backend
npm error workspace backend@1.0.0
npm error location C:\Users\chait\OneDrive\Documents\
story-to-tests (2)\user-story-to-tests\backend
npm error command failed
npm error command C:\WINDOWS\system32\cmd.exe /d /s /
```

```
PS C:\Users\chait\OneDrive\Documents\GenAI\Notes\Week3Day2\user-story-to-tests (2)\user-story-to-tests\frontend>
```

```
npm error command failed
npm error command C:\WINDOWS\system32\cmd.exe /d /s
```

```
cd "c:\Users\chait\OneDrive\Documents\GenAI\Notes\Week3Day2\user-story-to-tests (2)\user-story-to-tests\backend" ; npm run typecheck
```

```
npm error Lifecycle script `typecheck` failed with
npm error code 2
npm error path C:\Users\chait\OneDrive\Documents\Ge
y-to-tests (2)\user-story-to-tests\backend
npm error workspace backend@1.0.0
npm error location C:\Users\chait\OneDrive\Document
story-to-tests (2)\user-story-to-tests\backend
npm error command failed
npm error command C:\WINDOWS\system32\cmd.exe /d /s
```

```
PS C:\Users\chait\OneDrive\Documents\GenAI\Notes\Week3Day2\user-story-to-tests (2)\user-story-to-tests\frontend>
```

```
PORT=8091
CORS_ORIGIN=http://localhost:5173
groq_API_BASE=https://api.groq.com/openai/v1
groq_API_KEY=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
groq_MODEL=meta-llama/llama-4-scout-17b-16e-instruct

# Jira Configuration
JIRA_EMAIL=chaithrahs.vvce@gmail.com
JIRA_API_KEY=ATATT3xFfGF07TFisIE7QXSRXSGi_Geim20CGSqeHAr5J1FV5ej5K-wD5eMjLy38kVT
JIRA_BASE_URL=https://chaithrahsvvce.atlassian.net
```

```
PS C:\Users\chait\OneDrive\Documents\GenAI\Notes\Week3Day2\user-story-to-tests (2)\user-story-to-tests\frontend>
```

JIRA INTEGRATION IMPLEMENTATION STEPS FOR CODEBASE

by the backend.

What was wrong

- The backend was calling a deprecated/removed Jira search endpoint.
- Jira returned `410 Gone` with:
  - `The requested API has been removed. Please migrate to the /rest/api/3/search/jql API.`

So the backend was effectively asking Jira with the wrong API URL.

What I fixed

- Updated `jira.ts`
- Changed the user-story fetch to use:
  - `GET https://<your-jira-base>/rest/api/3/search/jql`
- Kept the JQL search query valid

Result

- `http://localhost:8091/api/jira/user-stories?projectKey=GH`
- Now returns `200 OK` with actual `userStories` data

Important note

Backlog issues are not fetched by a separate backlog endpoint. If they belong to the selected project and match the JQL, they will be returned by `/search/jql`.


EXPLORER
OPEN EDITORS
.env
tsconfig.json backend
USER-STORY-TO-TESTS
backend
frontend
node_modules
src
components
api.ts
App.tsx
main.tsx
types.ts
vite-env.d.ts
.env
index.html
package.json
tsconfig.json
tsconfig.node.json
vite.config.ts
node_modules
.env
.gitignore
package-lock.json
package.json
.env
tsconfig.json 1
backend > tsconfig.json > ...
{
"compilerOptions": {
"target": "ES2022",
"module": "commonjs",
"lib": ["ES2022"],
"outDir": "./dist",
"rootDir": "./src",
"strict": true,
"esModuleInterop": true,
"skipLibCheck": true,
"forceConsistentCasingInFileNames": true,
"declaration": true,
"declarationMap": true,
"sourceMap": true,
"removeComments": true,
"noImplicitAny": true,
"strictNullChecks": true,
"strictFunctionTypes": true,
"noImplicitThis": true,
"noImplicitReturns": true,
"noFallthroughCasesInSwitch": true,
"moduleResolution": "node",
"allowSyntheticDefaultImports": true,
PROBLEMS 1
OUTPUT
TERMINAL
PORTS
DEBUG CONSOLE
PS C:\Users\chait\OneDrive\Documents\GenAI\Notes\Week3Day2\user-story-to-tests (2)\user-story-to-tests\frontend>
powershell
powershell backend
powershell frontend
CHAT
JIRA INTEGRATION IMPLEMENTATION STEPS FOR CODEBASE
proceed
Reviewed and updated api.ts and App.tsx +194 -6
Run pwsh command?
cd "c:\Users\chait\OneDrive\Documents\GenAI\Notes\Week3Day2\user-story-to-tests (2)\user-story-to-tests\frontend" ; npm run build
Allow
Skip
2 files changed +193 -5
Keep
Undo
api.ts frontend\src +49 -1
App.tsx frontend\src +144 -4
tsconfig.json
Describe what to build
Agent
Auto


EXPLORER
OPEN EDITORS
.env
USER-STORY-TO-TESTS
backend
src
schemas.ts
server.ts
package.json
tsconfig.json 1
frontend
dist
node_modules
src
components
api.ts
App.tsx
main.tsx
types.ts
vite-env.d.ts
.env
index.html
package.json
tsconfig.json
tsconfig.node.json
vite.config.ts
node_modules
.env
.gitignore
package-lock.json
package.json
.env
PORT=8091
CORS_ORIGIN=http://localhost:5173
groq_API_BASE=https://api.groq.com/openai/v1
groq_API_KEY=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
groq_MODEL=meta-llama/llama-4-scout-17b-16e-instruct
# Jira Configuration
JIRA_EMAIL=chaithrahs.vvce@gmail.com
JIRA_API_KEY=ATATT3xFfGF07TFisIE7QX5RXSGi_Geim20CGSqeHAr5J1FV5ej5K-wD5eMjLy38kVT
JIRA_BASE_URL=https://chaithrahsvvce.atlassian.net
PROBLEMS 1
OUTPUT
TERMINAL
PORTS
DEBUG CONSOLE
PS C:\Users\chait\OneDrive\Documents\GenAI\Notes\Week3Day2\user-story-to-tests (2)\user-story-to-tests\frontend>
powershell
powershell backend
powershell frontend
CHAT
JIRA INTEGRATION IMPLEMENTATION STEPS FOR CODEBASE
why it is not pulling description and acceptance criteria?
Pasted Image
Reviewing the code to confirm how Jira description is transformed and whether acceptance criteria is being sourced correctly.
Searched for regex patterns and updated Jira integration
I found the bug: Jira returns rich-text description as an object, and the frontend writes that object directly into textareas. I'm converting it to plain text so both fields display properly.
Updated jira.ts and considered backend server processes +30 -7
Run pwsh command?
cd "c:\Users\chait\OneDrive\Documents\GenAI\Notes\Week3Day2\user-story-to-tests (2)\user-story-to-tests\backend" ; npm run typecheck
Allow
Skip
1 file changed +30 -7
Keep
Undo
jira.ts backend\src\routes +30 -7
.env
Describe what to build
Agent
Auto

localhost:5173

Select User Story

GN-26: Employee Profile Employee Self

Story Title *

Employee Profile Employee Self

Description

```
[object Object]
```

Acceptance Criteria *

```
[object Object]
```

Additional Info

```
Status: To Do
Reporter: chaithra hs
```

EXPLORER

OPEN EDITORS

USER-STORY-TO-TESTS

backend

src

llm

routes

generate.ts

jira.ts

prompt.ts

schemas.ts

server.ts

package.json

tsconfig.json

frontend

node_modules

.env

.gitignore

package-lock.json

package.json

OUTLINE

Open Chat Ctrl + Alt + I

Show All Commands Ctrl + Shift + P

Open Settings Ctrl + ,

PROBLEMS 1 OUTPUT TERMINAL PORTS DEBUG CONSOLE

PS C:\Users\chait\OneDrive\Documents\GenAI\Notes\Week3Day2\user-story-to-tests (2)\user-story-to-tests\frontend>

powershell

powershell backend

powershell frontend

CHAT

JIRA INTEGRATION IMPLEMENTATION STEPS FOR CODEBASE

What was implemented:

1. **Jira Router** (jira.ts):
   - GET /api/jira/projects - Fetches all Jira projects using basic auth
   - GET /api/jira/user-stories?projectKey=XXX - Fetches user stories for a specific project using JQL query
   - Uses configurable environment variables for email, API key, and base URL
   - Proper error handling and validation
2. **Server Integration** (server.ts):
   - Added Jira router import and route registration
   - Updated debug logs to include Jira environment variables
3. **Environment Configuration** (.env):
   - Added placeholders for JIRA_EMAIL , JIRA_API_KEY , JIRA_BASE_URL
   - These need to be configured with your actual Jira credentials
4. **Authentication:**
   - Uses Basic Authentication with email:API key (as shown in your Postman collection)
   - Base64 encoded credentials sent in Authorization header

API Endpoints Ready:

- GET http://localhost:8091/api/jira/projects - Returns list of projects
- GET http://localhost:8091/api/jira/user-stories?projectKey=SCRUM -

Describe what to build

Agent Auto

EXPLORER

OPEN EDITORS

USER-STORY-TO-TESTS

backend
- src
  - llm
  - routes
    - generate.ts
    - jira.ts
  - prompt.ts
  - schemas.ts
  - server.ts
- package.json
- tsconfig.json 1
- frontend
- node_modules
- .env
- .gitignore
- package-lock.json
- package.json

Open Chat Ctrl + Alt + I

Show All Commands Ctrl + Shift + P

Open Settings Ctrl + ,

PROBLEMS 1 OUTPUT TERMINAL PORTS DEBUG CONSOLE

```
PS C:\Users\chait\OneDrive\Documents\GenAI\Notes\Week3Day2\user-story-to-tests (2)\user-story-to-tests\frontend>
```

powershell
powershell backend
powershell frontend

CHAT

JIRA INTEGRATION IMPLEMENTATION STEPS FOR CODEBASE

Postman Collection)

- Base64 encoded credentials sent in Authorization header

API Endpoints Ready:

- `GET http://localhost:8091/api/jira/projects` - Returns list of projects
- `GET http://localhost:8091/api/jira/user-stories?projectKey=SCRUM` - Returns user stories for project

Next Steps:

To proceed with frontend implementation, you need to:

1. **Configure Jira credentials** in `.env` :
   - `JIRA_EMAIL=your-email@example.com`
   - `JIRA_API_KEY=your-api-key`
   - `JIRA_BASE_URL=https://your-domain.atlassian.net`
2. **Test the backend** by starting the server and making requests to verify Jira connectivity

Do you approve proceeding to the frontend implementation? Once approved, I'll add:

- Project dropdown that fetches from `/api/jira/projects`
- User story dropdown that fetches from `/api/jira/user-stories` based on selected project
- Auto-populate the form fields when a user story is selected
- Update the UI to accommodate the new dropdowns

Describe what to build

Agent Auto

OUTLINE

EXPLORER

OPEN EDITORS
- .env

USER-STORY-TO-TESTS

backend
- src
  - llm
  - routes
    - generate.ts
    - jira.ts
  - prompt.ts
  - schemas.ts
  - server.ts
- package.json
- tsconfig.json 1
- frontend
- node_modules
- .env
- .gitignore
- package-lock.json
- package.json

.env

```
PORT=8091
CORS_ORIGIN=http://localhost:5173
groq_API_BASE=https://api.groq.com/openai/v1
groq_API_KEY=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
groq_MODEL=meta-llama/llama-4-scout-17b-16e-instruct

# Jira Configuration
JIRA_EMAIL=chaithrahs.vvce@gmail.com
JIRA_API_KEY=ATATT3xFfGF07TFisIE7QXSRXSGi_Geim20CGSqeHAr5J1FV5ej5K-wD5eMjLy38kVT
JIRA_BASE_URL=https://chaithrahsvvce.atlassian.net
```

PROBLEMS 1 OUTPUT TERMINAL PORTS DEBUG CONSOLE

```
PS C:\Users\chait\OneDrive\Documents\GenAI\Notes\Week3Day2\user-story-to-tests (2)\user-story-to-tests\frontend>
```

powershell
powershell backend
powershell frontend

CHAT

JIRA INTEGRATION IMPLEMENTATION STEPS FOR CODEBASE

To proceed with frontend implementation, you need to:

1. **Configure Jira credentials** in `.env` :
   - `JIRA_EMAIL=your-email@example.com`
   - `JIRA_API_KEY=your-api-key`
   - `JIRA_BASE_URL=https://your-domain.atlassian.net`
2. **Test the backend** by starting the server and making requests to verify Jira connectivity

Do you approve proceeding to the frontend implementation? Once approved, I'll add:

- Project dropdown that fetches from `/api/jira/projects`
- User story dropdown that fetches from `/api/jira/user-stories` based on selected project
- Auto-populate the form fields when a user story is selected
- Update the UI to accommodate the new dropdowns

proceed

2 files changed +60 -3 Keep Undo

TS api.ts frontend\src +49 -1

App.tsx frontend\src +11 -2

.env

Describe what to build

Agent Auto

OUTLINE


localhost:5173
Import from Jira
Select a project and user story to automatically populate the form fields below.
Select Project
GenAINew (GN)
Select User Story
GN-26: Employee Profile Employee Self
Story Title *
Employee Profile Employee Self
Description
As a user, I want to employee profile employee self so that the related functionality works as expected.
Acceptance Criteria *
As a user, I want to employee profile employee self so that the related functionality works as expected.
Elements
Styles
Computed
Layout
Event Listeners
DOM Breakpoints
Properties
Console
Issues


localhost:5173
Import from Jira
Select a project and user story to automatically populate the form fields below.
Select Project
GenAINew (GN)
Choose a project...
GenAI (GEN)
GenAINew (GN)
Story Title *
Employee Profile Employee Self
Description
As a user, I want to employee profile employee self so that the related functionality works as expected.
Acceptance Criteria *
As a user, I want to employee profile employee self so that the related functionality works as expected.
Additional Info
Status: To Do
Reporter: chaithra hs
Generate

localhost:5173

Import from Jira

Select a project and user story to automatically populate the form fields below.

Select Project

GenAINew (GN)

Select User Story

GN-26: Employee Profile Employee Self

- Choose a user story...
- GN-26: Employee Profile Employee Self
- GN-25: Ahc Reports Reports Ahc
- GN-24: Secretary Dashboard Doctor Calender
- GN-23: Masters Others Approval Setup
- GN-22: Employee Profile Basic Details
- GN-21: Doctor Dashboard Op Dashboard
- GN-20: Reports Admin Reports Others
- GN-19: Consultant Dashboard My Appointments
- GN-18: Billing Execution Op Bill
- GN-17: Radiology Transactions Reporting Worklist
- GN-16: Reports Bb Report Home
- GN-15: Doctor Activities Doctor Note
- GN-14: Wards Dashboard View Request
- GN-13: Nurse Dashboard View Request
- GN-12: Daycare Dashboard View Request
- GN-11: Consultant Dashboard View Request
- GN-10: Radiology Transactions Front Office
- GN-9: Radiology Transactions Technicians Worklist
- GN-8: Doctor Activities Raise Request

Generate

User Story to Tests

Generate comprehensive test cases from your user stories

Import from Jira

Select a project and user story to automatically populate the form fields below.

Select Project

GenAINew (GN)

Select User Story

GN-23: Masters Others Approval Setup

Story Title *

Masters Others Approval Setup

Description

As a user, I want to masters others approval setup so that the related functionality works as expected.

Acceptance Criteria *

As a user, I want to masters others approval setup so that the related functionality works as expected.

Additional Info

Status: To Do
Reporter: chaithra hs

Generate

Generated Test Cases

20 test case(s) generated • Model: meta-llama/llama-4-scout-17b-16e-instruct • Tokens: 2692

Test Case ID	Title	Category	Priority	Expected Result
TC-001	Verify Masters Others Approval Setup Page	Positive	High	Page loads with expected fields and buttons
TC-002	Add New Approval Setup	Positive	High	New approval setup added successfully
TC-003	Edit Existing Approval Setup	Positive	High	Existing approval setup updated successfully
TC-004	Delete Approval Setup	Positive	High	Approval setup deleted successfully
TC-005	Search Approval Setups	Positive	Medium	Search results display relevant approval setups
TC-006	Invalid Setup Details	Negative	Medium	Error message displayed for invalid details
TC-007	Duplicate Setup	Negative	Medium	Error message displayed for duplicate setup
TC-008	Empty Setup Details	Negative	Medium	Error message displayed for empty details
TC-009	Unauthorized Access	Negative	High	Access denied error message displayed
TC-010	Page Load Failure	Negative	High	Error message displayed for page load failure
TC-011	Add Setup with Special Characters	Edge	Medium	Setup added successfully with special characters
TC-012	Edit Setup with Long Details	Edge	Medium	Setup updated successfully with long details
TC-013	Delete Multiple Setups	Positive	Medium	Multiple setups deleted successfully
TC-014	Search with No Results	Edge	Medium	No search results found message displayed
TC-015	Add Setup with Mandatory Fields	Positive	High	Setup added successfully with mandatory fields
TC-016	Edit Setup with Optional Fields	Positive	Medium	Setup updated successfully with optional fields
TC-017	Delete Setup with Dependencies	Negative	High	Error message displayed for setup with dependencies
TC-018	Search with Partial Details	Edge	Medium	Search results display relevant approval setups