EXPLORER

AI-EXTENSION

- assets\images
  - hush.png U
  - logo-small.png U
  - qeagle-small.png U
- lib
- src
  - config
    - appConfig.js U
    - configUtils.js U
  - content
  - scripts
  - styles
- bg.js U
- manifest.json U
- panel.html U

OUTLINE

TIMELINE

manifest.json U × | appConfig.js U

manifest.json > { } icons > abc 128

```
4     "manifest_version": 3,
5     "name": "AI Browser Extension for Code Generation",
6     "version": "1.0",
7     "description": "Test automation code generator",
8     "permissions": [
9         "storage",
10        "activeTab",
11        "scripting",
12        "tabs",
13        "sidePanel"
14    ],
15    "host_permissions": [
16        "<all_urls>"
17    ],
18    "action": {
19        "default_title": "Extension for AI Code Generation",
20        "default_icon": {
21            "16": "assets/images/logo-small.png",
22            "32": "assets/images/logo-small.png",
23            "48": "assets/images/logo-small.png",
24            "128": "assets/images/logo-small.png"
25        }
26    },
27    "icons": {
28        "16": "assets/images/logo-small.png",
29        "32": "assets/images/logo-small.png",
30        "48": "assets/images/logo-small.png",
31        "128": "assets/images/logo-small.png"
32    },
33    "side_panel": {
34        "default_path": "panel.html"
35    },
36    "background": {
37        "service_worker": "bg.js"
38    },
39    "web_accessible_resources": [{
```

CHAT

SELENIUM JAVA CODEBASE ANALYSIS AND PLAYWRIGHT TRANSITION

Your codebase is a **test code generator extension**, not a repository of test files. The Selenium Java implementation exists as **prompt templates and generation logic**, not actual Java source code.

Files with Selenium Java Implementation

File	Purpose	Key Content
prompts.js	Prompt templates	3 templates: SELENIUM_JAVA_PAGE_ONLY, CUCUMBER_ONLY, CUCUMBER_WITH_SELENIUM_JAVA_STEPS
chat.js:560-625	Generation logic	Selection logic & validation (getPromptKeys(), isJavaSelenium())
panel.html:110-130	UI controls	Language/engine dropdowns & Feature/Page checkboxes

Supported Selenium Java Modes

1. **Page Object Only** → SELENIUM_JAVA_PAGE_ONLY
2. **Feature File Only** → CUCUMBER_ONLY
3. **Feature + Step Definitions** → CUCUMBER_WITH_SELENIUM_JAVA_STEPS

Ready for STEP 2: Playwright TypeScript Implementation

I will add Playwright TypeScript support by:

- Creating new prompt templates in prompts.js

manifest.json

Ask a question about your code or project

Ask | Claude Haiku 4.5

Local | Default Approvals

EXPLORER

AI-EXTENSION

- assets\images
  - hush.png U
  - logo-small.png U
  - qeagle-small.png U
- lib
- src
  - config
    - appConfig.js U
    - configUtils.js U
  - content
  - scripts
  - styles
- bg.js U
- manifest.json U
- panel.html U

OUTLINE

manifest.json U × | appConfig.js U

manifest.json > { } icons > abc 128

```
4     "manifest_version": 3,
5     "name": "AI Browser Extension for Code Generation",
6     "version": "1.0",
7     "description": "Test automation code generator",
8     "permissions": [
9         "storage",
10        "activeTab",
11        "scripting",
12        "tabs",
13        "sidePanel"
14    ],
15    "host_permissions": [
16        "<all_urls>"
17    ],
18    "action": {
19        "default_title": "Extension for AI Code Generation",
20        "default_icon": {
21            "16": "assets/images/logo-small.png",
22            "32": "assets/images/logo-small.png",
23            "48": "assets/images/logo-small.png",
24            "128": "assets/images/logo-small.png"
25        }
26    },
27    "icons": {
28        "16": "assets/images/logo-small.png",
29        "32": "assets/images/logo-small.png",
30        "48": "assets/images/logo-small.png",
31        "128": "assets/images/logo-small.png"
32    },
33    "side_panel": {
34        "default_path": "panel.html"
35    },
36    "background": {
37        "service_worker": "bg.js"
38    },
39    "web_accessible_resources": [{
```

CHAT

SELENIUM JAVA CODEBASE ANALYSIS AND PLAYWRIGHT TRANSITION

```
            this.addUnsupportedLanguageMessage(lang, eng);
        }
    } else if (isPageChecked) {
        // Page object only
        if (this.isJavaSelenium(lang, eng)) {
            promptKeys.push('SELENIUM_JAVA_PAGE_ONLY');
        } else if (this.isTypeScriptPlaywright(lang, eng)) {
            promptKeys.push('PLAYWRIGHT_TS_PAGE_ONLY');
        } else {
            this.addUnsupportedLanguageMessage(lang, eng);
        }
    }

    return promptKeys;
}
```

Summary of Changes

Component	Change
prompts.js	+3 new Playwright TypeScript templates, +3 CODE_GENERATOR_TYPES entries
chat.js	+isTypeScriptPlaywright() method, updated getPromptKeys() logic, improved error msg

Ready to apply these changes?

manifest.json

Ask a question about your code or project

Ask | Claude Haiku 4.5


EXPLORER
AI-EXTENSION
assets\images
hush.png
logo-small.png
qeagle-small.png
lib
src
config
appConfig.js
configUtils.js
content
scripts
styles
bg.js
manifest.json
panel.html
OUTLINE
TIMELINE
manifest.json U
appConfig.js U
manifest.json > icons > 128
"manifest_version": 3,
"name": "AI Browser Extension for Code Generation",
"version": "1.0",
"description": "Test automation code generator",
"permissions": [
"storage",
"activeTab",
"scripting",
"tabs",
"sidePanel"
],
"host_permissions": [
"<all_urls>"
],
"action": {
"default_title": "Extension for AI Code Generation",
"default_icon": {
"16": "assets/images/logo-small.png",
"32": "assets/images/logo-small.png",
"48": "assets/images/logo-small.png",
"128": "assets/images/logo-small.png"
}
},
"icons": {
"16": "assets/images/logo-small.png",
"32": "assets/images/logo-small.png",
"48": "assets/images/logo-small.png",
"128": "assets/images/logo-small.png"
},
"side_panel": {
"default_path": "panel.html"
},
"background": {
"service_worker": "bg.js"
},
"web_accessible_resources": [{
CHAT
SELENIUM JAVA CODEBASE ANALYSIS AND PLAYWRIGHT TRANSITION
isTypeScriptPlaywright(language, engine) {
return language === 'ts' && engine === 'playwright';
}
isCSharpSelenium(language, engine) {
return language === 'csharp' && engine === 'selenium';
}
isPythonSelenium(language, engine) {
return language === 'python' && engine === 'selenium';
}
// typescript/selenium not supported by the selenium webdriver
/**
* Helper method to show unsupported language/engine combination me
*/
addUnsupportedLanguageMessage(language, engine) {
const message = `⚠ ${language}/${engine} combination is not y
this.addMessage(message, 'system');
}
Apply these three changes, then confirm when done. The extension will then support:
Java + Selenium (existing)
TypeScript + Playwright (new)
manifest.json
Ask a question about your code or project
Ask
Claude Haiku 4.5
Local
Default Approvals


EXPLORER
AI-EXTENSION
assets\images
hush.png
logo-small.png
qeagle-small.png
lib
src
config
appConfig.js
configUtils.js
content
scripts
api
chat.js
init-colors.js
init-config.js
popup.js
prompts.js
tabs.js
styles
bg.js
manifest.json
panel.html
OUTLINE
TIMELINE
manifest.json U
chat.js (changes from chat)
src > scripts > chat.js > ChatUI > constructor
class ChatUI {
getPromptKeys(language, engine) {
// Validate that at least one option is selected
if (!isFeatureChecked && !isPageChecked) {
console.warn('No generation mode selected. Defaulting to Page Object generat
// Default fallback to page object generation
if (this.isJavaSelenium(lang, eng)) {
promptKeys.push('SELENIUM_JAVA_PAGE_ONLY');
} else if (this.isTypeScriptPlaywright(lang, eng)) {
promptKeys.push('PLAYWRIGHT_TS_PAGE_ONLY');
}
return promptKeys;
}
// Generate appropriate prompt keys based on selections and language/engine comb
if (isFeatureChecked && isPageChecked) {
// Both feature and page selected - generate combined output
if (this.isJavaSelenium(lang, eng)) {
promptKeys.push('CUCUMBER_WITH_SELENIUM_JAVA_STEPS');
} else if (this.isTypeScriptPlaywright(lang, eng)) {
promptKeys.push('PLAYWRIGHT_TS_PO_WITH_TESTS');
} else {
// For non-Java/Selenium combinations, generate separately
promptKeys.push('CUCUMBER_ONLY');
// For non-supported combinations, show error
this.addUnsupportedLanguageMessage(lang, eng);
}
} else if (isFeatureChecked) {
// Feature file only
if (this.isJavaSelenium(lang, eng)) {
promptKeys.push('CUCUMBER_ONLY');
} else if (this.isTypeScriptPlaywright(lang, eng)) {
promptKeys.push('PLAYWRIGHT_TS_SPEC_ONLY');
} else {
this.addUnsupportedLanguageMessage(lang, eng);
Keep
Undo
3 of 10
CHAT
SELENIUM JAVA CODEBASE ANALYSIS AND PLAYWRIGHT TRANSITION
Updated CODE_GENERATOR_TYPES with 3 new entries
chat.js
Enhanced getPromptKeys() to support TypeScript/Playwright combinations
Added isTypeScriptPlaywright() helper method
Updated error message to reflect both supported stacks
Your Extension Now Supports:
Language | Framework | Modes
Java | Selenium | Page-Only, Feature-Only, Feature+Steps
TypeScript | Playwright | Page-Only, Spec-Only, Page+Spec (new)
Ready for testing! Would you like to:
1. Test the extension with TypeScript/Playwright selections
2. Add more language/framework combinations (C#, Python, etc.)
3. Create documentation for the new Playwright templates
2 files changed +215 -6
chat.js src\scripts +22 -6
prompts.js src\scripts +193 -0
Describe what to build
Agent
Claude Haiku 4.5
Local
Default Approvals


EXPLORER
AI-EXTENSION
assets\images
hush.png
logo-small.png
qeagle-small.png
lib
src
config
appConfig.js
configUtils.js
content
scripts
api
chat.js
init-colors.js
init-config.js
popup.js
prompts.js
tabs.js
styles
bg.js
manifest.json
panel.html
OUTLINE
TIMELINE
manifest.json U
prompts.js (changes from chat)
src > scripts > prompts.js > DEFAULT_PROMPTS > SELENIUM_JAVA_PAGE_ONLY
export const DEFAULT_PROMPTS = {
CUCUMBER_WITH_SELENIUM_JAVA_STEPS: `
}
\`\`\`
Persona:
- Audience: QA engineers working with Cucumber & Selenium.
Output Format:
- Gherkin in \`\`\`gherkin\`\`\` block + Java code in \`\`\`java\`\`\` block.
Tone:
- Professional, executable, structured.
`,
/**
* Playwright TypeScript Page Object Prompt
*/
PLAYWRIGHT_TS_PAGE_ONLY: `
Instructions:
- Generate ONLY a Playwright TypeScript Page Object Class (no test code).
- Add JSDoc for methods & class.
- Use Playwright v1.40+ compatible imports.
- Use meaningful method names.
- Do NOT include explanations or test code.
- Use async/await pattern.
Context:
DOM:
\`\`\`html
\${domContent}
\`\`\`
Example:
\`\`\`typescript
import { Page, Locator } from '@playwright/test';
Keep
Undo
1 of 10
CHAT
SELENIUM JAVA CODEBASE ANALYSIS AND PLAYWRIGHT TRANSITION
Updated CODE_GENERATOR_TYPES with 3 new entries
chat.js
Enhanced getPromptKeys() to support TypeScript/Playwright combinations
Added isTypeScriptPlaywright() helper method
Updated error message to reflect both supported stacks
Your Extension Now Supports:
Language Framework Modes
Java Selenium Page-Only, Feature-Only, Feature+Steps
TypeScript Playwright Page-Only, Spec-Only, Page+Spec (new)
Ready for testing! Would you like to:
1. Test the extension with TypeScript/Playwright selections
2. Add more language/framework combinations (C#, Python, etc.)
3. Create documentation for the new Playwright templates
2 files changed +215 -6
chat.js src\scripts +22 -6
prompts.js src\scripts +193 -0
prompts.js
Describe what to build
Agent
Claude Haiku 4.5
Local
Default Approvals


EXPLORER
AI-EXTENSION
assets\images
hush.png
logo-small.png
qeagle-small.png
lib
src
config
appConfig.js
configUtils.js
content
scripts
api
chat.js
init-colors.js
init-config.js
popup.js
prompts.js
tabs.js
styles
bg.js
manifest.json
panel.html
OUTLINE
TIMELINE
manifest.json U
prompts.js U
src > scripts > prompts.js > ...
export const DEFAULT_PROMPTS = {
CUCUMBER_WITH_SELENIUM_JAVA_STEPS: `
- Professional, executable, structured.
`,
/**
* Playwright TypeScript Page Object Prompt
*/
PLAYWRIGHT_TS_PAGE_ONLY: `
Instructions:
- Generate ONLY a Playwright TypeScript Page Object Class (no test code).
- Add JSDoc for methods & class.
- Use Playwright v1.40+ compatible imports.
- Use meaningful method names.
- Do NOT include explanations or test code.
- Use async/await pattern.
Context:
DOM:
\`\`\`html
\${domContent}
\`\`\`
Example:
\`\`\`typescript
import { Page, Locator } from '@playwright/test';
/**
* Page Object for Component Page
*/
export class ComponentPage {
readonly page: Page;
constructor(page: Page) {
this.page = page;
}
CHAT
SELENIUM JAVA CODEBASE ANALYSIS AND PLAYWRIGHT TRANSITION
Added PLAYWRIGHT_TS_PAGE_ONLY prompt template
Added PLAYWRIGHT_TS_SPEC_ONLY prompt template
Added PLAYWRIGHT_TS_PO_WITH_TESTS prompt template
Updated CODE_GENERATOR_TYPES with 3 new entries
chat.js
Enhanced getPromptKeys() to support TypeScript/Playwright combinations
Added isTypeScriptPlaywright() helper method
Updated error message to reflect both supported stacks
Your Extension Now Supports:
Language Framework Modes
Java Selenium Page-Only, Feature-Only, Feature+Steps
TypeScript Playwright Page-Only, Spec-Only, Page+Spec (new)
Ready for testing! Would you like to:
1. Test the extension with TypeScript/Playwright selections
2. Add more language/framework combinations (C#, Python, etc.)
3. Create documentation for the new Playwright templates
prompts.js
Describe what to build
Agent
Claude Haiku 4.5
Local
Default Approvals


CRM/SFA Docs Wiki eCommerce
Testleaf
Always Ahead
demosalesmanager | Profile | Shortcuts | Logout
Search
My Home Leads Contacts Accounts Cases Activities Opportunities Quotes Orders Forecasts Marketing Partners Teams Reports opentaps
Last Viewed: Sasmita1 Sahoo1 (Playwrig... Sasmita Sahoo (Test Leaf) Sasmita Sahoo (Test Leaf) Sasmita Sahoo (Test Leaf) Sasmita Sahoo (Test Leaf) FN LN (Acc) Sarjun C (FS Solutions)
Shortcuts
My Leads
Create Lead
Find Leads
Merge Leads
Upload Leads
Request Catalog
Create Account
Create Contact
Create Case
Create Lead
Create Opportunity
Create Lead
Company Name
First name
Source
First Name (Local)
Salutation
Title
Annual Revenue
Industry
Ownership
SIC Code
Description
Important Note
Parent Account
Last name
Marketing Campaign
Last Name (Local)
Birth Date
Department
Preferred Currency
USD - American Dollar
Number Of Employees
Ticker Symbol
Contact Information
Country Code
Area Code
Extension
E-Mail Address
Phone Number
Person to Ask For
Web Url
Primary Address
To Name
Address Line 1
City
Zip/Postal Code
Attention Name
Address Line 2
State/Province
Country
United States
AI Browser Extension for Code Generation
Code Generator
Settings
Supported Language
TypeScript
Browser Engine
Playwright
Select LLM Provider
Groq
Select Model
llama-3.3-70b-versatile
Groq API Key


CRM/SFA Docs Wiki eCommerce
Testleaf
Always Ahead
demosalesmanager | Profile | Shortcuts | Logout
Search
My Home Leads Contacts Accounts Cases Activities Opportunities Quotes Orders Forecasts Marketing Partners Teams Reports opentaps
Last Viewed: Sasmita1 Sahoo1 (Playwrig... Sasmita Sahoo (Test Leaf) Sasmita Sahoo (Test Leaf) Sasmita Sahoo (Test Leaf) Sasmita Sahoo (Test Leaf) FN LN (Acc) Sarjun C (FS Solutions)
Shortcuts
My Contacts
Create Contact
Find Contacts
Merge Contacts
Create Account
Create Contact
Create Case
Create Lead
Create Opportunity
Create Contact
First name
First Name (Local)
Salutation
Title
Preferred Currency
USD - American Dollar
Initial Account
Description
Important Note
Last name
Last Name (Local)
Birth Date
Department
Contact Information
Country Code
Area Code
Extension
E-Mail Address
Phone Number
Person to Ask For
Primary Address
To Name
Address Line 1
City
Zip/Postal Code
Zip/Postal Code Extension
Attention Name
Address Line 2
State/Province
Country
United States
Create Contact
AI Browser Extension for Code Generation
Code Generator
Settings
Feature File
Page Class
Reset Chat


Testleaf
Always Ahead
Search
My Home Leads Contacts Accounts Cases Activities Opportunities Quotes Orders Forecasts Marketing Partners Teams Reports opentaps
Last Viewed: Sasmita1 Sahoo1 (Playwrig... Sasmita Sahoo (Test Leaf) Sasmita Sahoo (Test Leaf) Sasmita Sahoo (Test Leaf) Sasmita Sahoo (Test Leaf) FN LN (Acc) Sarjun C (FS Solutions)
Shortcuts
My Contacts
Create Contact
Find Contacts
Merge Contacts
Create Account
Create Contact
Create Case
Create Lead
Create Opportunity
Create Contact
First name
First Name (Local)
Salutation
Title
Preferred Currency
USD - American Dollar
Initial Account
Description
Important Note
Last name
Last Name (Local)
Birth Date
Department
Contact Information
Country Code
Area Code
Extension
E-Mail Address
Phone Number
Person to Ask For
Primary Address
To Name
Address Line 1
City
Zip/Postal Code
Zip/Postal Code Extension
Attention Name
Address Line 2
State/Province
Country
United States
Create Contact
Code Generator
Settings
Feature File
Page Class
Reset Chat
import { test, expect } from '@playwright
import { CreateContactPage } from './page
test.describe('Create Contact Tests', ()
const testData = [
{ firstName: 'Rahul', lastName: 'Kuma
{ firstName: 'Suresh', lastName: 'Kum
{ firstName: 'Rajesh', lastName: 'Sha
];
testData.forEach(({ firstName, lastName
test(`Create contact with ${firstName
const createContactPage = new Creat
await createContactPage.navigate();
await createContactPage.fillContact
await createContactPage.verifyToNam
await createContactPage.submitForm(
expect(page.url()).toContain('viewC
});
});
});
Provide additional information