

Web Traffic Analytics Report

Traffic channels, engagement, conversion performance & drop-off analysis

Dataset: web_traffic_sample.csv Sessions: 10


Executive Summary

The dataset contains **10** sessions and **34** pageviews. The overall bounce rate is **30.0%**, average session duration is **170.5 seconds**, average pageviews per session is **3.4**, and the conversion rate is **50.0%**.


Metric	Result
Sessions	10
Total pageviews	34
Bounce rate	30.0%
Average session duration	170.5 sec (2.8 min)
Average pageviews/session	3.4
Conversion rate	50.0%
Engaged sessions	7 (70.0%)

Traffic Source Performance

Google Ads and Google Search each achieved 100% conversion in this sample, while Direct converted at 33.3%. Facebook, LinkedIn and Twitter each had one observed session and no conversions. Because some sources have only one or two sessions, these percentages are highly sensitive to sample size.




Bounce Rate by Traffic Source



Conversion Funnel & Drop-off


At the session level, 10 sessions entered the dataset, 7 were non-bounce/engaged sessions, and 5 converted. The largest measurable loss is the **3-session bounce group**. The dataset does not contain ordered pageview events within a session, so a true sequential page-to-page funnel cannot be reconstructed.



Pages associated with non-conversion

Among the single-session pages, /blog/ai-trends and /blog/python each produced a bounce and no conversion. The /pricing and /contact sessions were engaged but did not convert. These are useful investigation points, not proof that the pages cause drop-off.

Device Performance



Actionable Business Recommendations

1. **Improve mobile engagement:** mobile sessions have a 60% bounce rate versus 0% for desktop in this sample, so mobile landing-page speed, layout and CTA visibility should be investigated.
2. **Protect high-performing acquisition channels:** Google Search and Google Ads show strong observed conversion, but performance should be validated across a larger time period before reallocating budget.
3. **Investigate content-page exits:** review /blog/python and /blog/ai-trends for CTA placement, internal links, page speed and relevance to the next conversion step.
4. **Optimize pricing/contact journeys:** engaged visitors reached /pricing and /contact without converting, suggesting an opportunity to review CTA clarity, trust signals and friction.
5. **Capture sequential funnel events:** add event tracking for landing → product/content → signup/register → conversion so true page-level drop-off can be measured.

Limitations

This dataset contains only 10 sessions. Traffic-source and page-level rates with one session are not statistically reliable. Also, because each row represents one session/page path rather than a sequence of page events, this analysis uses a session-level funnel and identifies pages associated with non-conversion rather than claiming causal page drop-off.