

Ergonomics Evaluation Report

Posture Analysis

- Neck Flexion: Yellow
- Shoulder Elevation: Yellow
- Elbow Angle: Red
- Wrist Deviation: Yellow
- Pelvic Tilt: Red

Workstation Analysis

- Monitor: MonitorHeight: Red
- Monitor: ViewingDistance: Green

Pain & Risk Summary

Average Pain Level: 7


Main Pain Region(s): Neck, Elbows/Forearms, Hips/Glutes (VAS 8)

Posture & Ergonomic Corrections

- Reduce pelvic tilt to under 10°: Sit with hips and pelvis upright, using lumbar support if needed. Adjust your sitting posture so that your pelvis is not tilted forward more than 10°, as per ISO 9241-5 guidelines.
- Decrease elbow angle to 100°: Adjust chair and desk height so your elbows are bent at approximately 100°, keeping forearms parallel to the floor and shoulders relaxed.
- Lower shoulder elevation below 5°: Relax shoulders and adjust armrests or desk height so your shoulders are not elevated more than 5° while typing or using the mouse.
- Reduce wrist deviation to under 5°: Keep wrists straight while typing by aligning keyboard and mouse with your forearms, minimizing sideways bending.
- Raise monitor by 25 cm: Elevate your laptop screen or use an external monitor so the top of the screen is at or just below eye level, reducing neck flexion and upper back strain.

Final Advice

Your upper back pain is severe and posture risks are high. Please implement corrections promptly. If pain persists or worsens, consult a healthcare professional. Safety note: Always perform posture exercises slowly and stop if you feel pain or tingling.



Annotated posture analysis from your uploaded photo