

Ergonomics Evaluation Report

Posture Analysis

- Neck Flexion: Yellow
- Shoulder Elevation: Yellow
- Elbow Angle: Red
- Wrist Deviation: Yellow
- Pelvic Tilt: Red

Workstation Analysis

- Monitor: MonitorHeight: Red
- Monitor: ViewingDistance: Green

Pain & Risk Summary

Average Pain Level: 7


Main Pain Region(s): Neck, Elbows/Forearms, Hips/Glutes (VAS 8)

Posture & Ergonomic Corrections

- Reduce pelvic tilt to under 5°: Sit with hips fully back in the chair and adjust your posture so your pelvis is upright, minimizing forward tilt. Use lumbar support if needed to maintain a neutral spine.
- Lower elbow angle to 100°: Adjust chair height and armrest position so elbows are bent at 90-100°, keeping forearms parallel to the desk and shoulders relaxed.
- Reduce wrist deviation to under 5°: Keep wrists straight while typing by aligning keyboard and mouse with forearms. Avoid bending wrists sideways.
- Raise monitor by 25 cm: Place your laptop on a 25 cm riser or stack of stable books so the top of the screen is at or just below eye level, reducing neck flexion.

Final Advice

Your upper back pain is severe and posture risks are high. Prioritize raising your monitor and improving lumbar support immediately. Take frequent breaks every 30-45 minutes. If pain persists or worsens, consult a healthcare professional. Safety note: Always perform posture exercises gently and stop if you feel pain.



Annotated posture analysis from your uploaded photo