

Ergonomics Evaluation Report

Posture Analysis

- Neck Flexion: Yellow
- Shoulder Elevation: Yellow
- Elbow Angle: Red
- Wrist Deviation: Yellow
- Pelvic Tilt: Red

Workstation Analysis

- Monitor: MonitorHeight: Red
- Monitor: ViewingDistance: Green

Pain & Risk Summary

Average Pain Level: 7


Main Pain Region(s): Neck, Elbows/Forearms, Hips/Glutes (VAS 8)

Posture & Ergonomic Corrections

- Reduce pelvic tilt to under 5°: Sit with hips fully back in the chair, ensuring your pelvis is upright and supported. Use a lumbar cushion if needed to maintain a neutral pelvic position.
- Lower elbow angle to 100°: Adjust chair and desk so elbows are bent at 90-100°, with forearms parallel to the floor and wrists straight while typing.
- Reduce wrist deviation to under 5°: Keep wrists straight and aligned with forearms when typing. Use a wrist rest if necessary to minimize side-to-side bending.
- Raise monitor by 25 cm: Place your laptop on a 25 cm riser so the top of the screen is at or just below eye level, reducing neck flexion and upper back strain.
- Add external keyboard at 5 cm height: Use an external keyboard positioned at elbow height (about 5 cm above desk surface) to allow relaxed shoulders and proper elbow angle.

Final Advice

Your upper back pain is severe and combined with wrist and neck symptoms. Please implement all corrections promptly. If pain persists or worsens, consult a healthcare professional. Safety note: Always perform posture exercises slowly and stop if you feel pain or tingling.



Annotated posture analysis from your uploaded photo