

Ergonomics Evaluation Report

Posture Analysis

- Neck Flexion: Red
- Shoulder Elevation: Green
- Elbow Angle: Red
- Wrist Deviation: Red
- Pelvic Tilt: Red

Workstation Analysis

Pain & Risk Summary

Average Pain Level: 8


Main Pain Region(s): Neck, Elbows/Forearms, Wrists/Hands, Hips/Glutes (VAS 8)

Posture & Ergonomic Corrections

- Reduce neck flexion to under 10°: Sit upright and adjust your gaze so your neck bends less than 10°. Keep your chin parallel to the floor to minimize neck strain.
- Correct elbow angle to 90°: Adjust your arm position so elbows are bent at a right angle (90°) when typing, keeping forearms parallel to the floor.
- Straighten wrists to neutral (0°): Keep wrists flat and straight while typing, avoiding any upward, downward, or sideways bend to reduce strain.
- Reduce pelvic tilt to 0-10°: Sit back fully in your chair with your pelvis upright, maintaining a slight (0-10°) forward tilt for proper lumbar support.
- Raise laptop screen by 8 cm: Use a stable riser to elevate your laptop screen so the top is at or just below eye level, reducing neck flexion.
- Use external keyboard at 5 cm height: Place an external keyboard on your desk at a height of 5 cm to allow elbows to rest at 90° and wrists to remain neutral.
- Add lumbar support cushion (5 cm): Place a 5 cm thick lumbar cushion at your lower back to maintain natural spinal alignment and reduce pelvic tilt.

Final Advice

Your current setup poses a high risk for neck, wrist, and lower back strain, especially with your reported pain and tingling. Prioritize immediate workstation changes and take frequent breaks. If tingling or pain worsens, consult a healthcare professional. Safety note: Always perform stretches and posture corrections gently, stopping if you feel pain.



Annotated posture analysis from your uploaded photo