

POSTURA

Ergonomics Evaluation Report

Posture Analysis

- Neck Flexion: Red
- Shoulder Elevation: Green
- Elbow Angle: Red
- Wrist Deviation: Red
- Pelvic Tilt: Red

Workstation Analysis

Pain & Risk Summary

Average Pain Level: 8


Main Pain Region(s): Neck, Elbows/Forearms, Wrists/Hands, Hips/Glutes (VAS 8)

Posture & Ergonomic Corrections

- Raise monitor by 12 cm: Elevate your laptop screen so the top is at eye level, reducing neck flexion to under 10°. Use a stable riser or stack of books.
- Straighten wrists to neutral position: Keep wrists flat and aligned with forearms while typing. Avoid bending wrists upward or sideways.
- Open elbow angle to 100 degrees: Adjust chair or keyboard height so elbows are open (100-110°), reducing strain on forearms and wrists.
- Sit with pelvis upright at 90°: Adjust your sitting posture so your pelvis is upright, not tilted forward or backward, to support your lower back.
- Add external keyboard 5 cm from edge: Place an external keyboard 5 cm from the desk edge to allow relaxed arm and wrist posture.
- Use external mouse beside keyboard: Position an external mouse directly beside the keyboard to prevent wrist deviation and overreaching.
- Place feet flat on floor: Adjust chair or use a footrest so both feet are flat on the floor, supporting hips and lower back.

Final Advice

Your wrist and upper back pain are severe and linked to poor wrist posture and monitor height. Immediate workstation changes are needed. Take frequent breaks (every 30-45 minutes), and if tingling or pain worsens, consult a healthcare provider. Safety note: Always perform any posture or stretching exercises slowly and stop if you feel pain or numbness.



Annotated posture analysis from your uploaded photo