

Ergonomics Evaluation Report

Posture Analysis

- Neck Flexion: Red
- Shoulder Elevation: Green
- Elbow Angle: Red
- Wrist Deviation: Yellow
- Pelvic Tilt: Red

Workstation Analysis

- Chair: SeatDepth: Green

Pain & Risk Summary

Average Pain Level: 7


Main Pain Region(s): Neck, Elbows/Forearms, Hips/Glutes (VAS 8)

Posture & Ergonomic Corrections

- Lower chin to reduce neck flexion by 55°: Bring your chin down and align your head so your neck flexion is less than 10°. This will reduce excessive neck strain and comply with ISO 9241-5 guidelines.
- Bend elbows to 90–110° angle: Adjust your arm position so your elbows are bent between 90° and 110°, keeping forearms parallel to the floor to minimize upper limb strain.
- Reduce wrist deviation to under 5°: Keep wrists straight and aligned with your forearms, aiming for less than 5° deviation to prevent wrist discomfort and nerve compression.
- Tilt pelvis forward to 0–10°: Sit upright with your pelvis in a neutral position, reducing pelvic tilt to less than 10° to support your lower back and maintain spinal alignment.
- Raise monitor by 12 cm: Elevate your monitor so the top edge is at or just below eye level, reducing neck flexion and promoting a neutral head position.
- Move keyboard 8 cm closer: Position your keyboard so your elbows remain at a 90–110° angle, minimizing overreaching and upper limb fatigue.
- Adjust chair backrest to upright position: Set your chair backrest so your pelvis is in a neutral tilt (0–10°), supporting your lower back and reducing strain.

Final Advice

Your current posture and workstation setup present significant ergonomic risks, especially for your neck, wrists, and lower back. Immediate corrective action is required to reduce pain and prevent further injury. If symptoms persist or worsen, consult a healthcare professional.



Annotated posture analysis from your uploaded photo