

Ergonomics Evaluation Report

Posture Analysis

- Neck Flexion: Red
- Shoulder Elevation: Green
- Elbow Angle: Red
- Wrist Deviation: Yellow
- Pelvic Tilt: Red

Workstation Analysis

- Chair: SeatDepth: Green

Pain & Risk Summary

Average Pain Level: 7


Main Pain Region(s): Neck, Elbows/Forearms, Hips/Glutes (VAS 8)

Posture & Ergonomic Corrections

- Raise monitor by 18 cm: Increase monitor height so the top edge is at or just below eye level, reducing neck flexion to under 20°. This will minimize excessive neck bending and align with ISO 9241-5 recommendations.
- Bend elbows to 90-100 degrees: Adjust chair and desk height so elbows are bent at 90-100°, not extended beyond 120°, to reduce strain on wrists and shoulders per ISO 9241-5.
- Reduce wrist deviation to under 5 degrees: Reposition keyboard and mouse to keep wrists straight, minimizing deviation and lowering risk of nerve compression as per ISO 9241-5.
- Sit with pelvis upright at 0-10 degrees: Adjust chair backrest to support a neutral pelvic tilt (0-10°), reducing lower back and upper back strain in line with ISO 9241-5.
- Raise chair seat to 46 cm: Increase chair height so feet remain flat and elbows are at desk height, supporting proper arm and wrist posture.
- Move keyboard 8 cm closer: Bring keyboard closer to reduce arm extension and maintain elbows at 90-100°, decreasing shoulder and wrist strain.

Final Advice

Your pain intensity and posture risks are severe. Please consult a healthcare professional if symptoms persist or worsen. When performing any posture exercises or adjustments, move slowly and stop if you feel pain or tingling.



Annotated posture analysis from your uploaded photo