

POSTURA

Ergonomics Evaluation Report

Posture Analysis

- Neck Flexion: Red
- Shoulder Elevation: Green
- Elbow Angle: Red
- Wrist Deviation: Yellow
- Pelvic Tilt: Red

Workstation Analysis

- Chair: SeatDepth: Green

Pain & Risk Summary

Average Pain Level: 7


Main Pain Region(s): Neck, Elbows/Forearms, Hips/Glutes (VAS 8)

Posture & Ergonomic Corrections

- Raise monitor by 18 cm: Elevate your monitor so the top edge is at or just below eye level. This reduces neck flexion from 65° to the ISO-recommended 0–20° range.
- Bend elbows to 90 degrees: Adjust chair and desk so your elbows are bent at 90°, not 155°, when typing. This relieves upper back and wrist strain.
- Reduce wrist deviation to under 5°: Keep wrists straight while typing and using the mouse. Use a wrist rest if needed to maintain neutral alignment.
- Adjust pelvis to upright position: Sit with your pelvis at a neutral 0–10° tilt. Use a lumbar cushion to support your lower back and prevent slouching.
- Raise chair seat to 46 cm: Increase chair height so your feet remain flat and elbows are at 90°. This supports proper posture and reduces upper back stress.
- Add lumbar support cushion: Place a lumbar cushion to maintain a neutral pelvic tilt and support the natural curve of your lower back.

Final Advice

Your pain intensity and posture risks are severe. Please consult a healthcare professional immediately if symptoms worsen, especially with tingling or numbness. All exercises should be performed gently and stopped if pain increases.



Annotated posture analysis from your uploaded photo