

Ergonomics Evaluation Report

Posture Analysis

- Neck Flexion: Red
- Shoulder Elevation: Green
- Elbow Angle: Red
- Wrist Deviation: Yellow
- Pelvic Tilt: Red

Workstation Analysis

- Chair: SeatDepth: Green

Pain & Risk Summary

Average Pain Level: 7


Main Pain Region(s): Neck, Elbows/Forearms, Hips/Glutes (VAS 8)

Posture & Ergonomic Corrections

- Raise monitor by 18 cm: Elevate your monitor so the top edge is at or just below eye level, reducing neck flexion from 65° to under 20° as per ISO 9241-5.
- Bend elbows to 90-100 degrees: Adjust your chair and desk so your elbows are bent between 90° and 100°, not 155°, to prevent overextension and reduce upper limb strain.
- Reduce wrist deviation to under 5 degrees: Reposition keyboard and mouse to keep wrists straight, minimizing deviation from 12° to below 5° to comply with ISO 9241-5.
- Sit with pelvis upright at 0-10 degrees: Adjust chair backrest and your sitting posture to keep pelvic tilt under 10°, reducing lower back and upper back strain.
- Raise chair seat to 46 cm: Adjust your chair height so your feet are flat on the floor and thighs are parallel, supporting correct elbow and pelvic angles.
- Move keyboard 8 cm closer: Bring your keyboard closer to reduce elbow extension and wrist deviation, supporting a neutral arm posture.

Final Advice

Your pain intensity and posture risks are severe. Please consult a healthcare professional immediately for assessment of your neck, upper back, and wrist symptoms. Ergonomic changes are critical, but medical evaluation is strongly advised. Safety note: Always perform posture exercises gently and stop if you feel pain or tingling.



Annotated posture analysis from your uploaded photo