

## Ergonomics Evaluation Report

### Posture Analysis

---

- Neck Flexion: Red
- Shoulder Elevation: Green
- Elbow Angle: Red
- Wrist Deviation: Yellow
- Pelvic Tilt: Red

### Workstation Analysis

---

- Chair: SeatDepth: Green

### Pain & Risk Summary

---

Average Pain Level: 7

Main Pain Region(s): Neck, Elbows/Forearms, Lower Back (VAS 8)

Future Risk: Medium – Risk of progression if unaddressed

### Posture & Ergonomic Corrections

---


- Reduce Neck Flexion: Sit upright with your head aligned over your shoulders, keeping your chin parallel to the floor. Avoid bending your neck forward; instead, look straight ahead at your screen.
- Correct Elbow Angle: Adjust your seating and arm position so your elbows are bent at approximately 90–100°, with your forearms parallel to the floor and close to your body.
- Minimize Wrist Deviation: Keep your wrists in a neutral, straight position while typing or using the mouse. Avoid bending them upwards, downwards, or to the sides.
- Neutral Pelvic Position: Sit with your hips and pelvis upright, not tilted forward or backward. Ensure your lower back is supported and your feet are flat on the floor.
- Raise Monitor Height: Elevate your monitor so the top edge is at or just below eye level. This will allow you to look straight ahead without bending your neck.
- Adjust Chair Height and Armrests: Set your chair height so your elbows are at desk level and your forearms rest comfortably on the desk or armrests, maintaining a 90–100° elbow angle.
- Optimize Keyboard and Mouse Placement: Position your keyboard and mouse close to your body and at the same height as your elbows to reduce wrist deviation and shoulder strain.
- Support Pelvis and Lower Back: Use a lumbar support cushion or adjust your chair's backrest to maintain the natural curve of your lower back and prevent excessive pelvic tilt.

### Final Advice

---

Your current posture and workstation setup present significant ergonomic risks, especially to your neck, upper

back, and lower back. Immediate adjustments to monitor height, lumbar support, and arm positioning are critical. If pain persists or worsens, consult a healthcare professional.



*Annotated posture analysis from your uploaded photo*