

Ergonomics Evaluation Report

Posture Analysis

- Neck Flexion: Yellow
- Shoulder Elevation: Yellow
- Elbow Angle: Red
- Wrist Deviation: Red
- Pelvic Tilt: Red

Workstation Analysis

- Monitor: MonitorHeight: Red
- Monitor: ViewingDistance: Green

Pain & Risk Summary

Average Pain Level: 7

Main Pain Region(s): Neck, Elbows/Forearms, Wrists/Hands, Hips/Glutes (VAS 8)


Posture & Ergonomic Corrections

- Correct Elbow Angle: Adjust your sitting position so that your elbows are bent at approximately 90–100°, with forearms parallel to the floor and wrists straight. Avoid extending elbows beyond this range to reduce strain.
- Neutral Wrist Alignment: Keep your wrists in a straight, neutral position while typing or using the mouse. Avoid bending or deviating your wrists sideways or upwards.
- Reduce Pelvic Tilt: Sit with your hips fully back in the chair and ensure your pelvis is upright, not tilted forward or backward. Use lumbar support if needed to maintain this posture.
- Lower Shoulder Elevation: Relax your shoulders and keep them low, not hunched or elevated. Adjust armrests or desk height so your shoulders remain relaxed while working.
- Minimize Neck Flexion: Sit upright and keep your head balanced directly over your shoulders. Avoid bending your neck forward; adjust your monitor height to help maintain this position.
- Raise Monitor Height: Elevate your monitor so the top of the screen is at or just below eye level. This will help you maintain a neutral neck position and reduce neck and upper back strain.
- Adjust Armrest or Desk Height: Set your chair armrests or desk height so your elbows are at a 90–100° angle and your shoulders are relaxed. This will help prevent shoulder elevation and elbow overextension.
- Add Lumbar Support: Use a lumbar cushion or adjust your chair's lumbar support to maintain the natural curve of your lower back and reduce pelvic tilt.

Final Advice

Your assessment shows high ergonomic risk, especially for upper back, shoulders, and wrists. Immediate

workstation adjustments and posture corrections are strongly recommended. If pain persists or worsens, consult a healthcare professional.



Annotated posture analysis from your uploaded photo