

Ergonomics Evaluation Report

Posture Analysis

- Neck Flexion: Red risk
- Shoulder Elevation: Green risk
- Elbow Angle: Red risk
- Wrist Deviation: Yellow risk
- Pelvic Tilt: Red risk

Workstation Analysis

Chair:

- SeatDepth: Green risk

Risk Summary

No risk summary available.

Pain & Risk Summary

Average Pain Level: VAS 7/10

Main Pain Region(s): Neck, Elbows/Forearms, Lower Back (VAS 8)

Future Risk: Medium – Risk of progression if unaddressed

Posture & Ergonomic Corrections

- Reduce Neck Flexion

Sit upright with your head aligned over your shoulders. Avoid bending your neck forward; keep your chin level and eyes looking straight ahead.

- Correct Elbow Angle

Adjust your arm position so your elbows are bent at approximately 90–100°, keeping your forearms parallel to the floor and close to your body.

- Minimize Wrist Deviation

Keep your wrists in a neutral, straight position while typing or using the mouse. Avoid bending your wrists up, down, or to the sides.

- Neutral Pelvic Position

Sit with your hips level and your pelvis in a neutral position. Avoid slouching or tilting your pelvis forward excessively.

- Raise Monitor Height

Elevate your monitor so the top of the screen is at or just below eye level. This will help reduce excessive neck

flexion.

- Adjust Desk and Chair Height


Set your chair and desk so your elbows are at a 90–100° angle when typing, with your forearms parallel to the floor.

- Keyboard and Mouse Placement

Position your keyboard and mouse close to your body and at the same height as your elbows to minimize wrist deviation and shoulder strain.

Final Advice

Your current posture and workstation setup are causing significant strain, especially to your upper back and neck. Immediate ergonomic adjustments and regular exercises are strongly recommended to reduce pain and prevent further issues. If pain persists or worsens, consult a healthcare professional.



Annotated posture analysis from your uploaded photo