

Ergonomics Evaluation Report

Posture Analysis

- Neck Flexion: Red risk
- Shoulder Elevation: Green risk
- Elbow Angle: Red risk
- Wrist Deviation: Yellow risk
- Pelvic Tilt: Red risk

Workstation Analysis

Chair:

- SeatDepth: Green risk

Pain & Risk Summary

Average Pain Level: VAS 7/10

Main Pain Region(s): Neck, Elbows/Forearms, Lower Back (VAS 8)

Future Risk: Medium – Risk of progression if unaddressed

Posture & Ergonomic Corrections

- Reduce Neck Flexion

Sit upright with your head aligned over your shoulders. Avoid bending your neck forward; instead, keep your chin parallel to the floor and look straight ahead.

- Correct Elbow Angle

Adjust your arm position so that your elbows are bent at approximately 90-100 degrees and close to your body, not extended outward.

- Neutral Wrist Position

Keep your wrists straight and in line with your forearms while typing or using the mouse. Avoid bending your wrists up, down, or sideways.

- Pelvic Alignment

Sit with your hips fully back in the chair and your pelvis neutral, avoiding excessive forward or backward tilt.

- Raise Monitor Height

Elevate your monitor so the top of the screen is at or just below eye level. This will help reduce neck flexion and upper back strain.


- Adjust Desk and Chair Height

Ensure your desk and chair heights allow your elbows to rest at a 90-100 degree angle and your wrists to remain

neutral while typing.

Final Advice

Your current workstation setup and posture are causing significant strain, especially to your neck and upper back. Immediate adjustments are necessary to prevent worsening symptoms. Prioritize monitor height, neutral sitting posture, and ergonomic equipment. If pain or tingling persists or worsens, consult a healthcare professional.



Annotated posture analysis from your uploaded photo