

Ergonomics Evaluation Report

Posture Analysis

- Neck Flexion: Yellow risk
- Shoulder Elevation: Yellow risk
- Elbow Angle: Red risk
- Wrist Deviation: Red risk
- Pelvic Tilt: Red risk

Workstation Analysis

- Monitor: MonitorHeight: Red risk
- Monitor: ViewingDistance: Green risk

Pain & Risk Summary

Average Pain Level: 7

Main Pain Region(s): Neck, Elbows/Forearms, Wrists/Hands, Lower Back (VAS 8)

Future Risk: Medium – Risk of progression if unaddressed


Posture & Ergonomic Corrections

- Correct Elbow Angle: Adjust your chair and keyboard position so your elbows are bent at approximately 90–100°, with forearms parallel to the floor. This reduces strain on your upper back and shoulders.
- Neutral Wrist Position: Keep wrists straight and aligned with your forearms while typing or using the mouse. Avoid bending your wrists up, down, or sideways to minimize nerve compression and tingling.
- Reduce Pelvic Tilt: Sit with your hips fully back in the chair and use lumbar support to maintain a slight forward curve in your lower back. Keep feet flat on the floor or on a footrest.
- Lower Shoulder Elevation: Relax your shoulders and ensure your armrests (if present) are at a height where your shoulders are not lifted. This helps reduce upper back and shoulder tension.
- Minimize Neck Flexion: Raise your monitor so the top of the screen is at or just below eye level. Keep your head upright and avoid leaning forward.
- Raise Monitor Height: Use a monitor riser or stack sturdy books to elevate your monitor by approximately 8–12 cm, so the top edge is at or slightly below eye level. This will help reduce neck flexion and upper back strain.
- Optimize Keyboard and Mouse Position: Position your keyboard and mouse close to your body and at elbow height to maintain a neutral wrist and elbow posture. Avoid reaching forward or outward.
- Add Lumbar Support: Place a lumbar cushion or a rolled towel at your lower back to support the natural curve of your spine and reduce pelvic tilt.

Final Advice

Your assessment shows high ergonomic risk, especially for the upper back, shoulders, wrists, and lower back,

with significant pain reported. Immediate workstation adjustments and regular ergonomic exercises are strongly recommended. If pain persists or worsens, consult a healthcare professional.



Annotated posture analysis from your uploaded photo