

Ergonomics Evaluation Report

Posture Analysis

- Neck Flexion: Yellow
- Shoulder Elevation: Yellow
- Elbow Angle: Red
- Wrist Deviation: Red
- Pelvic Tilt: Red

Workstation Analysis

- Monitor: MonitorHeight: Red
- Monitor: ViewingDistance: Green

Pain & Risk Summary

Average Pain Level: 7


Main Pain Region(s): Neck, Elbows/Forearms, Wrists/Hands, Hips/Glutes (VAS 8)

Posture & Ergonomic Corrections

- Bring your elbows closer to a 90° angle by moving your forearms closer to your body. This will reduce strain on your upper back and wrists, as excessive elbow extension increases muscle load and violates ISO 9241-5 recommendations for relaxed arm posture.
- Keep your wrists straight and avoid bending them sideways or upwards. High wrist deviation (18°) increases risk of tingling and stiffness, and does not comply with ISO 9241-5, which requires wrists to be in a neutral position.
- Sit with your hips and pelvis in a neutral position, not tilted forward. Excessive pelvic tilt (20°) increases pressure on the lower back and upper back, contributing to pain and stiffness.
- Raise your monitor by approximately 8 cm so the top of the screen is at or just below eye level. This will reduce neck flexion and upper back strain, aligning with ISO 9241-5 requirements for neutral neck posture.
- Lower your keyboard by about 3 cm to allow your elbows to rest at a 90° angle and your wrists to remain straight. This adjustment helps prevent wrist and upper back pain.

Final Advice

Your assessment shows significant ergonomic risks, especially for your upper back and wrists. Address workstation setup and posture as soon as possible, and prioritize exercises and equipment changes to reduce pain and prevent further issues. If pain persists or worsens, consult a healthcare professional.



Annotated posture analysis from your uploaded photo