

Ergonomics Evaluation Report

Posture Analysis

- Neck Flexion: Yellow
- Shoulder Elevation: Yellow
- Elbow Angle: Red
- Wrist Deviation: Red
- Pelvic Tilt: Red

Workstation Analysis

- Monitor: MonitorHeight: Red
- Monitor: ViewingDistance: Green

Pain & Risk Summary

Average Pain Level: 7


Main Pain Region(s): Neck, Elbows/Forearms, Wrists/Hands, Hips/Glutes (VAS 8)

Posture & Ergonomic Corrections

- Reduce wrist deviation to under 5°: Adjust your hand and forearm alignment so your wrists remain straight (neutral) while typing and using the mouse. Keep wrists within 0–5° deviation to minimize strain and comply with ISO 9241-5.
- Decrease pelvic tilt to under 5°: Sit with your pelvis in a neutral position by ensuring your hips are level and your lower back is supported. Avoid slouching or excessive forward tilt to reduce lower back and upper back strain.
- Lower elbow angle to 90–100°: Adjust your chair and armrest height so your elbows are bent at 90–100°, keeping your forearms parallel to the floor and close to your body.
- Raise monitor by 25 cm: Increase your monitor height by 25 cm so the top of the screen is at or just below eye level. This will reduce neck flexion and upper back strain, in line with ISO 9241-5.

Final Advice

Your assessment shows severe upper back pain and multiple high-risk ergonomic violations. Prioritize workstation changes and seek medical advice if pain persists or worsens.



Annotated posture analysis from your uploaded photo