

Ergonomics Evaluation Report

Posture Analysis

- Neck Flexion: Red risk (Angle: 158.16467546307916°)
- Shoulder Elevation: Green risk (Angle: 3.4036803245544434°)
- Elbow Angle: Red risk (Angle: 130.18951456579921°)
- Wrist Deviation: Red risk (Angle: 179.17142911307909°)
- Pelvic Tilt: Yellow risk (Angle: 14.805450439453125°)

Workstation Analysis

Monitor:

- MonitorHeight: Red (Δ 118.70453041791916)
- ViewingDistance: Green (Δ 260.32965087890625)

Chair:

- SeatDepth: Green (Δ 95.02325439453125)

Risk Summary

Posture: red (critical risk due to severe wrist deviation, neck flexion, and elbow angle, with high pain intensity in wrists/hands). Workstation: red (critical risk due to monitor height violation and lack of external input devices).

Exercise Recommendations

Wrist stretches: Extend your arm, palm up, and gently pull back on your fingers with your other hand for 20 seconds. Repeat 3 times per hand.

Neck retractions: Sit upright, gently tuck your chin and pull your head back to align your ears over your shoulders. Hold for 5 seconds, repeat 10 times.

Shoulder blade squeezes: Sit or stand tall, squeeze your shoulder blades together and hold for 5 seconds. Repeat 10 times.

Forearm stretches: Extend your arm, palm down, and gently press your hand downward with your other hand to stretch the top of your forearm. Hold for 20 seconds, repeat 3 times per arm.

Seated spinal twists: While sitting, gently twist your upper body to one side, holding the armrest or back of your chair for support. Hold for 10 seconds, repeat on both sides.

Final Advice

Immediate ergonomic intervention is required due to critical risks and high pain intensity, especially in the wrists/hands. Prioritize workstation adjustments (external keyboard/mouse, monitor height) and maintain neutral postures. Incorporate recommended exercises and take breaks every hour. If symptoms persist or worsen,

consult a healthcare professional.



Annotated posture analysis from your uploaded photo