

Ergonomics Evaluation Report

Posture Analysis

- Neck Flexion: Yellow
- Shoulder Elevation: Yellow
- Elbow Angle: Red
- Wrist Deviation: Yellow
- Pelvic Tilt: Red

Workstation Analysis

- Monitor: MonitorHeight: Red
- Monitor: ViewingDistance: Green

Pain & Risk Summary

Average Pain Level: 7


Main Pain Region(s): Neck, Elbows/Forearms, Hips/Glutes (VAS 8)

Posture & Ergonomic Corrections

- Reduce pelvic tilt to under 5°: Sit with hips and pelvis in a neutral position. Adjust your sitting posture so your pelvis is not tilted forward or backward. Use a lumbar support cushion if needed to maintain a natural curve.
- Lower elbow angle to 90–100°: Adjust your chair and armrest height so your elbows are bent between 90° and 100°, keeping forearms parallel to the floor and close to your body.
- Reduce shoulder elevation below 5°: Relax your shoulders and lower your armrests or chair so your shoulders are not hunched. Keep shoulders level and avoid lifting them while typing.
- Limit wrist deviation to under 10°: Keep wrists straight and aligned with forearms while typing. Adjust keyboard or wrist rest to minimize sideways or upward bending.
- Lower monitor by 8–10 cm: Adjust your monitor so the top edge is at or just below eye level. Use a monitor riser or stack books to achieve the correct height.

Final Advice

Your assessment shows high risk for upper back and lower back pain, with significant workstation and posture issues. Prioritize monitor and lumbar support adjustments, and follow the recommended exercises and corrections daily. If pain persists or worsens, consult a healthcare professional.



Annotated posture analysis from your uploaded photo