

Ergonomics Evaluation Report

Posture Analysis

- Neck Flexion: Red
- Shoulder Elevation: Green
- Elbow Angle: Red
- Wrist Deviation: Green
- Pelvic Tilt: Red

Workstation Analysis

- Monitor: MonitorHeight: Red
- Monitor: ViewingDistance: Green
- Chair: SeatDepth: Green

Pain & Risk Summary

Average Pain Level: 8


Main Pain Region(s): Neck, Elbows/Forearms, Hips/Glutes (VAS 8)

Posture & Ergonomic Corrections

- Reduce neck flexion to under 5°: Sit upright and align your head so your ears are directly above your shoulders. Avoid bending your neck forward; keep your chin level and look straight ahead.
- Decrease elbow angle to 90-100°: Adjust your arm position so your elbows are bent at a right angle (90-100°), with forearms parallel to the floor and wrists straight while typing.
- Correct pelvic tilt to neutral (0°): Sit with your hips and pelvis level, ensuring your lower back maintains its natural curve. Avoid slouching or tilting your pelvis forward.
- Raise monitor by 12 cm: Increase the height of your monitor so the top edge is at or just below eye level. Use a riser or sturdy books to achieve a 12 cm lift.
- Adjust chair seat to 45 cm height: Set your chair seat height so your feet are flat on the floor and your knees are at a 90° angle, supporting a neutral pelvis.
- Move keyboard 8 cm closer: Position your keyboard so it is 8 cm closer to your body, allowing your elbows to remain at a 90-100° angle and your shoulders relaxed.

Final Advice

Your workstation and posture present high risks for upper back and neck pain, with significant ISO 9241-5 violations. Prioritize monitor height and chair adjustments. If pain persists or worsens, consult a healthcare provider.



Annotated posture analysis from your uploaded photo