

MySQL Workbench

Local instance MySQL80

FileEditViewQueryDatabaseServerToolsScriptingHelp

Navigator

SCHEMAS

Filter objects

akila

sys

world

- Tables
 - city
 - country
 - countrylanguage
- Views
- Stored Procedures
- Functions

city

Limit to 1000 rows

1SELECT *
2from world.city;

Result Grid

ID	Name	CountryCode	District	Population
1	Kabul	AFG	Kabul	1780000
2	Qandahar	AFG	Qandahar	237500
3	Herat	AFG	Herat	186800
4	Mazar-e-Sharif	AFG	Balkh	127800
5	Amsterdam	NLD	Noord-Holland	731200
6	Rotterdam	NLD	Zuid-Holland	593321
7	Haag	NLD	Zuid-Holland	440900
8	Utrecht	NLD	Utrecht	234323
9	Eindhoven	NLD	Noord-Brabant	201843
10	Tilburg	NLD	Noord-Brabant	193238
11	Groningen	NLD	Groningen	172701
12	Breda	NLD	Noord-Brabant	160398
13	Apeldoorn	NLD	Gelderland	153491
14	Nijmegen	NLD	Gelderland	152463
15	Enschede	NLD	Overijssel	149544
16	Haarlem	NLD	Noord-Holland	148772
17	Almere	NLD	Flevoland	142465
18	Amhem	NLD	Gelderland	138020
19	Zaanstad	NLD	Noord-Holland	135621
20	's-Hertogenb...	NLD	Noord-Brabant	129170
21	Amersfoort	NLD	Utrecht	126170

Form Editor

Field Types

Query Stats

Execution Plan

ApplyContext HelpSnippets

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

AdministrationSchemas

Information

No object selected

Object InfoSession

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	14:07:15	SELECT * FROM world.city LIMIT 0, 1000	1000 row(s) returned	0.015 sec / 0.000 sec
2	14:08:11	SELECT Name, District from world.city LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.000 sec
3	14:08:30	SELECT * from world.city LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.000 sec
4	14:08:58	SELECT * from world.city LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

Local instance MySQL80

FileEditViewQueryDatabaseServerToolsScriptingHelp

Filter objects

sakila

sys

world

- Tables
 - city
 - country
 - countrylanguage
- Views
- Stored Procedures
- Functions

Administration

Schemas

No object selected

city

Limit to 1000 rows

1SELECT Name, District

2from world.city;

Result Grid

Filter Rows

Export

Wrap Cell Contents

Fetch rows

Result Grid

Form Editor

Field Types

Query Stats

Execution Plan

Name	District
Kabul	Kabul
Qandahar	Qandahar
Herat	Herat
Mazar-e-Sharif	Balkh
Amsterdam	Noord-Holland
Rotterdam	Zuid-Holland
Haag	Zuid-Holland
Utrecht	Utrecht
Eindhoven	Noord-Brabant
Tilburg	Noord-Brabant
Groningen	Groningen
Breda	Noord-Brabant
Apeldoorn	Gelderland
Nijmegen	Gelderland
Enschede	Overijssel
Haarlem	Noord-Holland
Almere	Flevoland
Arnhem	Gelderland
Zaanstad	Noord-Holland
's-Hertogenb...	Noord-Brabant

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

city 5

Read OnlyContext HelpSnippets

Action Output

#	Time	Action	Message	Duration / Fetch
1	14:07:15	SELECT * FROM world.city LIMIT 0, 1000	1000 row(s) returned	0.015 sec / 0.000 sec
2	14:08:11	SELECT Name, District from world.city LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.000 sec
3	14:08:30	SELECT * from world.city LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.000 sec
4	14:08:58	SELECT * from world.city LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.000 sec
5	14:10:57	SELECT District from world.city LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.000 sec
6	14:12:00	SELECT Name, District from world.city LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- sakila
- sys
- world
 - Tables
 - city
 - country
 - countrylanguage
 - Views
 - Stored Procedures
 - Functions

Administration Schemas

Information

No object selected

city

```
1 • SELECT Name , District
2   from world.city
3   where CountryCode = 'THA';
```

Limit to 1000 rows

Result Grid

Name	District
Bangkok	Bangkok
Nonthaburi	Nonthaburi
Nakhon Ratchasima	Nakhon Ratchasima
Chiang Mai	Chiang Mai
Udon Thani	Udon Thani
Hat Yai	Songkhla
Khon Kaen	Khon Kaen
Pek Kret	Nonthaburi
Nakhon Sawan	Nakhon Sawan
Ubon Ratchathani	Ubon Ratchathani
Songkhla	Songkhla
Nakhon Pathom	Nakhon Pathom

city 7 x

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 2	14:08:11	SELECT Name, District from world.city LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.000 sec
✓ 3	14:08:30	SELECT * from world.city LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.000 sec
✓ 4	14:08:58	SELECT * from world.city LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.000 sec
✓ 5	14:10:57	SELECT District from world.city LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.000 sec
✓ 6	14:12:00	SELECT Name, District from world.city LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.000 sec
✓ 7	14:14:15	SELECT Name, District from world.city LIMIT 0, 1000	1000 row(s) returned	0.016 sec / 0.000 sec
✗ 8	14:14:15	where = 'THA'	Error Code: 1064, You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to ...	0.015 sec
✗ 9	14:14:40	SELECT Name, District from world.city where = 'THA'	Error Code: 1064, You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to ...	0.000 sec
✓ 10	14:15:24	SELECT Name, District from world.city where CountryCode = 'THA' LIMIT 0, 1000	12 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

32°C มิเตอร์อุณหภูมิ

Search

14:15 10/2/2569

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- sakila
- sys
- world
 - Tables
 - city
 - country
 - countrylanguage
 - Views
 - Stored Procedures
 - Functions

Administration Schemas

Information

No object selected

city

```
1 SELECT Name , District
2 from world.city
3 where Population >= '1,000,000'
```

Limit to 1000 rows

Result Grid

Name	District
Kabul	Kabul
Qandahar	Qandahar
Herat	Herat
Mazar-e-Sharif	Balkh
Amsterdam	Noord-Holland
Rotterdam	Zuid-Holland
Hoag	Zuid-Holland
Utrecht	Utrecht
Eindhoven	Noord-Brabant
Tilburg	Noord-Brabant
Groningen	Groningen
Breda	Noord-Brabant
Apeldoorn	Gelderland
Nijmegen	Gelderland
Enschede	Overijssel
Haarlem	Noord-Holland
Almere	Flevoland
Amhem	Gelderland
Zaanstad	Noord-Holland
's-Hertogenb...	Noord-Brabant
Amersfoort	Utrecht

city 8

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
3	14:08:30	SELECT * from world.city LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.000 sec
4	14:08:58	SELECT * from world.city LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.000 sec
5	14:10:57	SELECT District from world.city LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.000 sec
6	14:12:00	SELECT Name ,District from world.city LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.000 sec
7	14:14:15	SELECT Name ,District from world.city LIMIT 0, 1000	1000 row(s) returned	0.016 sec / 0.000 sec
8	14:14:15	where = 'THA'	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to ...	0.015 sec
9	14:14:40	SELECT Name ,District from world.city where = 'THA'	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to ...	0.000 sec
10	14:15:24	SELECT Name ,District from world.city where CountryCode = 'THA' LIMIT 0, 1000	12 row(s) returned	0.000 sec / 0.000 sec
11	14:17:09	SELECT Name ,District from world.city where Population >= '1,000,000' LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

32°C มีแอลกอฮอล์

Search

14:17 10/2/2569

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

city

SCHEMAS

Filter objects

- sakila
- sys
- world
 - Tables
 - city
 - country
 - countrylanguage
 - Views
 - Stored Procedures
 - Functions

Administration Schemas Information

No object selected

city

```
1 SELECT Name , District
2 from world.city
3 where CountryCode = 'BEL' and Population >= '2,000,000'
```

Result Grid

Name	District
Antwerpen	Antwerpen
Gent	East Flanderi
Charleroi	Hainaut
Liège	Liège
Bruxelles [Brussel]	Brussel
Brugge	West Flanderi
Schaerbeek	Brussel
Namur	Namur
Mons	Hainaut

city 11

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
6	14:12:00	SELECT Name , District from world.city LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.000 sec
7	14:14:15	SELECT Name , District from world.city LIMIT 0, 1000	1000 row(s) returned	0.016 sec / 0.000 sec
8	14:14:15	where = 'THA'	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to ...	0.015 sec
9	14:14:40	SELECT Name , District from world.city where = 'THA'	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to ...	0.000 sec
10	14:15:24	SELECT Name , District from world.city where CountryCode = 'THA' LIMIT 0, 1000	12 row(s) returned	0.000 sec / 0.000 sec
11	14:17:09	SELECT Name , District from world.city where Population >= '1,000,000' LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.000 sec
12	14:19:55	SELECT Name , District from world.city where CountryCode = 'BEL' and Population >= '2,000,000' LIMIT 0, 1000	9 row(s) returned	0.000 sec / 0.000 sec
13	14:20:02	SELECT Name , District from world.city where CountryCode = 'BEL' and Population >= '2,000,000' LIMIT 0, 1000	9 row(s) returned	0.000 sec / 0.000 sec
14	14:20:05	SELECT Name , District from world.city where CountryCode = 'BEL' and Population >= '2,000,000' LIMIT 0, 1000	9 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

32°C มีแดดจ้าเย็นๆ

Search

14:20 10/2/2569

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

country x country

Limit to 1000 rows

1 SELECT Name, Continent FROM world.country;

Result Grid

Name	Continent
Aruba	North America
Afghanistan	Asia
Angola	Africa
Anguilla	North America
Albania	Europe
Andorra	Europe
Netherlands Antilles	North America
United Arab Emirates	Asia
Argentina	South America
Armenia	Asia
American Samoa	Oceania
Antarctica	Antarctica
French Southern ter...	Antarctica
Antigua and Barbuda	North America
Australia	Oceania
Austria	Europe
Azerbaijan	Asia
Burundi	Africa
Belgium	Europe
Berlin	Africa
Bolivia	South America

country 2 x

Read Only

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 10	14:15:24	SELECT Name, District from world.city where CountryCode = 'THA' LIMIT 0, 1000	12 row(s) returned	0.000 sec / 0.000 sec
✓ 11	14:17:09	SELECT Name, District from world.city where Population >= '1,000,000' LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.000 sec
✓ 12	14:19:55	SELECT Name, District from world.city where CountryCode = 'BEL' and Population >= '2,000,000' LIMIT 0, 1000	9 row(s) returned	0.000 sec / 0.000 sec
✓ 13	14:20:02	SELECT Name, District from world.city where CountryCode = 'BEL' and Population >= '2,000,000' LIMIT 0, 1000	9 row(s) returned	0.000 sec / 0.000 sec
✓ 14	14:20:05	SELECT Name, District from world.city where CountryCode = 'BEL' and Population >= '2,000,000' LIMIT 0, 1000	9 row(s) returned	0.000 sec / 0.000 sec
✓ 15	14:21:04	SELECT * FROM world.country LIMIT 0, 1000	239 row(s) returned	0.000 sec / 0.000 sec
✓ 16	14:21:18	SELECT * FROM world.country LIMIT 0, 1000	239 row(s) returned	0.000 sec / 0.000 sec
✓ 17	14:21:25	SELECT * FROM world.country LIMIT 0, 1000	239 row(s) returned	0.000 sec / 0.000 sec
✓ 18	14:22:33	SELECT Name, Continent FROM world.country LIMIT 0, 1000	239 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

32°C มีแดดจ้าเย็นๆ

Windows Search

14:22 10/2/2569

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

country x country

1 SELECT Name, Continent FROM world.country where Continent = 'Asia'

Result Grid

Name	Continent
Afghanistan	Asia
United Arab Emirates	Asia
Armenia	Asia
Azerbaijan	Asia
Bangladesh	Asia
Bahrain	Asia
Brunei	Asia
Bhutan	Asia
China	Asia
Cyprus	Asia
Georgia	Asia
Hong Kong	Asia
Indonesia	Asia
India	Asia
Iran	Asia
Iraq	Asia
Israel	Asia
Jordan	Asia
Japan	Asia
Kazakhstan	Asia
Kuwait	Asia

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Output

#	Time	Action	Message	Duration / Fetch
12	14:19:55	SELECT Name, District from world.city where CountryCode = 'BEL' and Population >= 2,000,000 LIMIT 0, 1000	9 row(s) returned	0.000 sec / 0.000 sec
13	14:20:02	SELECT Name, District from world.city where CountryCode = 'BEL' and Population >= 2,000,000 LIMIT 0, 1000	9 row(s) returned	0.000 sec / 0.000 sec
14	14:20:05	SELECT Name, District from world.city where CountryCode = 'BEL' and Population >= 2,000,000 LIMIT 0, 1000	9 row(s) returned	0.000 sec / 0.000 sec
15	14:21:04	SELECT * FROM world.country LIMIT 0, 1000	239 row(s) returned	0.000 sec / 0.000 sec
16	14:21:18	SELECT * FROM world.country LIMIT 0, 1000	239 row(s) returned	0.000 sec / 0.000 sec
17	14:21:25	SELECT * FROM world.country LIMIT 0, 1000	239 row(s) returned	0.000 sec / 0.000 sec
18	14:22:33	SELECT Name, Continent FROM world.country LIMIT 0, 1000	239 row(s) returned	0.000 sec / 0.000 sec
19	14:23:55	SELECT Name, Continent FROM world.country where 'Asia' LIMIT 0, 1000	0 row(s) returned	0.016 sec / 0.000 sec
20	14:24:52	SELECT Name, Continent FROM world.country where Continent = 'Asia' LIMIT 0, 1000	51 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

32°C มีแดดจ้าเย็นๆ

Windows Search

14:24 10/2/2569

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: country x country

SCHEMAS

Filter objects

- sakila
- sys
- world
 - Tables
 - city
 - country
 - countrylanguage
 - Views
 - Stored Procedures
 - Functions

Administration Schemas

Information

No object selected

country x country

Limit to 1000 rows

1 SELECT Name, Continent FROM world.country where Region = 'Southeast Asia' and Population >= '50000000'

Result Grid

Name	Continent
Indonesia	Asia
Philippines	Asia
Thailand	Asia
Vietnam	Asia

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

country 7 x

Read Only

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 15	14:21:04	SELECT * FROM world.country LIMIT 0, 1000	239 row(s) returned	0.000 sec / 0.000 sec
✓ 16	14:21:18	SELECT * FROM world.country LIMIT 0, 1000	239 row(s) returned	0.000 sec / 0.000 sec
✓ 17	14:21:25	SELECT * FROM world.country LIMIT 0, 1000	239 row(s) returned	0.000 sec / 0.000 sec
✓ 18	14:22:33	SELECT Name, Continent FROM world.country LIMIT 0, 1000	239 row(s) returned	0.000 sec / 0.000 sec
✓ 19	14:23:55	SELECT Name, Continent FROM world.country where 'Asia' LIMIT 0, 1000	0 row(s) returned	0.016 sec / 0.000 sec
✓ 20	14:24:52	SELECT Name, Continent FROM world.country where Continent = 'Asia' LIMIT 0, 1000	51 row(s) returned	0.000 sec / 0.000 sec
✓ 21	14:30:05	SELECT Name, Continent FROM world.country where Continent = 'Southeast Asia' and Population >= '50,000,000' LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
✓ 22	14:30:38	SELECT Name, Continent FROM world.country where Continent = 'Southeast Asia' and Population >= '50000000' LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
✓ 23	14:31:12	SELECT Name, Continent FROM world.country where Region = 'Southeast Asia' and Population >= '50000000' LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

32°C มีอากาศเย็นสบาย

Windows Search

14:31 10/2/2569

MySQL Workbench

Local instance MySQL80 x

FileEditViewQueryDatabaseServerToolsScriptingHelp

Navigator

Filter objects

SCHEMAS

sakila

sys

world

- Tables
 - city
 - country
 - countrylanguage
- Views
- Stored Procedures
- Functions

AdministrationSchemas

Information

No object selected

country x country

Limit to 1000 rows

1 • SELECT Name, LifeExpectancy FROM country where LifeExpectancy > 80;

Result Grid

Filter Rows:

Export:

Wrap Cell Contents

	Name	LifeExpectancy
▶	Andorra	83.5
	Japan	80.7
	Mexico	81.6
	Singapore	80.1
	San Marino	81.1

Result Grid

Form Editor

Field Types

Query Stats

Execution Plan

country 8 x

Read Only

Context Help

Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 16	14:21:10	SELECT * FROM world.country LIMIT 0, 1000	239 row(s) returned	0.000 sec / 0.000 sec
✓ 17	14:21:25	SELECT * FROM world.country LIMIT 0, 1000	239 row(s) returned	0.000 sec / 0.000 sec
✓ 18	14:22:33	SELECT Name, Continent FROM world.country LIMIT 0, 1000	239 row(s) returned	0.000 sec / 0.000 sec
✓ 19	14:23:55	SELECT Name, Continent FROM world.country where 'Asia' LIMIT 0, 1000	0 row(s) returned	0.016 sec / 0.000 sec
✓ 20	14:24:52	SELECT Name, Continent FROM world.country where Continent = 'Asia' LIMIT 0, 1000	51 row(s) returned	0.000 sec / 0.000 sec
✓ 21	14:30:05	SELECT Name, Continent FROM world.country where Continent = 'Southeast Asia' and Population >= '50,000,000' LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
✓ 22	14:30:38	SELECT Name, Continent FROM world.country where Continent = 'Southeast Asia' and Population >= '50000000' LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
✓ 23	14:31:12	SELECT Name, Continent FROM world.country where Region = 'Southeast Asia' and Population >= '50000000' LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
✓ 24	14:33:05	SELECT Name, LifeExpectancy FROM country where LifeExpectancy > 80 LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec

Object InfoSession

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

Local instance MySQL80

FileEditViewQueryDatabaseServerToolsScriptingHelp

Navigator

countrycountry

Limit to 1000 rows

1SELECT Name from Country where IndepYear IS NULL;

Result Grid

Name

Aruba

Anguilla

Netherlands Antilles

American Samoa

Antarctica

French Southern territories

Bermuda

Bouvet Island

Cocos (Keeling) Islands

Cook Islands

Christmas Island

Cayman Islands

Western Sahara

Falkland Islands

Faroe Islands

Gibraltar

Guadeloupe

Greenland

French Guiana

Guam

Guernsey

Country 9

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

AdministrationSchemas

Information

No object selected

Output

Action Output

#	Time	Action	Message	Duration / Fetch
20	14:24:52	SELECT Name, Continent FROM world.country where Continent = 'Asia' LIMIT 0, 1000	51 row(s) returned	0.000 sec / 0.000 sec
21	14:30:05	SELECT Name, Continent FROM world.country where Continent = 'Southeast Asia' and Population >= '50,000,000' LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
22	14:30:38	SELECT Name, Continent FROM world.country where Continent = 'Southeast Asia' and Population >= '50000000' LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
23	14:31:12	SELECT Name, Continent FROM world.country where Region = 'Southeast Asia' and Population >= '50000000' LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
24	14:33:05	SELECT Name, LifeExpectancy FROM country where LifeExpectancy > 80 LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
25	14:37:35	SELECT Name Country where IndepYear IS NULL	Error Code: 1054. Unknown column 'Name' in 'field list'	0.000 sec
26	14:38:00	SELECT Name Country where IndepYear IS NULL	Error Code: 1054. Unknown column 'Name' in 'field list'	0.000 sec
27	14:38:20	SELECT Name Country where IndepYear IS NULL	Error Code: 1054. Unknown column 'Name' in 'field list'	0.000 sec
28	14:38:32	SELECT Name from Country where IndepYear IS NULL LIMIT 0, 1000	47 row(s) returned	0.016 sec / 0.000 sec

Object InfoSession

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

country x country

1 SELECT Name, GNP, GNPold from world.country where GNP > GNPold;

Result Grid

Name	GNP	GNPold
Aruba	828.00	793.00
Albania	3205.00	2500.00
United Arab Emirates	37966.00	36846.00
Argentina	340238.00	323310.00
Armenia	1813.00	1627.00
Antigua and Barbuda	612.00	584.00
Austria	211860.00	206025.00
Azerbaijan	4127.00	4100.00
Belgium	249704.00	243948.00
Benin	2357.00	2141.00
Burkina Faso	2425.00	2201.00
Bangladesh	32852.00	31966.00
Bulgaria	12178.00	10169.00
Bahrain	6366.00	6097.00
Bahamas	3527.00	3347.00
Belize	630.00	616.00
Bermuda	2328.00	2190.00
Bolivia	8571.00	7967.00
Barbados	2223.00	2186.00
Central African Rep...	1054.00	993.00
Switzerland	761479.00	756002.00

country 10 x

Read Only Context Help Snippets

Output

#	Time	Action	Message	Duration / Fetch
24	14:33:05	SELECT Name, LifeExpectancy FROM country where LifeExpectancy > 80 LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
25	14:37:35	SELECT Name, Country where IndepYear IS NULL	Error Code: 1054. Unknown column 'Name' in 'field list'	0.000 sec
26	14:38:00	SELECT Name, Country where IndepYear IS NULL	Error Code: 1054. Unknown column 'Name' in 'field list'	0.000 sec
27	14:38:20	SELECT Name Country where IndepYear IS NULL	Error Code: 1054. Unknown column 'Name' in 'field list'	0.000 sec
28	14:38:32	SELECT Name from Country where IndepYear IS NULL LIMIT 0, 1000	47 row(s) returned	0.016 sec / 0.000 sec
29	14:39:54	SELECT Name, GNP, GNPold where GNP > GNPold	Error Code: 1054. Unknown column 'Name' in 'field list'	0.000 sec
30	14:40:18	SELECT Name, GNP, GNPold where GNP > GNPold	Error Code: 1054. Unknown column 'Name' in 'field list'	0.000 sec
31	14:40:24	0	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to ...	0.000 sec
32	14:41:08	SELECT Name, GNP, GNPold from world.country where GNP > GNPold	115 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

32°C มีเมฆบางส่วน

Search

14:41 10/2/2569

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: countrylanguage x countrylanguage

SCHEMAS

Filter objects

- sakila
- sys
- world
 - Tables
 - city
 - country
 - countrylanguage
 - Views
 - Stored Procedures
 - Functions

Administration Schemas

Information

No object selected

1 `SELECT Language from world.countrylanguage where countryCode = 'USA';`

Result Grid

Language
Chinese
English
French
German
Italian
Japanese
Korean
Polish
Portuguese
Spanish
Tagalog
Vietnamese

countrylanguage 2 x

Output

#	Time	Action	Message	Duration / Fetch
28	14:38:32	SELECT Name from Country where IndepYear IS NULL LIMIT 0, 1000	47 row(s) returned	0.016 sec / 0.000 sec
29	14:39:54	SELECT Name, GNP, GNPOld where GNP > GNPOld	Error Code: 1054. Unknown column 'Name' in 'field list'	0.000 sec
30	14:40:18	SELECT Name, GNP, GNPOld where GNP > GNPOld	Error Code: 1054. Unknown column 'Name' in 'field list'	0.000 sec
31	14:40:24	0	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to ...	0.000 sec
32	14:41:08	SELECT Name, GNP, GNPOld from world.country where GNP > GNPOld	115 row(s) returned	0.000 sec / 0.000 sec
33	14:43:24	SELECT * FROM world.countrylanguage	984 row(s) returned	0.000 sec / 0.000 sec
34	14:43:39	SELECT * FROM world.countrylanguage	984 row(s) returned	0.000 sec / 0.000 sec
35	14:44:25	world.countrylanguage	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to ...	0.000 sec
36	14:45:12	SELECT Language from world.countrylanguage where CountryCode = 'USA'	12 row(s) returned	0.015 sec / 0.000 sec

Object Info Session

32°C มีอากาศสบาย

14:45 10/2/2569

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: countrylanguage x countrylanguage

SCHEMAS

Filter objects

- sakila
- sys
- world
 - Tables
 - city
 - country
 - countrylanguage
 - Views
 - Stored Procedures
 - Functions

Administration Schemas

Information

No object selected

1 `SELECT Language from world.countrylanguage where IsoOfficial = 'T';`

Result Grid

Language
Dutch
Dari
Pashto
English
Albaniana
Catalan
Dutch
Papiamentu
Arabic
Spanish
Armenian
English
Samoan
English
English
German
Azerbaijani
French
Kirundi
Dutch
French

countrylanguage 3 x

Output

#	Time	Action	Message	Duration / Fetch
29	14:39:54	SELECT Name, GNP, GNPOld where GNP > GNPOld	Error Code: 1054. Unknown column 'Name' in 'field list'	0.000 sec
30	14:40:18	SELECT Name, GNP, GNPOld where GNP > GNPOld	Error Code: 1054. Unknown column 'Name' in 'field list'	0.000 sec
31	14:40:24	0	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to ...	0.000 sec
32	14:41:08	SELECT Name, GNP, GNPOld from world.country where GNP > GNPOld	115 row(s) returned	0.000 sec / 0.000 sec
33	14:43:24	SELECT * FROM world.countrylanguage	984 row(s) returned	0.000 sec / 0.000 sec
34	14:43:39	SELECT * FROM world.countrylanguage	984 row(s) returned	0.000 sec / 0.000 sec
35	14:44:25	world.countrylanguage	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to ...	0.000 sec
36	14:45:12	SELECT Language from world.countrylanguage where CountryCode = 'USA'	12 row(s) returned	0.015 sec / 0.000 sec
37	14:46:10	SELECT Language from world.countrylanguage where IsoOfficial = 'T'	238 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

32°C มีแดดจ้าเย็นๆ

14:46 10/2/2569

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

countrylanguage x countrylanguage

1 `SELECT Language from world.countrylanguage where Percentage >= '50';`

Result Grid

Language
Papiamentu
Pashto
Albanian
Papiamentu
Spanish
Armenian
Samoan
Creole English
English
German
Azerbaijani
Kirundi
Dutch
Nossi
Bengali
Bulgarian
Arabic
Creole English
Serbo-Croatian
Belorussian
English

countrylanguage 4 x

Output

#	Time	Action	Message	Duration / Fetch
30	14:40:18	SELECT Name, GNP, GNPOld where GNP > GNPOld	Error Code: 1054. Unknown column 'Name' in 'field list'	0.000 sec
31	14:40:24	O	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to ...	0.000 sec
32	14:41:08	SELECT Name, GNP, GNPOld from world.country where GNP > GNPOld	115 row(s) returned	0.000 sec / 0.000 sec
33	14:43:24	SELECT * FROM world.countrylanguage	984 row(s) returned	0.000 sec / 0.000 sec
34	14:43:39	SELECT * FROM world.countrylanguage	984 row(s) returned	0.000 sec / 0.000 sec
35	14:44:25	world.countrylanguage	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to ...	0.000 sec
36	14:45:12	SELECT Language from world.countrylanguage where CountryCode = 'USA'	12 row(s) returned	0.015 sec / 0.000 sec
37	14:46:10	SELECT Language from world.countrylanguage where IsOfficial = 'T'	238 row(s) returned	0.000 sec / 0.000 sec
38	14:47:17	SELECT Language from world.countrylanguage where Percentage >= '50'	169 row(s) returned	0.016 sec / 0.000 sec

Object Info Session

32°C มีอากาศสบายๆ

14:47 10/2/2569

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

countrylanguage countrylanguage

1 `SELECT Language from world.countrylanguage where Isoofficial = 'F' and Percentage >= '30';`

Result Grid

Language
Papiamentu
Ovimbundu
Spanish
Creole English
Fon
Mossi
Creole English
Spanish
Bajan
Nepali
Taviana
Akan
Kongo
Crioulo
Afar
Somali
Creole English
Tigre
Amhara
Oromo
Hindi

countrylanguage 5

Output

#	Time	Action	Message	Duration / Fetch
31	14:40:24	0	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to ...	0.000 sec
32	14:41:08	SELECT Name, GNP, GNPOld from world.country where GNP > GNPOld	115 row(s) returned	0.000 sec / 0.000 sec
33	14:43:24	SELECT * FROM world.countrylanguage	984 row(s) returned	0.000 sec / 0.000 sec
34	14:43:39	SELECT * FROM world.countrylanguage	984 row(s) returned	0.000 sec / 0.000 sec
35	14:44:25	world.countrylanguage	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to ...	0.000 sec
36	14:45:12	SELECT Language from world.countrylanguage where CountryCode = 'USA'	12 row(s) returned	0.015 sec / 0.000 sec
37	14:46:10	SELECT Language from world.countrylanguage where IsoOfficial = 'T'	238 row(s) returned	0.000 sec / 0.000 sec
38	14:47:17	SELECT Language from world.countrylanguage where Percentage >= '50'	169 row(s) returned	0.016 sec / 0.000 sec
39	14:48:08	SELECT Language from world.countrylanguage where IsoOfficial = 'F' and Percentage >= '30'	70 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

32°C มีแดดจ้าเย็นๆ

14:48 10/2/2569